

Anticancer Res. 27(4C):2627-33, 2007	Prediction of response to definitive chemoradiotherapy in esophageal cancer using positron emission tomography.	Kato H, Fukuchi M, Tsukada K, Kuwano H:	第一外科
Anticancer Res. 27(6C):4249-54, 2007	Videofluoroscopic evaluation in oropharyngeal swallowing after radical esophagectomy with lymphadenectomy for esophageal cancer.	Kato H, Miyazaki T, Tsukada K, Kuwano H:	第一外科
Int J Oncol. 30 (1):171-9, 2007	Prognostic significance of EpCAM expression in human esophageal cancer.	Kimura H, Kato H, Fukuchi M, Kuwano H:	第一外科
Breast Cancer Res Treat. 106:407-411, 2007	Study of time-course changes in annual recurrence rates for breast cancer: data analysis of 2,209 patients for 10 years post-surgery.	Kimura M, Yanagita Y, Fujisawa T, Koida T:	第一外科
Surg Today. 37 (12):1102-4, 2007	Segmental dilatation of the ileum covered almost entirely by gastric mucosa : report of a case.	Kobayashi T, Uchida N, Takahashi A, Kuwano H:	第一外科
J Hepatobiliary Pancreat Surg. 14 (3):297-301, 2007	Close relation between the inferior vena cava ligament and the caudate lobe in the human liver.	Kogure K, Ishizaki M, Nemoto M, Kuwano H,	第一外科
J Pediatr Surg. 42: E15-18, 2007	Successful laparoscopic ligation of the lymphatic trunk for refractory chylous ascites.	Kuroiwa M, Toki F, Suzuki M, Suzuki N:	第一外科
Surg Today. 37 (12): 1023-32, 2007	Gastrointestinal motility after digestive surgery.	Mochiki E, Asao T, Kuwano H:	第一外科
Int J Hyperthermia. 23 (6):493-500, 2007	Feasibility study of postoperative intraperitoneal hyperthermochemotherapy by radiofrequency capacitive heating system for advanced gastric cancer with peritoneal seeding.	Mochiki E, Andoh H, Asao T, Kuwano H:	第一外科
Hepatogastroenterology. 54(73):104-10, 2007	Comprehensive investigations of quality of life after esophagectomy with special reference to the route of reconstruction.	Nakajima M, Kato H, Mochiki E, Kuwano H:	第一外科
Curr Pain Headache Rep. 11 (2):115-23, 2007	Is there genetic polymorphism evidence for individual human sensitivity to opiates?	Nagashima M, Katoh R,	第一外科
J Immunol. 178 (2):757-64, 2007	Enforced expression of Bcl-2 partially restores cell numbers but not functions of TCRgammadelta intestinal intraepithelial T lymphocytes in IL-15-deficient mice.	Nakazato K, Yajima T, Kuwano H,	第一外科

小計 12 件

MHC 13 (3) :187-197, 2007	Somatic mutations leading to incomplete extinction of HLA class I were associated with replication error phenotype-positive colorectal carcinoma.	Nouchi T, Tanaka S, Kuвано H,	第一外科
Hepatogastroenterology. 54 (73) :111-5, 2007	Relationship between cytokine response and temporary ventilation during one-lung ventilation in esophagectomy.	Ojima H, Kuвано H, Sohda M, Tsukada K:	第一外科
World J Surg Oncol. 5 (1): 70, 2007	Treatment of multiple liver metastasis from gastric carcinoma.	Ojima H, Ootake S, Nishida Y, Kuвано H:	第一外科
Hepatogastroenterology. 54 (73) :28-31, 2007	Management of bile leakage caused by clip displacement from cystic duct stumps.	Ojima H, Yamauchi H, Nishida Y, Kuвано H:	第一外科
Hepatogastroenterology. 54 (73) :17-21, 2007	Fascin expression is correlated with tumor progression of extrahepatic bile duct cancer.	Okada K, Shimura T, Suehiro T, Kuвано H:	第一外科
Cancer Sci. 98 (11):1747-51, 2007	LKB1 gene mutations in Japanese lung cancer patients.	Onozato R, Kosaka T, Kuвано H, :	第一外科
Hepatogastroenterology. 54 (73) :206-9, 2007	Efficacy of transplanting cryo-preserved and encapsulated xenogeneic fetal liver fragment as an auxiliary liver support in 90%-hepatectomized rats.	Shimura T, Kuвано H, Takebe K, Asao T:	第一外科
Am J Surg. 194 (4):553-5, 2007	Preoperative endoscopic pancreatic stenting for prophylaxis of pancreatic duct disruption during extirpation of a pancreatic head tumor.	Shimura T, Suehiro T, Araki K, Kuвано H:	第一外科
J Surg Oncol. 96 (5):438-41, 2007	Trans-ileocecal portal vein embolization as a preoperative treatment for right trisegmentectomy with caudate lobectomy.	Shimura T, Suehiro T, Araki K, Kuвано H:	第一外科
Pathology-Research and Practice 203:671-675, 2007	An autopsy case report of annuloaortic ectasia with cardiac tamponade ruptured from an aneurysm of the right Valsalva sinus.	Takaaki F, Sumiyoshi S, Kuвано H, Sueishi K:	第一外科
Hepatogastroenterology 54 (74) :367-72, 2007	Is p53 and heat shock protein 70 expression a useful parameter for preoperative hyperthermoradiation therapy in advanced rectal carcinoma.	Takeuchi K, Nakajima M, Fujita K, Kuвано H:	第一外科
Int Surg. 92 (4) :214-7, 2007	Case of breast cancer with endocrine differentiation.	Tanaka N, Katayama K, Uchida N, Kuвано H:	第一外科

小計 12件

Oncol Rep. 18(1) :87-92, 2007	CDX2 as a useful marker of colorectal adenocarcinoma metastases to lung in pre-operative biopsy specimens.	Tanaka S, Saito K, Shitara Y, Kuвано H:	第一外科
Ann Surg Oncol. 14(6):1880-9, 2007	Alpha1,2fucosylation is a superior predictor of postoperative prognosis for colorectal cancer compared with blood group A, B, or sialyl Lewis X antigen generated within colorectal tumor tissues.	Tsuboi K, Asao T, Hashimoto S, Kuвано H,	第一外科
Anticancer Res. 27(4B):2289-96, 2007	Galectin-3 expression in colorectal cancer: relation to invasion and metastasis.	Tsuboi K, Shimura T, Asao T, Kuвано H:	第一外科
Hepatogastroenterology. 54(79) :1983-4, 2007	Colonoscopy using an abdominal bandage.	Tsutsumi S, Fukushima H, Kuвано H:	第一外科
Hepatogastroenterology. 54(79) :1959-61, 2007	Feasibility of colonoscopy in patients 80 years of age and older.	Tsutsumi S, Fukushima H, Osaki K, Kuвано H:	第一外科
Pediatr Surg Int. 23(2):199-201, 2007	Visceral coverage with absorbable mesh followed by split-thickness skin graft in the treatment of ruptured giant omphalocele.	Yamagishi J, Ikeda H:	第一外科
Hepatogastroenterology. 54(75):803-5, 2007	Effect of basic fibroblast growth factor, trafermin, on entero-related fistulae, report of two cases.	Yamaguchi S, Asao T, Tsutsumi S, Kuвано H:	第一外科
Genes Cells. 12 (4):461-71, 2007	Oxidative stress induces p53-dependent apoptosis in hepatoblastoma cell through its nuclear translocation.	Yamamoto H, Kuвано H,	第一外科
Hepatogastroenterology. 55(82-83) :653-6, 2008	Is an elderly recipient a risk for living donor adult liver transplantation?	Suehiro T, Shimada M, Kuвано H:	第一外科
Surg Today. 38 (7):651-5, 2008	Esophageal granular cell tumor covered by intramucosal squamous cell carcinoma: Report of a case.	Saito K, Kato H, Kuвано H:	第一外科
Ann Surg Oncol. 15(2):638-48, 2008	Biological and genetic characteristics of tumor-initiating cells in colon cancer.	Ieta K, Tanaka F, Kuвано H, Mori M:	第一外科
Surg Today. 38 (1):68-71, 2008	Lymphoepithelial cyst of the pancreas: report of a case.	Idetsu A, Ojima H, Kuвано H:	第一外科
Ann Surg. 247(2) :288-93, 2008	The caudate processus hepatic vein: a boundary hepatic vein between the caudate lobe and the right liver.	Kogure K, Kuвано H, Makuuchi M:	第一外科

Cancer Sci. 99(3) :564-70, 2008	Whole-genome profiling of chromosomal aberrations in hepatoblastoma using high-density single-nucleotide polymorphism genotyping microarrays.	Suzuki M, Kato M, Kuвано H,	第一外科
Cancer Sci. 99(2) :253-9, 2008	Aberrant methylation status of known methylation-sensitive CpG islands in gastrointestinal stromal tumors without any correlation to the state of c-kit and PDGFRA gene mutations and their malignancy.	Saito K, Sakurai S, Kuвано H	第一外科
Anticancer Res. 28 (1A):165-9, 2008	Preoperative serum vascular endothelial growth factor-C (VEGF-C) levels predict recurrence in patients with esophageal cancer.	Kimura H, Kato H, Kuвано H.	第一外科
Int Heart J.	Factors for successful weaning from a percutaneous cardiopulmonary support system (PCPS) in patients with low cardiac output syndrome after cardiovascular surgery.	Oshima K, Kunimoto F, Takeyoshi I, Hinohara H,	第二外科
World J Gastroenterol.	Effect of atrial natriuretic peptide on ischemia-reperfusion injury in a porcine total hepatic vascular exclusion model.	Kobayashi K, Oshima K, Matsumoto K, Takeyoshi I.	第二外科
J Surg Res.	Endotoxin removal with a polymyxin B-immobilized hemoperfusion cartridge improves cardiopulmonary function after cardiopulmonary bypass.	Ohki S, Oshima K, Matsumoto K, Morishita Y.	第二外科
J Invest Surg.	Effects of the COX-2 inhibitor FK3311 on ischemia - reperfusion injury in the rat lung.	Otani Y, Takeyoshi I, Matsumoto K, Morishita Y.	第二外科
J Thorac Oncol.	Spontaneous mediastinal hematoma presenting as a mass.	Kamiyoshihara M, Ibe T, Takise A, Takeyoshi I.	第二外科
Hepatogastroenterology.	The effects of a cyclooxygenase-2 inhibitor, FK3311, on total hepatic ischemia-reperfusion injury of the rat.	Kobayashi M, Takeyoshi I, Matsumoto K, Morishita Y.	第二外科
J Invest Surg.	The comparison of mitogen-activated protein kinases that become activated within the left ventricular and right atrial tissues following heart transplantation in canine model.	Koike N, Takeyoshi I, Tokumine M, Morishita Y.	第二外科
Surg Today.	Late-onset chylothorax after blunt chest trauma at an interval of 20 years: report of a case.	Kamiyoshihara M, Ibe T, Takise A, Takeyoshi I.	第二外科
J Clin Oncol.	Pleural metastases from renal cell carcinoma 16 years after resection.	Kamiyoshihara M, Ibe T, Itou H, Takeyoshi I.	第二外科

Gen Thorac Cardiovasc Surg.	A middle lobe tractotomy of the lung for a stab injury: report of a survival case.	Kamiyoshihara M, Ibe T, Takeyoshi I.	第二外科
高崎医学	肝疾患患者における最先端の外科治療 肝移植.	竹吉泉	第二外科
日本呼吸器外科学会雑誌	CT ガイド下経皮的肺針生検による空気塞栓に対して高圧酸素療法が奏効した 1 例.	中野哲宏, 清水公裕, 森下靖雄, 竹吉泉	第二外科
日本呼吸器外科学会雑誌	肺葉切除術後急性膿胸に対し胸腔内点滴大量持続洗浄法が奏効した 1 例.	中野哲宏, 清水公裕, 森下靖雄, 竹吉泉	第二外科
日本消化器外科学会雑誌	骨盤内臓全摘後 4 年間無再発の巨大直腸 gastrointestinal stromal tumor の 1 例.	須納瀬豊, 竹吉泉, 桜井信司, 森下靖雄	第二外科
J Neurosurg Spine.7: 610-614, 2007.	Cervical malalignment after laminoplasty: relationship to deep extensor musculature of the cervical spine and neurological outcome.	Iizuka H.	整形外科
Rheumatol Int. 28: 419-428, 2008	Effect of a modified S-form hip brace, WISH type, for patients with painful osteoarthritis of the hip: a role in daily walking as a hip muscle exercise. .	Sato T.	整形外科
Cancer Res. 67: 8682-8689, 2007.	Regulation of phosphoglucose isomerase/autocrine motility factor activities by the poly (ADP-ribose) polymerase family-14.	Yanagawa T.	整形外科
日本腰痛学会雑誌 13 巻 1 号 Page150-154, 2007.	腸骨採骨部痛に関する調査	荒毅	整形外科
肩関節 31 巻 2 号 Page437-439, 2007.	原テストによる高校野球投手のメディカルチェック	大沢敏久	整形外科
肩関節 31 巻 2 号 Page361-364, 2007.	腱板断裂の理学所見による断裂形態の判別	山本敦史	整形外科
肩関節 31 巻 3 号 Page557-560, 2007.	腱板断裂の術前肩疼痛に対する VAS 評価の検討	小林勉	整形外科
肩関節 31 巻 2 号 Page291-294, 2007.	反復性肩関節脱臼・亜脱臼に対する治療法の比較 Modified Inferior Capsular Shift 法 vs.鏡視下バンカート修復術	設楽仁	整形外科
Arch Ophthalmol	Loss of photoreceptor outer segment in acute zonal occult outer retinopathy	李丹傑	眼科

小計 14 件

Retina	Tomographic features of branching vascular networks in polypoidal choroidal vasculopathy	佐藤拓	眼科
Am J Ophthalmol	Tomographic features of serous retinal detachment with multilobular dye pooling in acute Vogt-Koyanagi-Harada disease	山口由美子	眼科
J Infect Chemother 13: 235-254, 2007	Study of nasopharyngeal bacterial flora. Variations in nasopharyngeal bacterial flora in schoolchildren and adults when administered antimicrobial agents.	Furuya N , Morikawa A,	耳鼻咽喉科
HEAD NECK 29: 120-127, 2007	Relationships between regulatory T cells and CD8+ effector populations in patients with squamous cell carcinoma of the head and neck	Chikamatsu K , Sakakura K , Furuya N	耳鼻咽喉科
Oral Oncology 43, 662-669, 2007	Expression of thymidylate synthase and dihydropyrimidine dehydrogenase in adenoid cystic carcinoma of the head and neck: Correlation with clinical outcome	Chikamatsu K , Shino M , Sakakura K , Furuya N	耳鼻咽喉科
Gynecol Oncol.	Correlation between survivin expression and locoregional control in cervical squamous cell carcinomas treated with radiation therapy.	Suzuki Y	放射線科
J Jpn Soc Ther Radiol Oncol	Late Rectal Bleeding and Genitourinary Morbidity after High Dose Rate Brachytherapy combined with Hypofractionation External Beam Radiotherapy for Localized Prostate Cancer	Ebara T	放射線科
Anticancer Res.	Palliative reirradiation for in-field recurrence after definitive radiotherapy in patient with primary lung cancer.	Ebara T	放射線科
Radioltherapy and Oncology	A regional cooperative clinical study of radiotherapy for cervical cancer in east and south-east Asian countries	Nakano T	放射線科
Int J Radiat Oncol Biol Phys	Late rectal complications evaluated by computed tomography-based dose calculations in patients with cervical carcinoma undergoing high-dose-rate brachytherapy.	Noda S	放射線科
J Gastroenterol Hepatol	Clinical usefulness of CYFRA 21-1 for esophageal squamous cell carcinoma in radiation therapy.	Wakatsuki M,	放射線科
Acad Radiol.	Inverse correlation between tumor perfusion and glucose uptake in human head and neck tumors.	Hirasawa S.	核医学科
Acad Radiol.	Perfusion CT of breast carcinoma: Arterial perfusion of nonscirrhous carcinoma was higher than that of scirrhous carcinoma.	Hirasawa H.	核医学科
Annals of Nuclear Medicine.	Diagnosis of maxillofacial tumor with L-3-[18F]-fluoro- $\alpha$ -methyltyrosine (FMT) PET: a comparative study with FDG-PET.	Miyakubo M.	核医学科
Oncology Reports.	Early diagnosis of recurrent hepatocellular carcinoma with 18F-FDG PET after radiofrequency ablation therapy.	Paudyal B.	核医学科

小計 15 件

Ann Nucl Med.	Clinicopathological presentation of varying 18F-FDG uptake and expression of glucose transporter 1 and hepatocellular carcinoma and cholangiocellular carcinoma.	Paudyal B.	核医学科
AJR.	Magnetite ingested as a nutritional supplement: unexpected source of MRI susceptibility artifact.	Taketomi-Takahashi A.	核医学科
Acad Radiol.	Body diffusion-weighted MR imaging using high b-value for malignant tumor screening: usefulness and necessity of referring to T2-weighted images and creating fusion images.	Tsushima Y.	核医学科
Angiology 2007 Aug-Sep;58 (4):429-34	Combined use of autologous bone marrow transplantation and hyperbaric oxygen therapy for the patients with thromboangiitis obliterans.	齋藤 繁	麻酔科蘇生科
International Journal of Developmental Biology	Cadherin-6 is required for zebrafish nephrogenesis during early development.	Kubota F.,	歯科口腔外科
Annals of Nuclear Medicine	Diagnosis of maxillofacial tumor with L-3-[18F]-fluoro- $\alpha$ -methyltyrosine (FMT) PET: a comparative study with FDG-PET.	Miyakubo M.,	歯科口腔外科
Biochem Biophys Res Commun. 2008 Feb 22;366 (4):963-8. Epub 2007 Dec 26.	S1P(2) receptors mediate inhibition of glioma cell migration through Rho signaling pathways independent of PTEN.	Malchinkhuu E, Sato K, Maehama T, Ishiuchi S, Yoshimoto Y,	脳神経外科
Stroke. 2008 Jan;39 (1):205-12. Epub 2007 Nov 29.	Experimental model of lacunar infarction in the gyrencephalic brain of the miniature pig: neurological assessment and histological, immunohistochemical, and physiological evaluation of dynamic corticospinal tract deformation.	Tanaka Y, Imai H, Konno K, Takata K, Yoshimoto Y, Saito N.	脳神経外科
J Neurochem. 2007 Oct 11.	Critical role of ABCA1 transporter in sphingosine 1-phosphate release from astrocytes.	Sato K, Malchinkhuu E, Tosaka M, Yoshimoto Y,	脳神経外科
Biochem Biophys Res Commun. 2007 Aug 3;359 (3):649-54. Epub 2007 May 29.	HDL-like lipoproteins in cerebrospinal fluid affect neural cell activity through lipoprotein-associated sphingosine 1-phosphate.	Sato K, Malchinkhuu E, Horiuchi Y, Tosaka M, Yoshimoto Y,	脳神経外科
Neuropathology. 2008 Feb 26.	Diversity of glial cell components in pilocytic astrocytoma.	Tanaka Y, Sasaki A, Ishiuchi S, Nakazato Y.	脳神経外科
Neuropathology. 2008 Feb 15.	Proliferation and cell death of human glioblastoma cells after carbon-ion beam exposure: Morphologic and morphometric analyses.	Oishi T, Sasaki A, Nakano T, Nakazato Y.	脳神経外科

小計 12件