

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Br J Dermatol. 2007;157(6):1277-9.	Cutaneous Langerhans cell histiocytosis in an elderly man successfully treated with narrowband ultraviolet B.	Imafuku S 他	皮膚科
J Dermatol Sci. 2007;48(1):64-6.	Significance of the expression of phosphorylated signal transducer and activator of transcription-3, -Akt, and -cyclin D1 in angiosarcoma.	Lin N 他	皮膚科
J Dermatol Sci. 2007;47(3):227-31.	Community validation of the U.K. diagnostic criteria for atopic dermatitis in Japanese elementary schoolchildren.	Saeki H 他	皮膚科
Environ Toxicol. 2007;22(2):124-31.	Relationship between clinical features and blood levels of pentachlorodibenzofuran in patients with Yusho.	Imamura T 他	皮膚科
Prostate Cancer Prostatic Dis 10: 1-8, 2007	Bicalutamide 80mg combined with a luteinizing hormone-releasing hormone agonist (LHRH-A) versus LHRH-A monotherapy in advanced prostate cancer: findings from a phase III randomized, double-blind, multicenter trial in Japanese patients.	Usami M,Akaza H,Arai Y, et al.	泌尿器科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Int J Urol 14 (2): 112-117, 2007	A pilot study of the assessment of the quality of life, functional results, and complications in patients with an ileal neobladder for invasive bladder cancer.	Harano M,Eto M,Nakamura M,et al.	泌尿器科
Clin Cancer Res 13 (3): 1029-1035, 2007	Cyclophosphamide-using nonmyeloablative allogeneic cell therapy against renal cancer with a reduced risk of graft-versus-host disease.	Eto M,Harano M,Tatsugami K,et al.	泌尿器科
J Pathol 212 (2): 218-226, 2007	Oxidative stress and DNA hypermethylation status in renal cell carcinoma arising in patients on dialysis.	Hori Y, Oda Y, Kiyoshima K,et al.	泌尿器科
Int J Urol 14 (6): 479-482, 2007	Prevalence of renal cell carcinoma: A nation-wide survey in Japan, 2002	Marumo K,Kanayama H,Miyao N, et al.	泌尿器科
Br J Pharmacol 151 (7): 1014-1024, 2007	Dimethyl sulphoxide relaxes rabbit detrusor muscle by decreasing the Ca ²⁺ sensitivity of the contractile apparatus.	Shiga K-i,Hirano K, Nishimura J,et al.	泌尿器科
J Nutr 137 (8): 1974-1979, 2007	Dietary isoflavones may protect against prostate cancer in Japanese men.	Nagata Y, Sonoda T,Mori M, et al.	泌尿器科
Jpn J Clin Oncol 37 (3): 201-206, 2007	Efficacy and safety of gemcitabine monotherapy in patients with transitional cell carcinoma after Cisplatin-containing therapy: a Japanese experience.	Akaza H,Naito S,Usami M, et al.	泌尿器科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Clin Oncol 25 (19): 2785-2791, 2007	STAT3 polymorphism predicts interferon- α response in patients with metastatic renal cell carcinoma.	Ito N, Eto M, Nakamura E, et al.	泌尿器科
Int J Urol 14 (6): 500-504, 2007	Association analysis of glutathione-S-transferase P1 (GSTP1) polymorphism with urothelial cancer susceptibility and myelosuppression after M-VAC chemotherapy.	Yokomizo A, Yamamoto K, Kinukawa N, et al.	泌尿器科
J Endourol 21 (2): 192-196, 2007	Holmium laser enucleation of the prostate: Comparison of the outcomes according to the prostate size in a series of 97 Japanese patients.	Seki N, Tatsugami K, Naito S	泌尿器科
Neurourol Urodyn 26 (5): 682-683, 2007	Analysis of the prognostic factors for overactive bladder syndrome following surgical treatment in patients with symptomatic benign prostatic enlargement.	Seki N, Takei M, Yamaguchi A, Naito S	泌尿器科
Neurourol Urodyn 26 (4): 547-551, 2007	RhoA/Rho kinase-mediated Ca ²⁺ sensitization in the contraction of human prostate.	Takahashi R, Nishimura J, Seki N, et al.	泌尿器科
Jpn J Clin Oncol 37 (10): 775-781, 2007	Current status of endocrine therapy for prostate cancer in Japan - analysis of primary androgen deprivation therapy on the basis of data collected by J-CaP.	Hinotsu S, Akaza H, Usami M, et al.	泌尿器科
Fukuoka Acta Med 98 (11): 389-396, 2007	Comparison of standard and hand-assisted laparoscopic radical nephrectomy for renal cell carcinoma.	Harano M, Eto M, Yokomizo A, et al.	泌尿器科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Endourol 21 (12): 1517-1520, 2007	Broadcast of live endoscopic surgery from Korea to Japan using the digital video transport system.	Eto M, Lee TY, Gill IS, et al.	泌尿器科
Neurourol Urodyn, 2007	Association among the symptoms, quality of life and urodynamic parameters in patients with improved lower urinary tract symptoms following a transurethral resection of the prostate.	Seki N, Yunoki T, Tomoda T, et al.	泌尿器科
BJU Int 100 (3): 579-587, 2007	Randomized, double-blind, placebo- and propiverine-controlled trial of the once-daily antimuscarinic agent solifenacin in Japanese patients with overactive bladder.	Yamaguchi O, Marui E, Kakizaki H, et al.	泌尿器科
Urology 70 (5): 965-969, 2007	Prognostic significance of location of positive margins in radical prostatectomy specimens.	Eastham JA, Kuroiwa K, Ohori M, et al.	泌尿器科
J Urol 178 (6): 2260-2267, 2007	Focal therapy for localized prostate cancer: a critical appraisal of rationale and modalities.	Egger SE, Scardino PT, Carroll PR, et al.	泌尿器科
Radiology 245 (2): 499-506, 2007	Detection of prostate cancer with MR spectroscopic imaging: an expanded paradigm incorporating polyamines.	Shukla-Dave A, Hricak H, Moskowitz C, et al.	泌尿器科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Int J Radiat Oncol Biol Phys 69(1): 62-69, 2007	Clinically significant prostate cancer local recurrence after radiation therapy occurs at the site of primary tumor: magnetic resonance imaging and step-section pathology evidence.	Pucar D,Hricak H,Shukla-Dave A,et al.	泌尿器科
J Urol 177 (4): 1324-1329, 2007	The anatomical and pathological characteristics of irradiated prostate cancers may influence the oncological efficacy of salvage ablative therapies.	Huang WC,Kuroiwa K,Serio AM,et al.	泌尿器科
BJU Int 99 (4): 786-793, 2007	The utility of magnetic resonance imaging and spectroscopy for predicting insignificant prostate cancer: an initial analysis.	Shukla-Dave A, Hricak H,Kattan MW,et al.	泌尿器科
Eur Urol 52 (4): 1090-1096, 2007	Risk-adjusted analysis of positive surgical margins following laparoscopic and retropubic radical prostatectomy.	Touijer K,Kuroiwa K,Eastham JA,et al.	泌尿器科
Eur Urol 51 (3): 764-771, 2007	Preoperative and intraoperative risk factors for side-specific positive surgical margins in laparoscopic radical prostatectomy for prostate cancer.	Secin FP, Serio A, Bianco FJ Jr,et al.	泌尿器科
Radiology 242 (1): 182-188, 2007	Prediction of seminal vesicle invasion in prostate cancer: incremental value of adding endorectal MR imaging to the Kattan nomogram.	Wang L, Hricak H, Kattan MW,et al.	泌尿器科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Prostate 67 (15): 1601-1613, 2007	Culture requirements of prostatic epithelial cell lines for acinar morphogenesis and lumen formation in vitro: Role of extracellular calcium.	Tyson DR, Inokuchi J, Tsunoda T, et al.	泌尿器科
J Gynecol Obstet Biol Reprod, 36(6):530-548, 2007	Thérapeutique des troubles anxieux et dépressifs de la grossesse et du post-partum. Revue et synthèse. (Psychological and pharmacological treatments of mood and anxiety disorders during pregnancy and postpartum. Review and synthesis.)	Dayan J, Yoshida K	精神科神経科
Neurochem Int, 51: 227-232, 2007	A neurotoxic dose of methamphetamine induces gene expression of Homer 1a, but not Homer 1b or 1c, in the striatum and nucleus accumbens.	Hashimoto K, Nakahara T, Yamada H, Hirano M, Kuroki T, Kanba S	精神科神経科
Neurochem Int, 50(3): 499-506, 2007	Phospholipids modulate superoxide and nitric oxide production by lipopolysaccharide and phorbol 12-myristate-13-acetate-activated microglia.	Hashioka S, Han YH, Fujii S, Kato T, Monji A, Utsumi H, Sawada M, Nakanishi H, Kanba S	精神科神経科
Free Radic Biol Med, 42(7): 945-954, 2007	Phosphatidylserine and phosphatidylcholine-containing liposomes inhibit amyloid beta and interferon-gamma-induced microglial activation.	Hashioka S, Han YH, Fujii S, Kato T, Monji A, Utsumi H, Sawada M, Nakanishi H, Kanba S	精神科神経科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Exp Neurol, 206(1): 33-42, 2007	Antidepressants inhibit interferon-gamma-induced microglial production of IL-6 and nitric oxide.	Hashioka S, Klegeris A, Monji A, Kato T, Sawada M, McGeer PL, Kanba S	精神科神経科
J Clin Psychopharmacol 27: 93-94, 2007	Attitude of patients with mood disorder toward clinical trials in Japan.	Hirano S, Onitsuka T, Kuroki T, Yokota K, Higuchi T, Watanabe K, Nakamura J, Kanba S	精神科神経科
Behav Neurosci, 121: 602-613, 2007	Prediction of children's reading skills using behavioral, functional, and structural neuroimaging measures.	Hoefl F, Ueno T, Reiss AL, Meyler A, Whitfield-Gabrieli S, Glover GH, Keller TA, Kobayashi N, Mazaika P, B, Just MA, Gabrieli JD	精神科神経科
Schizophr Res, 92(1-3): 108-115, 2007	Risperidone significantly inhibits interferon-gamma-induced microglial activation in vitro.	Kato T, Monji A, Hashioka S, Kanba S	精神科神経科
Biochem Biophys Res Commun, 356(3): 769-772, 2007	A particular hydrophobic cluster in the residual structure of reduced lysozyme drastically affects the amyloid fibrils formation.	Mishima T, Ohkuri T, Monji A, Imoto T, Ueda T	精神科神経科
Schizophr Res, 92: 197-206, 2007	Occipital lobe gray matter volume in male patients with chronic schizophrenia: A quantitative MRI study.	Onitsuka T, McCarley RW, Kuroki N, Dickey CC, Demeo S, Frumin M, Kikinis R, Jolesz FA, Shenton ME	精神科神経科
Brain Res, 1131: 88-96, 2007	The dopamine D ₁ receptor agonist, but not the D ₂ receptor agonist, induces gene expression of Homer 1a in rat striatum and nucleus accumbens.	Yamada H, Kuroki T, Nakahara T, Hashimoto K, Tsutsumi T, Hirano M, Maeda H	精神科神経科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Graefe Arch Clin Exp Ophthalmol 245: 1019-1025, 2007	Preclinical investigation of fluorometholone acetate as a potential new adjuvant during vitreal surgery.	Hata Y, Ueno A, Miura M, Ishibashi T et al	眼科
Retina 27: 499-504, 2007	Biocompatibility of Brilliant Blue G in a rat model of subretinal injection	Ueno A, Mochizuki Y, Hata Y, Ishibashi T. et al	眼科
Eur J Ophthalmol. 17: 392-398, 2007	Long-term clinical outcomes and therapeutic benefits of triamcinolone-assisted pars plana vitrectomy for proliferative vitreal retinopathy: a case study.	Ueno A, Hata Y, Hisatomi T, Mochizuki Y, Ishibashi T et al	眼科
Int Immunol 19:93-98, 2007	WSX-1 plays a significant role for the initiation of experimental autoimmune uveitis.	Sonoda KH, Ishibashi T, Yoshida H et al	眼科
European Journal of Ophthalmology 17:372-376, 2007	Aqueous and vitreal penetration of levofloxacin after topical and/or oral administration.	Sakamoto H, Hata Y, Ishibashi T et al	眼科
Br J Ophthalmol Apr 91:520-526, 2007	Identification of resident and inflammatory bone marrow derived cells in the sclera by bone marrow and haematopoietic stem cell transplantation.	Hisatomi T, Sonoda KH, Noda K, Miyahara S, Ishibashi T, et al	眼科
Diabetes 56:1421-1428, 2007	Transforming Growth Factor- β 2 and Connective Tissue Growth Factor in Proliferative Vitreoretinal Diseases.	Kita T, Hata Y, Miura M, Noda Y, Ishibashi T. et al	眼科
World J Gastroenterol. 13(47):6436-8, 2007.	Metastatic hepatocellular carcinoma of the external auditory canal.	Yasumatsu R	耳鼻咽喉科 頭頸部外科
Head & Neck 10.1002:577-584, 2007.	β -Catenin nuclear accumulation in head and neck mucoepidermoid carcinoma : its role in cyclin D1 overexpression and tumor progression.	Shiratsuchi H	耳鼻咽喉科 頭頸部外科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Acad Radiol 2008;15(2)	MR tractography based on directional diffusion function: validation in somatotopic organization of the pyramidal tract.	Yoshiura T	放射線科
Acad Radiol 2008;15(2)	Cortical damage in Alzheimer's disease: estimation in medial and lateral aspects of the cerebrum using an improved mapping method based on diffusion-weighted magnetic resonance imaging.	Yoshiura T	放射線科
Am J Neuroradiol. 2007 Jun;28(6)	Patients with Osteoporosis on Steroid Medication Tend to Sustain Subsequent Fractures.	Hiwatashi A	放射線科
Am J Roentgenol. 2007 Apr;188(4)	Cement Leakage during Vertebroplasty can be Predicted on Preoperative MR Imaging	Hiwatashi A	放射線科
Am J Neuroradiol. 2007 Apr;28(4)	Vertebroplasty for osteoporotic fractures with spinal canal compromise.	Hiwatashi A	放射線科
Magnetic Resonance in Medical Sciences 2007;6(2)	Quantitative perfusion imaging with pulsed arterial spin labeling: a phantom study.	Noguchi T	放射線科
Am J Neuroradiol. 2008;29(4)	Perfusion imaging of brain tumors using arterial spin-labeling: correlation with histopathologic vascular density.	Noguchi T	放射線科
Ann Nucl Med. 2007 Oct;21(8)	SPECT evaluation of cerebral blood flow during arm exercise in patients with subclavian steal.	Kaneko K	放射線科

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Nucl Med. 2007 Sep; 14	Comparison of Uptake of Multiple Clinical Radiotracers into Brown Adipose Tissue Under Cold-Stimulated and Nonstimulated Conditions.	Baba S	放射線科
J Nucl Med. 2007 Jun;48(6)	Effect of nicotine and ephedrine on the accumulation of 18F-FDG in brown adipose tissue.	Baba S	放射線科
Jpn J Clin Oncol. 2007; 37(12)	Radiation therapy for recurrent esophageal cancer after surgery: clinical results and prognostic factors.	Shioyama Y	放射線科
Int J Radiat Oncol Biol Phys. 2007; 68(5)	Preserving functional lung using perfusion imaging and intensity-modulated radiation therapy for advanced-stage non-small cell lung cancer.	Shioyama Y	放射線科
Radiat Med. 2008;26(1)	Breath-hold monitoring and visual feedback for radiotherapy using a charge-coupled device camera and a head-mounted display: system development and feasibility.	Yoshitake T	放射線科
Int J Radiat Oncol Biol Phys. 2007; 68(1)	Reproducibility of the abdominal and chest wall position by voluntary breath-hold technique using a laser-based monitoring and visual feedback system.	Nakamura K	放射線科