

Eur Neurol Epub., Oct. 4. (2007)	Purkinje cell loss in the cerebellar flocculus in patients with ataxia with ocular motor apraxia type 1/early-onset ataxia with ocular motor apraxia and hypoalbuminemia.	菅原 正伯	第一内科
Dig Dis Sci., 52, 3087-3091. (2007)	Mechanical strain stress suppresses expression of HSP 70 and wound restoration in gastric mucosal cells.	松橋 保	第一内科
Dig Dis Sci., 52, 434-441. (2007)	Protective effect of a novel rice extract against ethanol-induced gastric mucosal injury in rat.	松橋 保	第一内科
Neurosci Lett., 413, 238-240. (2007)	Identification of ER membrane targeting signal of kinectin.	大川 聡	第一内科
Neuropathology Published article online., 19-Sep. (2007)	Acute encephalopathy associated with ingestion of a mushroom, <i>Pleurocybella porrigens</i> (angel's wing), in a patient with chronic renal failure.	小原 講二	第一内科
Dig Dis Sci., 52, 1355-1359. (2007)	Attenuation of gastric mucosal inflammation induced by aspirin through inhibition of selective type III phosphodiesterase in rats.	大場 麗奈	第一内科
Dig Dis Sci., 52, 170-172. (2007)	Large Brunner's gland hyperplasia treated with modified endoscopic submucosal dissection	大場 麗奈	第一内科
Akita Journal of Medicine., 34, 55-59. (2007)	N-acetylcysteine improves steatohepatitis in mice by reducing reactive oxygen species.	道免 孝洋	第一内科

小計 8

Clinical Gastroenterology and Hepatology., 5, e19. (2007)	Hepatic epithelioid hemangioendothelioma.	山田 育弘	第一内科
J Clin Gastroenterol., 42, 23-28. (2008)	Reduced expression of sulfatides and galactosylceramide 3'-sulfotransferase in the gastric mucosa of chronic gastritis.	大西 洋英	第一内科
Gastrointest Endosc., 67, 226-234 (2008)	Optimal band imaging system can facilitate detection of changes in depressed-type early gastric cancer.	大西 洋英	第一内科
Cytokine., 41, 293-301 (2008)	Mao (Ephedra sinica Stapf) protects against d-galactosamine and lipopolysaccharide-induced hepatic failure.	山田 育弘	第一内科
Haematologica., 92: 1021-1028. 2007	Long-term outcome of patients with acquired primary idiopathic pure red cell aplasia receiving cyclosporine A. A nationwide cohort study in Japan for the PRCA collaborative study group.	Sawada, K., Hirokawa, M., Fujishima, N., Teramura, M., Bessho, M., Dan, K., Tsurumi, H., Nakao, S., Urabe, A., Omine, M., Ozawa, K. for the PRCA collaborative study group.	第三内科
Int J Hematol., 86: 291-292. 2007	Prolonged reactivation of cytomegalovirus infection following successful rituximab therapy for Epstein-Barr virus-associated posttransplantation lymphoproliferative disorder.	Hirokawa, M., Kawabata, Y., Fujishima, N., Yoshioaka, T., Sawada, K.	第三内科

小計 6

<p>Clin Immunol., 125: 26-29. 2007</p>	<p>Up-regulation of <i>TRAIL</i> mRNA expression in peripheral blood mononuclear cells from patients with active systemic lupus erythematosus.</p>	<p>Komatsuda, A., Wakui, H., Iwamoto, K., Togashi, M., Maki, N., Masai, R., Hatakeyama, T., Sawada, K.</p>	<p>第三内科</p>
<p>Ren Fail., 29: 183-187. 2007</p>	<p>Differences between myeloperoxidase-specific and -nonspecific P-ANCA-associated renal disease.</p>	<p>Ohtani, H., Wakui, H., Komatsuda, A., Chyzh, K. A., Hatakeyama, T., Masai, R., Okuyama, S., Togashi, M., Sawada, K.</p>	<p>第三内科</p>
<p>Clin Exp Immunol., 149: 70-79. 2007</p>	<p>Skewed T cell receptor repertoire of $V\delta 1+$ $\gamma\delta$T lymphocytes after human allogeneic hematopoietic stem cell transplantation and the potential role for Epstein-Barr virus-infected B cells in clonal restriction.</p>	<p>Fujishima, N., Hirokawa, M., Fujishima, M., Yamashita, J., Saitoh, H., Ichikawa, Y., Horichi, T., Kawabata, Y., Sawada, K.</p>	<p>第三内科</p>
<p>Intern Med., 45: 963-966. 2007</p>	<p>Adrenal insufficiency complicated with antiphospholipid syndrome (APS).</p>	<p>Fujishima, N., Komatsuda, A., Ohyagi, H., Fujishima, M., Tada, M., Ohtani, H., Wakui, H., Hirokawa, M., Sawada</p>	<p>第三内科</p>

小計 4

		, K.	
Clin Nephrol., 68: 412-415. 2007	Focal segmental glomerulosclerosis associated with polycythemia vera: report of a case and review of the literature.	Okuyama, S., Hamai, K., Fujishima, M., Ohtani, H., Komatsuda, A., Sawada, K., Wakui, H.	第三内科
Nephron Exp Nephrol., 107: e65-e72. 2007	Interaction of alpha-actinin-4 with class I PxxP motif-containing OK/SW-CL.16 protein.	Togashi, M., Okuyama, S., Wakui, H., Komatsuda, A., Suzuki, D., Toyoda, M., Sawada, K.	第三内科
Tohoku J Exp Med., 213: 341-349. 2007	Bone marrow-derived cells mobilized by granulocyte-colony stimulating factor facilitate vascular regeneration in mouse kidney after ischemia/reperfusion injury.	Akihama, S., Sato, K., Satoh, S., Tsuchiya, N., Kato, T., Komatsuda, A., Hirokawa, M., Sawada, K., Nanzo, H., Habuchi, T.	第三内科
Int J Hematol 87:195-202, 2008	Clinical features of adult acute leukemia with 11q23 abnormalities in Japan : multicenter co-operative study.	Tamai H, Yamaguchi H, Hamaguchi H, Yagasaki F, Besho M, Kobayashi T, Akiyama H, Sakamaki H, Takahas	第三内科

小計 4

		hi S, Tojo A, Ohmine K, Ozawa K, Okumura H, Nakao S, Arai A, Miura O, Toyota S, Gomi S, Mu rai Y, Usu i N, Miyaz awa K, Ohy ashiki K, Takahashi N, Sawada K, Kato A, Oshimi K, Inokuchi K, Dan K.	
Clin Rheumatol 27:395-397, 2008	Sulfasalazine-induced hypersensitivity syndrome and hemophagocytic syndrome associated with reactivation of Epstein-Barr virus.	Komatsuda A, Okamoto Y, Hatake yama T, Wa kui H, Saw ada K.	第三内科
Clin Exp Imm 152: 482-487, 2008	Up-regulated expression of toll-like receptors mRNAs in peripheral blood mononuclear cells from patients with systemic lupus erythematosus.	Komatsuda A, wakui H , Iwamoto K, Ozawa M , Togashi M, Masai R , Maki N, Hatakeyama T, Sawada K.	第三内科
Mod Rheumatol 18: 315-318, 2008	Reversible infliximab-related lymphoproliferative disorder associated with Epstein-Barr virus in a patient with rheumatoid arthritis.	Komatsuda A, Wakui H , Nimura T , Sawada K	第三内科
Ren Fail 2007;29:791-796.	Effects of long-term pravastatin treatment on serum and urinary monocyte chemoattractant protein-1 levels and renal function in type 2 diabetes patients with normoalbuminuria.	藤田浩樹	老年科

小計 4

Biochem Biophys Res Commun 2007;363:37-43.	Effect of selective cyclooxygenase-2 (COX-2) inhibitor treatment on glucose-stimulated insulin secretion in C57BL/6 mice.	藤田浩樹	老年科
Horm Metab Res 2008;40:292-295.	Low dose of losartan decreased urinary excretions of IgG, Transferrin, and ceruloplasmin without reducing albuminuria in normoalbuminuric type 2 diabetic patients.	成田琢磨	老年科
Biochem Biophys Res Commun 2007;364:175-180.	Genetic inactivation of GIP signaling reverses aging-associated insulin resistance through body composition changes.	山田祐一郎	老年科
Expert Opin Med Diagn 2008;2:161-169.	Diagnostic biomarkers of diabetic nephropathy.	藤田浩樹	老年科
Endocrinology 2008;149:574-579.	The murine Glpr is essential for control of bone resorption.	山田祐一郎	老年科
Liver Transplantation 13:114-121,2007.	Impact of Polysol, a newly developed preservation solution, on cold storage of steatotic rat livers.	Hata K, Tolba R, Lai W, Yamamoto Y	第一外科
World J Gastroenterol 13:970-972,2007.	Stent placement is effective on both postoperative hepatic arterial pseudoaneurysm and subsequent portal vein stricture: A case report.	Ichihara T, Sato T, Miyazawa H, Yamamoto Y.	第一外科
Am J Roentgenol 188:W323-W327, 2007.	CT features of pancreatic fistula after pancreaticoduodenectomy.	Hashimoto M, Koga M, Watarai J, Yamamoto Y.	第一外科 放射線科

小計 8

Minimally Invasive Therapy 17:251-254,2008.	A newly designed magnet-retracting forceps for laparoscopic cholecystectomy in a swine model.	Kume M, Miyazawa H, Yamamoto Y.	第一外科
日消外会誌 41:1588-1593,2008.	正中弓状靭帯による腹腔動脈起始部狭窄を伴う十二指腸乳頭部癌に対し膵頭十二指腸切除術を施行した1例	最上希一郎、市原利晃、山本雄造	第一外科
Eur J Cardiothorac Surg, 32, 770-775. (2007)	Subpleural injection of tracer improves detection of mediastinal sentinel lymph nodes in non-small cell lung cancer.	Minamiya Y, Ito M, Hosono Y, Kawai H, Saito H, et al	第二外科
Ann Thorac Surg, 83,1273-1278. (2007)	Surgical outcome of colon interposition by the posterior mediastinal route for thoracic esophageal cancer.	Motoyama S, Kitamura M, Saito R, Maruyama K, Sato Y, et al	第二外科
Dis Esophagus, 20, 42-46. (2007)	Sound spectrogram analysis in patients receiving Kawahara's surgical voice restoration for advanced carcinoma of the hypopharynx and cervical esophagus.	Motoyama S, Saito R, Maruyama K, Okuyama M, et al.	第二外科
Surgery, 141, 736-747 (2007)	Preoperative mapping of lymphatic drainage from the tumor using ferumoxide-enhanced magnetic resonance imaging in clinical submucosal thoracic squamous cell esophageal cancer.	Motoyama S, Ishiyama K, Maruyama K, Okuyama M, Sato Y, et al.	第二外科
Anaesthesia, 62, 648-653 (2007)	Estimation of pulmonary oxygen consumption in the early postoperative period after thoracic surgery.	Saito H, Minamiya Y, Kawai H, Motoyama S, et al.	第二外科
Lung Cancer, 58, 348-354. (2007)	Usefulness of circumference difference for estimating the likelihood of malignancy in small solitary pulmonary nodules on CT.	Saito H, Minamiya Y, Kawai H, Nakagawa T, et al	第二外科

小計 8

Cancer Sci. 99(4):805-9.(2008)	Self-regulating hyperthermia induced using thermosensitive ferromagnetic material with a low Curie temperature.	Saito H, Mitobe K, Ito A, Sugawara Y et al.	第二外科
Clin Cancer Res, 13, 4105-4110. (2007)	Detection of Circulating Tumor Cells in Early-Stage Breast Cancer Metastasis to Axillary Lymph Nodes.	Nakagawa T, Martinez SR, Goto Y, Koyanagi K, et al.	第二外科
Surg Today, 37,947-952. (2007)	Hand-sewn cervical anastomosis versus stapled intrathoracic anastomosis after esophagectomy for middle or lower thoracic esophageal cancer: a prospective randomized controlled study.	Okuyama M, Motoyama S, Suzuki H, Saito R, Maruyama K, Ogawa J	第二外科
FEBS Lett, 581, 5220-5226 (2007)	Hypoxia/Notch signaling in primary culture of rat lymphatic endothelial cells.	Ota H, Katsube K, Ogawa J, Yanagishita M	第二外科
Eur Surg Res, 39, 7-13 (2007)	Extravascular lung water measured using single transpulmonary thermodilution reflects perioperative pulmonary edema induced by esophagectomy.	Sato Y, Motoyama S, Maruyama K, Okuyama M, Hayashi K, Nakae H, Tajimi K, Ogawa J	第二外科
World J Surg. Feb;32(2):246-54. (2008)	Proton pump inhibitors relieve and prevent symptoms related to gastric acidity after esophagectomy.	Okuyama M, Motoyama S, Maruyama K, Sasaki K, Sato Y, Ogawa J.	第二外科
Ann Surg Oncol. 2008 Apr;15(4):1224-31. (2008)	REG1alpha is a reliable marker of chemoradiosensitivity in squamous cell esophageal cancer patients.	Hayashi K, Motoyama S, Sugiyama T, Izumi J, et al	第二外科
Lung Cancer. 2008 Apr;60(1):98-104. Epub 2007 Oct 26.	REG1A expression is an independent factor predictive of poor prognosis in patients with non-small cell lung cancer.	Minamiya Y, Kawai H, Saito H, Ito M, H osono Y, Motoy ama S, Katayo se Y, Takahas hi N, Ogawa J	第二外科

小計 8