

J Hepato-biliary-Pancreatol 15	Re-evaluation of lipiodolized transarterial chemoembolization therapy for intrahepatic recurrence of hepatocellular carcinoma after curative liver resection	Eguchi S	放射線科
Clin Neurol Neurosurg 110	Aggenesis of the internal carotid artery with transcavernous anastomosis presenting with an anterior communicating artery aneurysm--a case report and review of the literature	Horie N	放射線科
Surg Neurol 70	The detection of carotid plaque rupture caused by intraplaque hemorrhage by serial high-resolution magnetic resonance imaging: a case report	Kawahara I	放射線科
Skeletal Radiol 37	A case of progressive osseous heteroplasia: a first case in Japan	Kumagai K	放射線科
J Surg Oncol 98	Relationship between pattern of tumor enhancement and clinicopathologic characteristics in intrahepatic cholangiocarcinoma	Nanashima A	放射線科
Clin Neurol Neurosurg 10	Intracranial internal carotid artery stenosis with vulnerable plaques successfully treated by stenting under cerebral protection	Hiu T	放射線科
Bone 43	Minodronic acid (ONO-5920/YM529) prevents decrease in bone mineral density and bone strength, and improves bone microarchitecture in ovariectomized cynomolgus monkeys	Mori H	放射線科
Brit J Radiol 82	relationships between various enhancing patterns and myocardial diseases	Sueyoshi E	放射線科
Neurosurgery 62	Usefulness of intraoperative photodynamic diagnosis using 5-aminolevulinic acid for meningiomas with cranial invasion: Technical case report	Morofuji Y	脳神経外科
Neurol Med-Chir 48	Potential of magnetic resonance plaque imaging using superparamagnetic particles of iron oxide for the detection of carotid plaque	Kawahara I	脳神経外科
Neurosurgery 62	Technical case report	Hiu T	脳神経外科
Acta Neurochir 150	Successful endovascular occlusion of an aneurysm of the cervical vertebral artery associated with neurofibromatosis-1	Horie N	脳神経外科
Cell Mol Neurobiol 28	Effects of oxygen concentration on the proliferation and differentiation of mouse neural stem cells in vitro	Horie N	脳神経外科
Neurosurgery 63	Growth potential and response to multimodality treatment of partially thrombosed large or giant aneurysms in the posterior circulation	Iihara K	脳神経外科
Cerebrovasc Dis 26	Quantitative evaluation of carotid plaque echogenicity by integrated backscatter analysis: Correlation with symptomatic history and histologic findings	Nagano K	脳神経外科
Free Radic Res 42	Dehydroepiandrosterone augments sensitivity to γ -ray irradiation in human H4 neuroglioma cells through down-regulation of Akt signaling	Hirao T	脳神経外科
Clin Neurol Neurosurg 110	Pediatric moyamoya disease presenting with intracerebral hemorrhage. Report of three cases and review of the literature	Suyama K	脳神経外科
Plast Reconstr Surg 122	The composite galeal frontalis pericranial flap designed for anterior skull base surgery	Yano H	脳神経外科
Biochem Biophys Res Commun 369	Nucleolar targeting of proteins by the tandem array of basic amino acid stretches identified in the RNA polymerase I-associated factor PAF49	Ushijima R	脳神経外科
Cell Mol Neurobiol 28	Tissue plasminogen activator enhances hypoxia/reoxygenation-induced impairment of the blood-brain barrier in a primary culture of rat brain endothelial cells.	Hiu T	脳神経外科
Clin Neurol Neurosurg 110	Aggenesis of the internal carotid artery with transcavernous anastomosis presenting with an anterior communicating artery aneurysm--A case report and review of the literature	Horie N	脳神経外科
J Trauma 64	A basic fibroblast growth factor improves lower extremity wound healing with a porcine-derived skin substitute	Akita S	形成外科
Int J Dermatol 47	Human mesenchymal stem cells may involve in keloid pathogenesis.	Akino K	形成外科
Wound Repair Regen 16	A basic fibroblast growth factor accelerates and improves 2 nd degree burn wound healing	Akita S	形成外科
J Hum Genet 53	Genome-wide linkage analysis and mutation analysis of hereditary congenital blepharoptosis in a Japanese family	Nakashima M	形成外科
Plast Reconstr Surg 122	The composite galeal frontalis pericranial flap designed for anterior skull base surgery	Yano H	形成外科

26

J Pediatr Surg 43	Reconstruction of a pelvic floor defect using a pedicled tensor fascia lata flap: a new technique to prevent radiation injury for pediatric patients with advanced pelvic tumors	Ohno Y	形成外科
J Craniofac Surg 19	Reconstruction of velopharyngeal competence for composite palatomaxillary defect with a fibula osteocutaneous free flap	Fujioka M	形成外科
J Dermatol Sci 51	DHMEQ, a novel NF-kappaB inhibitor, suppresses growth and type I collagen accumulation in keloid fibroblasts	Makino S	形成外科
Liver Int 28	Acute hepatitis in a patient with familial Mediterranean fever	Migita K	第一内科
Clin Exp Rheumatol 126	Determination of anti-cyclic citrullinated peptide antibodies in the sera of patients with liver diseases	Koga T	第一内科
Mol Med Rep 1	A high glucose condition sensitizes human hepatocytes to hydrogen peroxide-induced cell death	Shibata H	第一内科
Circ J 72	Availability of cardio-ankle vascular index (CAVI) as a screening tool for atherosclerosis	Kadota K	第一内科
Intern Med 47	Thyrotoxic myopathy mimicking myasthenic syndrome associated with thymic hyperplasia	Tsuda E	第一内科
Biochem Biophys Res Commun 367	Combined insulin B:9-23 self-peptide and polyinosinic-polycytidylic acid accelerate insulinitis but inhibit development of diabetes by increasing the proportion of CD4 ⁺ Foxp3 ⁺ regulatory T cells in the islets in non-obese diabetic mice	Fukushima K	第一内科
Liver Transpl 14	Differential effects of calcineurin inhibitors, tacrolimus and cyclosporin A, on interferon-induced antiviral protein in human hepatocyte cells	Hirano K	第一内科
FEBS Lett 582	Serum amyloid A-induced IL-6 production by rheumatoid synovialocytes	Koga T	第一内科
Clin Exp Rheumatol 126	Preferential recovery by an intensive initial therapy from hemophagocytic syndrome complicated with adult onset Still's disease presenting as agranulocytosis and hypercytokinemia	Yoshizaki A	第一内科
Internal Med 47	Reactive arthritis which occurred one year after acute chlamydial urethritis	Koga T	第一内科
Liver Int 28	Clinicopathological study of nonalcoholic fatty liver disease in Japan: the risk factors for fibrosis	Miyaaki H	第一内科
Liver Transpl 14	Human T-cell leukemia virus type I-associated myelopathy following living-donor liver transplantation	Soyama A	第一内科
J Clin Endocrinol Metab 93	Thyroid diseases in atomic bomb survivors exposed in utero	Imaizumi M	第一内科
J Gastroenterol Hepatol 23	Detection of HBV core promoter and precore mutations helps distinguish flares of chronic hepatitis from acute hepatitis B	Kusumoto K	第一内科
Ann Rheum Dis 67	Prevalence of Sjögren syndrome among Nagasaki atomic bomb survivors	Hida A	第一内科
Clin Neurol Neurosurg 110	Transient subacute cerebellar ataxia in a patient with Lambert-Eaton myasthenic syndrome after intracranial aneurysm surgery	Nakamura M	第一内科
Intervirology 51	HTLV-I production based on activation of integrin/ligand signaling in HTLV-I-infected T cell lines derived from HAM/TSP patients	Fukushima N	第一内科
Int J Oncol 33	Tum-1, a tumstatin fragment, gene delivery into hepatocellular carcinoma suppresses tumor growth through inhibiting angiogenesis	Goto T	第一内科
J Rheumatol 35	Recovery from multiple cranial nerve palsy of Wegener's granulomatosis with infliximab	Fujikawa K	第一内科
Clin Exp Rheumatol 126	HTLV-I infection results in resistance toward salivary gland destruction of Sjögren's syndrome	Nakamura H	第一内科
Oncol Rep 20	Significance of trans-hepatic arterial chemotherapy for advanced hepatocellular carcinoma with portal vein tumor thrombus	Akiyama M	第一内科
Liver Transpl 14	Two-stage explantation of a cirrhotic liver for liver transplantation in a patient with a coronary bypass using a right gastroepiploic artery	Eguchi S	第一内科
Int.J.Radiat. Biol 84	Exacerbation of autoimmune thyroiditis by a single low dose of whole-body irradiation in non-obese diabetic-H2h4 mice	Nagayama Y	第一内科
Rheumatol Int 28	A case of mixed connective tissue disease complicated with hypertrophic obstructive cardiomyopathy	Nakamura H	第一内科
J Neuroimaging 18	Contrast-enhanced transcranial color-coded duplex sonography criteria for basilar artery stenosis	Tateishi Y	第一内科

J Endocrinol Invest 31	Prevalence of interrelated autoantibodies in thyroid diseases and autoimmune disorders	Nakamura H	第一内科
Apoptosis 13	Rapid and significant induction of TRAIL-mediated type II cells in apoptosis of primary salivary epithelial cells in primary Sjögren's syndrome	Nakamura H	第一内科
Clin Exp Rheumatol 26	MEFV mutations in Japanese rheumatoid arthritis patients.	Migita K	第一内科
Biochem Biophys Res Commun 377	Bone marrow stroma cells are susceptible to prion infection.	Takakura Y	第一内科
Scand J Clin Lab Invest 11	Usefulness of long-distance inverse polymerase chain reaction for molecular detection of 14q32 translocation in a clinical setting	Ishizaki A	検査部
Mayo Clin Proc 83	Genetic predisposition for monoclonal gammopathy of undetermined significance-reply 2.	Iwanaga M	検査部
Scand J Infect Dis 40	Elevated levels of high mobility group box chromosomal protein-1 (HMGB-1) in sera from patients with severe bacterial pneumonia coinfecting with influenza virus	Kosai K	検査部
Clin Immunol 126	Haplotypes of PADI4 susceptible to rheumatoid arthritis are also associated with ulcerative colitis in the Japanese population.	Chen CC	検査部
Haematologica 93	Human herpes virus 8-negative primary effusion lymphoma with BCL6 rearrangement in a patient with idiopathic CD4 positive T-lymphocytopenia	Niino D	検査部
J Antimicrob Chemother 61	Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillin-resistant Staphylococcus aureus coagulase in vitro and in vivo	Yanagihara K	検査部
Retrovirology 22	Characteristic expression of HTLV-1 basic zipper factor (HBZ) transcripts in HTLV-1 provirus-positive cells	Usui T	検査部
Clin Chem Lab Med 46	Screening for genetic heterogeneity in the interferon sensitivity determining region of the hepatitis C virus genome by polymerase chain reaction with melting curve analysis	Sasaki D	検査部
Diagn Microbiol Infect Dis 61	Quantitative detection of metallo-beta-lactamase of blaIMP-cluster-producing Pseudomonas aeruginosa by real-time polymerase chain reaction with melting curve analysis for rapid diagnosis and treatment of nosocomial infection.	Motoshima M	検査部
Antimicrob Agents Chemother 52	Potency of SMP-601, a novel carbapenem, in hematogenous murine bronchopneumonia caused by methicillin-resistant and vancomycin-intermediate Staphylococcus aureus	Kihara R	検査部
Int J Antimicrob Agents 32	Efficacy of ME1036 against methicillin-resistant Staphylococcus aureus and vancomycin-insensitive S. aureus in a model of hematogenous pulmonary infection	Yanagihara K	検査部
J Clin Microbiol 46	Rapid identification of penicillin and macrolide resistance genes and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex PCR assay	Fukushima K	検査部
Eur J Haematol 81	Foxp3 expression on normal and leukemic CD4 ⁺ CD25 ⁺ T cells implicated in human T-cell leukemia virus type-1 is inconsistent with Treg cells	Abe M	検査部
Int J Oncol 33	Autocrine and/or paracrine growth of aggressive ATLL cells caused by HGF and c-Met	Onimaru Y	検査部
Oncogene 27	Aberrant expression of Fra-2 promotes CCR4 expression and cell proliferation in adult T-cell leukemia	Nakayama T	検査部
J Antimicrob Chemother 62	In vivo efficacy and pharmacokinetics of tomopenem (CS-023), a novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model	Morinaga Y	検査部
J Cancer Res Clin Oncol 135	A novel role of serum cytochrome c as a tumor marker in patients with operable cancer	Osaka A	検査部
Int J Hematol 88	Adhesion-dependent growth of primary adult T cell leukemia cells with down-regulation of HTLV-I p40Tax protein: a novel in vitro model of the growth of acute ATL cells	Nagai K	検査部
Blood 88	Relationship between monoclonal gammopathy of undetermined significance and radiation exposure in Nagasaki atomic bomb survivors	Iwanaga M	検査部

23