

Liver Transplant 14	Two-stage explantation of a cirrhotic liver for liver transplantation in a patient with a coronary bypass using a right gastroepiploic artery	Eguchi S	第二外科
Surg Today 38	Evolution of living donor liver transplantation over 10 years: experience of a single center	Eguchi S	第二外科
J Hepato-Biliary-Pan 15	Re-evaluation of lipiodolized transarterial chemoembolization therapy for intrahepatic recurrence of hepatocellular carcinoma after curative liver resection	Eguchi S	第二外科
Hepato-gastroenterol 55	Prognostic significance of the serum thymidine phosphorylase levels in venous blood drainage specimens in patients with colorectal cancer	Haraguchi M	第二外科
Liver Transplant 14	Differential effects of calcineurin inhibitors, tacrolimus and cyclosporin a, on interferon-induced antiviral protein in human hepatocyte cells	Hirano K	第二外科
Surgery 144	The search for cancer stem cells in hepatocellular carcinoma	Kamohara Y	第二外科
Hepato-gastroenterol 55	Combined pancreatic resection and pancreatic duct-navigation surgery for multiple lesions of the pancreas: intraductal papillary mucinous neoplasm of the pancreas concomitant with ductal carcinoma of the pancreas	Kuroki T	第二外科
Int Surg 93	Surgical management for stenosis of the pancreaticojejunostomy	Kuroki T	第二外科
Hepato-gastroenterol 55	A jejunal wall-covering method following central pancreatectomy for prevention of a pancreatic fistula: A novel technique	Kuroki T	第二外科
Liver Transplant 14	Living donor liver transplantation for hepatitis C virus cirrhosis with a huge portal vein aneurysm.	Miyazaki K	第二外科
World J Gastroenterol 14	Metabolism for cyclosporin a during liver regeneration after partial hepatectomy in rats	Nagayoshi S	第二外科
Liver Transplant 14	Human T-cell leukemia virus type I-associated myelopathy following living-donor liver transplantation	Soyama A	第二外科
Hepato-gastroenterol 55	Significance of the serum level of soluble E-cadherin in patients with HCC	Soyama A	第二外科
Surg Today 38	A secure taping technique for a liver hanging maneuver using a surgical probe.	Takatsuki M	第二外科
Am J Surg 197	Two-surgeon technique using saline-linked electric cautery and ultrasonic surgical aspirator in living donor hepatectomy: its safety and efficacy	Takatsuki M	第二外科
Pancreas 36	Resectable carcinoma developing in the remnant pancreas 3 years after pylorus-preserving pancreaticoduodenectomy for invasive ductal carcinoma of the pancreas	Tajima Y	第二外科
Acta Med Nagasaki 53	Long-term Outcome of Percutaneous Treatment and Surgery for Postoperative Benign Biliary Stricture.	Tajima Y	第二外科
Am J Surg 197	Gallbladder torsion showing a "whirl sign" on a multidetector computed tomography scan.	Tajima Y	第二外科
Am J Surg 196	Multifocal branch-duct pancreatic intraductal papillary mucinous neoplasms	Tajima Y	第二外科
J Hepato-Biliary-Pan 15	Compressive stenosis of the inferior vena cava due to localized ascites after living-donor liver transplantation	Tokai H	第二外科
Am J Clin Pathol 130	Prognostic impact of marginal adipose tissue invasion in ductal carcinoma of the breast	Yamaguchi J	第二外科
Mol Ther 74: 1183-1192, 2008	Enhanced anti-inflammation of inhaled dexamethasone palmitate using mannoseylated liposomes in an endotoxin-induced lung inflammation model.	Wijagkanalan W	薬剤部
Breast Cancer Res Treat 109: 443-450, 2008	Pre-administration of docetaxel protects against adriamycin-induced cardiotoxicity.	Sakaguchi H	薬剤部
Eur J Pharm Biopharm 69: 633-639, 2008	Improved stomach selectivity of gene expression following microinstillation of plasmid DNA onto the gastric serosal surface in mice.	Nishi J	薬剤部
J Gastroenterol 43: 912-919, 2008	Highly stomach-selective gene transfer following gastric serosal surface instillation of naked plasmid DNA in rats.	Nishi J	薬剤部
Int J Pharm 363: 58-65, 2008	Hybrid vector including polyethylenimine and cationic lipid, DOTMA, for gene delivery.	Matsumoto M	薬剤部

J Pharm Biomed Anal 47: 201-206, 2008	Simultaneous determination of mycophenolic acid and its acyl and phenol glucuronide metabolites in human serum by capillary zone electrophoresis.	Ohyama K	薬剤部
Int J Hyperthermia 24: 415-424, 2008	p53 status-dependent sensitization of human tumour cells to hyperthermia by plant flavonol.	Hamamoto T	薬剤部
J Pharm Pharm Sci 11: 56- 67, 2008	Exploitation of De Novo helper-lipids for effective gene delivery.	Kurosaki T	薬剤部
Biol Pharm Bull 1: 1585-1588, 2008	Influence of murine hepatitis induced by D-(+)-galactosamine hydrochloride and lipopolysaccharide on gene expression of polyethyleneimine/plasmid DNA polyplex.	Miyanaga K	薬剤部
Biol Pharm Bull 1: 1590-1595, 2008	Ocular pharmacokinetic/pharmacodynamic modeling for multiple anti-glaucoma drugs.	Sakanaka K	薬剤部
Biol Pharm Bull 1: 970-975, 2008	Ocular pharmacokinetic/pharmacodynamic modeling for timolol in rabbits using a telemetry system.	Sakanaka K	薬剤部
Biol Pharm Bull 1: 1049-1052, 2008	Absorption and distribution characteristics of 5-fluorouracil (5-FU) after an application to the liver surface in rats in order to reduce systemic side effects.	Kodama Y	薬剤部
J Ocular Pharmacol Ther 24: 43- 51, 2008	Breakdown evaluation of corneal epithelial barrier caused by anti-allergic eyedrops using an electrophysiological method.	Nakashima M	薬剤部
Cancer Sci 99 (6): 1147-2254, 2008	Oncogenic role of miR-17-92 cluster in anaplastic thyroid cancer cells.	Takakura S	国際ヒバクシャ医療センター
J Dermatol Sci 51 (3): 171-180, 2008	DHMEQ, a novel NF-kappaB inhibitor, suppresses growth and type I collagen accumulation in keloid fibroblasts.	Makino S	国際ヒバクシャ医療センター
Endocrinology 149 (11): 5357-5365, 2008	Dehydroxymethylepoxyquinomicin, a novel nuclear Factor-kappaB inhibitor, enhances antitumor activity of taxanes in anaplastic thyroid cancer cell.	Meng Z	国際ヒバクシャ医療センター
Cell 135: 37-48, 2008	Transcription factor E2-2 is an essential and specific regulator of plasmacytoid dendritic cell development.	Cisse B	離島へき地医療学
Circ J 72: 304-308, 2008	Availability of cardio-ankle vascular index (CAVI) as a screening tool for atherosclerosis.	Kadota K	離島へき地医療学
Scand J Clin Lab Invest 11: 1-7, 2008	Usefulness of long-distance inverse polymerase chain reaction for molecular detection of 14q32 translocation in a clinical setting.	Ishizaki A	感染制御教育センター
Scand J Infect Dis 40 (4): 338-342, 2008	Elevated levels of high mobility group box chromosomal protein-1 (HMGB-1) in sera from patients with severe bacterial pneumonia coinfecting with influenza virus.	Kosai K	感染制御教育センター
Clin Immunol 126 (2): 165-171, 2008	Haplotypes of PADI4 susceptible to rheumatoid arthritis are also associated with ulcerative colitis in the Japanese population.	Chen CC	感染制御教育センター
J Antimicrob Chemother 61 (3): 647-650, 2008	Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillin-resistant Staphylococcus aureus coagulase in vitro and in vivo.	Yanagihara K	感染制御教育センター
Retrovirology 22 (5): 34, 2008	Characteristic expression of HTLV-1 basic zipper factor (HBZ) transcripts in HTLV-1 provirus-positive cells.	Usui T	感染制御教育センター
Clin Chem Lab Med 46 (7): 966-973, 2008	Screening for genetic heterogeneity in the interferon sensitivity determining region of the hepatitis C virus genome by polymerase chain reaction with melting curve analysis.	Sasaki D	感染制御教育センター
Diagn Microbiol Infect Dis 61 (2): 222-226, 2008	Quantitative detection of metallo-beta-lactamase of blaIMP-cluster-producing Pseudomonas aeruginosa by real-time polymerase chain reaction with melting curve analysis for rapid diagnosis and treatment of nosocomial infection.	Motoshima M	感染制御教育センター
Antimicrob Agents Chemother 52 (6): 2163-2168, 2008	Potency of SMP-601, a novel carbapenem, in hematogenous murine bronchopneumonia caused by methicillin-resistant and vancomycin-intermediate Staphylococcus aureus.	Kihara R	感染制御教育センター
Int J Antimicrob Agents 32 (5): 401-404, 2008	Efficacy of ME1036 against methicillin-resistant Staphylococcus aureus and vancomycin-insensitive S. aureus in a model of hematogenous pulmonary infection.	Yanagihara K	感染制御教育センター
J Clin Microbiol 46 (7): 2384-2388, 2008	Rapid identification of penicillin and macrolide resistance genes and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex PCR assay.	Fukushima K	感染制御教育センター

Eur J Haematol 81 (3): 209-217, 2008	Foxp3 expression on normal and leukemic CD4+CD25+ T cells implicated in human T-cell leukemia virus type-1 is inconsistent with Treg cells.	Abe M	感染制御教育センター
J Antimicrob Chemother 62 (6): 1326-1331, 2008	In vivo efficacy and pharmacokinetics of tomopenem (CS-023), a novel carbapenem, against <i>Pseudomonas aeruginosa</i> in a murine chronic respiratory tract infection model.	Morinaga Y	感染制御教育センター
J Cancer Res Clin Oncol 135 (3):371-377, 2008	A novel role of serum cytochrome c as a tumor marker in patients with operable cancer.	Osaka A	感染制御教育センター
Biochem Biophys Res Commun 374 (4): 709-713, 2008	Kohno S Plectasin has antibacterial activity and no affect on cell viability or IL-8 production.	Hara S	感染制御教育センター
Jpn J Infect Dis 61 (5): 375-378, 2008	The Roles of the quorum-sensing system in the release of extracellular DNA, lipopolysaccharide, and membrane vesicles from <i>Pseudomonas aeruginosa</i> .	Nakamura S	感染制御教育センター
Jpn J Infect Dis 61 (4): 294-297, 2008	Single-cell observation of phagocytosis by human blood dendritic cells.	Ishimoto H	感染制御教育センター
Diagn Microbiol Infect Dis 61 (2): 170-174, 2008	Comparison of usefulness of plasma procalcitonin and C-reactive protein measurements for estimation of severity in adults with community-acquired pneumonia.	Hirakata Y	感染制御教育センター
Agents Chemother 52 (5): 1868-1870, 2008	Efficacy of SPK-843, a novel polyene antifungal in murine pulmonary aspergillosis in comparison with amphotericin B, amBisome(R) and micafungin. Antimicrob	Takeya H	感染制御教育センター
Antimicrob Agents Chemother 52 (5): 1871-1872, 2008	Kohno S.Efficacy of SPK-843, a Novel polyene antifungal in a murine model of systemic cryptococcosis.	Takeya H	感染制御教育センター
Jpn J Infect Dis 61 (4): 294-297, 2008	Single-cell observation of phagocytosis by human blood dendritic cells.	Ishimoto H	感染制御教育センター
Intern Med 47 (4): 245-254, 2008	HAP study group: Multicenter survey on hospital-acquired pneumonia and the clinical efficacy of first-line antibiotics in Japan.	Watanabe A	感染制御教育センター
Cancer 112 (5): 1122-1130, 2008	Methylation status of breast cancer resistance protein detected by methylation-specific polymerase chain reaction analysis is correlated inversely with its expression in drug-resistant lung cancer cells.	Nakano H	感染制御教育センター
Jpn J Infect Dis 61 (5): 379-381, 2008	A Case of legionella pneumophila pneumonia followed by invasive aspergillosis.	Saijo T	感染制御教育センター
Tohoku J Exp Med 216 (1): 77-80, 2008	Lung fibrosis 10 years after cessation of bleomycin therapy.	Tashiro M	感染制御教育センター
Med Mycol 9: 1-5, 2008	A case of pulmonary cryptococcosis followed by pleuritis in an apparently immunocompetent patient during fluconazole treatment.	Izumikawa K	感染制御教育センター
Respiration 76 (4): 454-457, 2008	A 52-yr-old male with fever and rapidly progressive dyspnea.	Nakamura S	感染制御教育センター
Intern Med 47 (12): 1121-1124, 2008	Spontaneous pyogenic spondylitis caused by <i>Klebsiella pneumoniae</i>	Kosai K	感染制御教育センター
Intern Med 47 (8): 773-777, 2008	Severe legionnaires' disease successfully treated using a combination of fluoroquinolone, erythromycin, corticosteroid, and sivelestatin	Takeya H	感染制御教育センター
Med Mycol 46 (4): 367-370, 2008	Reversible visual disturbance due to cryptococcal uveitis in a non-HIV individual.	Nakamura S	感染制御教育センター
Clin Lung Cancer 9: 44-50, 2008	Induction chemotherapy with cisplatin, vinorelbine, and mitomycin-C followed by surgery for patients with pathologic N2 non-small-cell lung cancer.	Akamine S	がん診療センター
Surg Today 38: 436-439, 2008	Mucosa-associated lymphoid tissue lymphoma of the thymus associated with Sjogren syndrome: report of a case.	Kinoshita N	がん診療センター
Anesth Analg 106 (2): 654-658, 2008	Three-dimensional computed tomography for difficult thoracic epidural needle placement.	Murata H	手術部