£		N 4: 1: C	[VIV PX 15-15-3X
	Clinical implications of antimitochondrial antibodies in type 1 au	Mishima S	
ogy 55: 221-227, 2 008	toimmune hepatitis: a longitudinal study.		療部
Clin Immunol 126 165-171, 2008	Haplotypes of PADI4 susceptible to rheumatoid arthritis are also associated with ulcerative colitis in the Japanese population.	Chen CC	光学医療診 療部
Hepatogastroentero	Interleukin 8 and 1beta and RANTES levels in esophageal muco	Isomoto H	光学医療診
	sa predict recurrence of endoscopy-negative gastroesophageal reflux disease.		療部
	Cobblestone appearance in the colon of a 24-year-old man.	Kobayashi T	光学医療診 療部
	Magnified endoscopic findings of gastric low-grade mucosa-associ ated lymphoid tissue lymphoma.	Isomoto H	
I Immunol 180: 50	Molecular characterization of Helicobacter pylori VacA induction	Hisatsune J	
17-5027, 2008	of IL-8 in U937 cells reveals a prominent role for p38MAPK in activating transcription factor-2, cAMP response element bindin	i	療部
	g protein, and NF-kappaB activation.		
Hepatology 47: 121	Sulfatase 2 up-regulates glypican 3, promotes fibroblast growth f	Lai JP	光学医療診
1-1222, 2008	actor signaling, and decreases survival in hepatocellular carcinoma.		療部
Dig Dis Sci 53:186 9-1875, 2008	Simvastatin attenuates trinitrobenzene sulfonic acid-induced colitis, but not oxazalone-induced colitis.	Ikeda M	光学医療診 療部
	Effect of eradication of Helicobacter pylori on incidence of meta	Fukase K	光学医療診
7, 2008	chronous gastric carcinoma after endoscopic resection of early gastric cancer: an open-label, randomised controlled trial.		療部
Scand J Gastroenter	Ileal lesions in Behçet's disease originate in Peyer's patches: find	Isomoto H	光学医療診
	lings on magnifying endoscopy.	4	療部
Gastroenterology. 1	Clinical Challenges and Images in GI: Colonic involvement in K	Isomoto H	光学医療診
35: 743, 1020, 200 8			療部
Helicobacter 1: 28- 34, 2008	Helicobacter and gastric malignancies.	Ferreira AC	光学医療診 療部
	A Case of Cronkhite-Canada Syndrome: Remission after Treatment with Anti-Helicobacter pylori Regimen.	Okamoto K	光学医療診 療部
135: 1464 1807 2	Clinical challenges and images in GI: Malignant atrophic papulos	Yamaguchi	光学医療診
008	is (Degos' disease) with systemic manifestations. Gastroenterology.	N	療部
135: 1052, 1430-14	Clinical challenges and images in GI: Hyalinizing clear cell and		
31, 2008	mucoepidermoid carcinoma arising as a primary lesion in the eso phagus.		療部
Diabetes Res Clin	Insulin administration may trigger pancreatic β-cell destruction in	Nakamura M	生活習慣病
	patients with type 2 diabetes.		予防診療部
Biochem Biophys	Combined insulin B:9-23 self-peptide and polyinosinic-polycytidyl	Fukushima K	生活習慣病
	ic acid accelerate insulitis but inhibit development of diabetes by		予防診療部
(4): 719-724, 2008	increasing the proportion of CD4 ⁺ Foxp3 ⁺ regulatory T cells in the islets in non-obese diabetic mice.		
Diabetologia 51: 52	Different contribution of class II HLA in fulminant and typical a	Imagawa A	生活習慣病
4-526, 2008	utoimmune type 1 diabetes mellitus (Erratum).		予防診療部
	Nationwide survey to compare the prevalence of transient elevati	Takaike H	生活習慣病
95-400, 2008	on of liver transaminase during treatment of diabetic ketosis or		予防診療部
	ketoacidosis in new-onset acute and fulminant type 1 diabetes m ellitus.		
	Japanese Study Group on Type 1 Diabetes Genetics: Evidence fo		生活習慣病
	r association between vitamin D receptor <i>BsmI</i> polymorphism and type 1 diabetes in Japanese.		予防診療部
	Differences in the contribution of the CTLA4 gene to susceptibili	Kawasaki E	生活習慣病
8): 1608-1610, 200 8	ty to fulminant and type 1A diabetes in Japanese patients.		予防診療部
J Endocrinol Invest	Prevalence of interrelated autoantibodies in thyroid diseases and	Nakamura H	
	autoimmune disorders.		予防診療部
	<u> </u>		

10]: 69, 2008 n a Japanese patient with latent autoimmune diabetes in adults. 子形像 Pract 82 (2): 233-2 gender within fulminant type 1 diabetes. Prof. 2008 Prof.				
Diabetes Res Clin Uniformity in clinical and HLA-DR status regardless of age and Imagawa A 学说的 17 (2008) 23-2 gender within fulminant type 1 diabetes. 37, 2008 Diabetologia 51 (12Association between anti-ZnT8 autoantibody specificities and SLC Kawasaki E 学说的 126 (6): 1091-109 4, 2008 Diabetologia 51 (12Association between anti-ZnT8 autoantibody specificities and SLC Kawasaki E 学说的 1299-2302, 2008 3048 Arg325Tpt variant in Japanese patients with type 1 diabete 8.	Diabetes Care 31	Pancreas histology and a longitudinal study of insulin secretion i	Murao S	生活習慣漏
Pract 82 (2): 233-2 gender within fulminant type 1 diabetes. 77, 2008 Clin Exp Rheumato MEFV mutations in Japanese rheumatoid arthritis patients. 126 (6): 1091-1094 A 2008 Diabetologia 51 (12Association between anti-ZnT8 autoantibody specificities and SLC Kawasaki E	0): 69, 2008	n a Japanese patient with latent autoimmune diabetes in adults.		予防診療部
37, 2008 Clin Exp RheumatoMEFV mutations in Japanese rheumatoid arthritis patients. 126 (6): 1091-109 4, 2008 4, 2008 6, 2008 6, 2008 6, 2008 7 時間	Diabetes Res Clin	Uniformity in clinical and HLA-DR status regardless of age and	Imagawa A	生活習慣漏
Clin Exp Rheumato MEFV mutations in Japanese rheumatoid arthritis patients. Migita K 学的的	Pract 82 (2): 233-2	gender within fulminant type 1 diabetes.	1000	予防診療部
Diabetologia 51 (12Association between anti-ZnT8 autoantibody specificities and SLCKawasaki E 生活智序 2299-2302, 2008 30.48 Arg325Tip variant in Japanese patients with type I diabete s. Intern Med 48 A clinical comparative study of piperacillin and sulbactan/ampiciScki M lin in patients with community-acquized bacterial pneumonia. Intern Med 47 A patient with fulminant influenza-related bacterial pneumonia duSeki M e to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous influence culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous influence culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous influence culosis infection on movel carbapenem, against Pseudomomas aeraginosa in a murine chronic respiratory tract infection model. Int J Antimicrob Agents of Mycobacterium intraction model. Int J Antimicrob Agents (The Company Infection) Clin Infect Dis 47 Iligh mortality in invasive aspergillosis: what we need to know floons or determination of poor prognosis and next countermeasures. Scand J Infect Diselevated levels of high mobility group box chromosomal protein Rosai K 1(HMGB-1) in sera from patients with severe bacterial pneumon a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existeSawai T d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumowatanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mediate suppresses influenza pneumonia in mice throug Rosai K hinhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mackeya H in adminication of protein B, ipposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionariers' disease successfully treated using a combinatKakey	7, 2008			
4. 2008 Diabetologia 51 (12] Association between anti-ZnT8 autoantibody specificities and SLC Kawasaki E 字 2299-2302, 2008 30A8 Arg325Try variant in Japanese patients with type I diabete 字形が 1	lin Exp Rheumato	MEFV mutations in Japanese rheumatoid arthritis patients.	Migita K	生活習慣漏
4. 2008 Diabetologia 51 (12] Association between anti-ZnT8 autoantibody specificities and SLC Kawasaki E 字 2299-2302, 2008 30A8 Arg325Try variant in Japanese patients with type I diabete 字形が 1				予防診療部
Diabetologia 51 (12Association between anti-ZnT8 autoantibody specificities and SLCKawasaki E 学协設 2299-2302, 2008 30A8 Arg325Trp variant in Japanese patients with type 1 diabete s. Intern Med 48 A clinical comparative study of piperacillin and sulbactam/ampici/Scki M lin in patients with community-acquired bacterial pneumonia. Intern Med 47 A patient with fulminant influenza-related bacterial pneumonia duScki M e to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection. Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous infl Kosai K explaints in the property of th				3 .450.4 .600
S. 2299-2302, 2008 8.048 Arg325Trp variant in Japanese patients with type 1 diabete A clinical comparative study of piperacillin and sulbactam/ampici Seki M 第一內 Intern Med 48 A clinical comparative study of piperacillin and sulbactam/ampici Seki M e to Streptococcus preumonia produce A patient with fulimant influenza-related bacterial pneumonia duSeki M e to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection Intern Med 47 A patient with fulimant influenza-related bacterial pneumonia duSeki M e to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection Intern Med 47 Antimicrob Chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y chem/n vive efficacy of MEI036 against methicillin-resistant Staphylococcus and amurine chronic respiratory tract infection model. [Int J Antimicrob Agents Efficacy of high mobility group box chromosomal protein-Kosai K (HMGB-1) in sera from patients with severe bacterial pneumonia a coinfected with influenza virus. [Intern Med 47		Association between anti-ZnT8 autoantibody specificities and SLC	Kawasaki E	生活習慣症
intern Med 48				予防診療部
liin in patients with community-acquired bacterial pneumonia. A patient with fulminant influenza-related bacterial pneumonia duSeki M e to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous inflKosai K uenza pneumonia and bacterial infection in mice. J Antimicrob ChemIn vivo efficacy and pharmacokinetics of tomopenem (CS-023), advorinaga Y novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model. Int J Antimicrob AEfficacy of ME1036 against methicillin-resistant Staphylococcus a Yanagihara werus and vancomycin-insensitive S. aureus in a model of hematK ogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know fkohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumonia a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existeSawai T d and mimicked lung cancer. Intern Med 48 Sudy group multicenter survey on hospital-acquired pneumoWatanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and viang curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hem		S.	14	12312 3411
liin in patients with community-acquired bacterial pneumonia. A patient with fulminant influenza-related bacterial pneumonia duSeki M e to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous inflKosai K uenza pneumonia and bacterial infection in mice. J Antimicrob ChemIn vivo efficacy and pharmacokinetics of tomopenem (CS-023), advorinaga Y novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model. Int J Antimicrob AEfficacy of ME1036 against methicillin-resistant Staphylococcus a Yanagihara werus and vancomycin-insensitive S. aureus in a model of hematK ogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know fkohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumonia a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existeSawai T d and mimicked lung cancer. Intern Med 48 Sudy group multicenter survey on hospital-acquired pneumoWatanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and viang curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hem	ntern Med 48	A clinical comparative study of nineracillin and sulhactam/ampici	Seki M	笠一内彩
Intern Med 47 A patient with fulminant influenza-related bacterial pneumonia duSeki M to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous influence with the curax pneumonia and bacterial infection in mice. J Antimicrob Chem/n vivo efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model. Int J Antimicrob AEfficacy of ME1036 against methicillin-resistant Staphylococcus at Yanagihara gents 32 ureus and vancomycin-insensitive S. aureus in a model of hematk ogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know Kohno S or determination of poor prognosis and next countermeasures. Scand J Infect DisElevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumoni a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T 4 and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumow Watanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine m Kakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinatKakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and Xanagihara arithromycin reduce methicillion-resistant Staphylococcus aureus of Simplection of periodiomonas aeruginosa by real-time PCR with meltM ing curve analysis for rap	mem wed 40		Jeki ivi	93-1117
e to Streptococcus pneumoniae followed by Mycobacterium tuber culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous inflKosai K uenza pneumonia and bacterial infection in mice. J Antimicrob Chem/ nvivo efficacy and pharmacokinetics of fomopenem (CS-023), aMorinaga Y novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model. Int J Antimicrob AEfficacy of ME1036 against methicillin-resistant Staphylococcus aYanagihara gents 32 ureus and vancomycin-insensitive S. aureus in a model of hematK ogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know fkohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumoni a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumo-Watanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine model of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Subinhibitory concentrations of telithromycin, clarithromycin and vancom with a sproducing Pseudomonas aeruginosa by real-time PCR with meltM ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muriKihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-inte	ntern Med 17		Seki M	密一山 到
culosis infection Clin Exp Immunol Two-dimensional gel electrophoresis analysis in simultaneous infl Kosai K uenza pneumonia and bacterial infection in mice. J Antimicrob Chem In vivo efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model. Int J Antimicrob AEfficacy of ME1036 against methicillin-resistant Staphylococcus dYanagihara gents 32 areus and vancomycin-insensitive S. aureus in a model of hemat Kogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know Kohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 第一内和 I(HMGB-1) in sera from patients with severe bacterial pneumonia a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 48 HAP study group multicenter survey on hospital-acquired pneumowatanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H inhibitory of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H inhibitory of systemic cryptococcosis. Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and Yanagihara azithromycin reduce methicillin-resistant Staphylococcus account of fluoroquinolone, erythromycin, corticosteroid, and sivelestat Staphylococcus aureus of coagulase in vitro and in vivo. Diagn Microbiol InQuantitative detection of metallo-beta-lactamase of blaIMP-clusterMotoshima infection.	mem wed 47			弗—四件
Clin Exp Immunol 152 uenza preumonia and bacterial infection in mice. 152 uenza preumonia and bacterial infection in mice. 154 Antimicrob Chem/n vivo efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model. Int J Antimicrob Aefficacy of ME1036 against methicillin-resistant Staphylococcus of Yanagihara virus and vancomycin-insensitive S. aureus in a model of hemat cogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know Kohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumonia coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T dand mimicked lung cancer. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T dand mimicked lung cancer. Intern Med 83 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H in on of fluoroquinolone, crythromycin, corticosteroid, and sivelestant murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H in on of fluoroquinolone, crythromycin, corticosteroid, and sivelestant sizhnylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blatMP-cluster Motoshima \$\frac{1}{2} \top \frac{1}{2} \to				
Lenza pneumonia and bacterial infection in mice. Antimicrob Agents Fificacy and pharmacokinetics of tomopenem (CS-023), a Morinaga Y	N: F I		Vanai V	かっしか
J Antimicrob Chem In vivo efficacy and pharmacokinetics of tomopenem (CS-023), aMorinaga Y 第一内球 order 62 novel carbapenem, against Pseudomonas aeruginosa in a murine chronic respiratory tract infection model. Int J Antimicrob AEfficacy of ME1036 against methicillin-resistant Staphylococcus a Yanagihara 第二内球 gents 32 ureus and vancomycin-insensitive S. aureus in a model of hematk ogenous pulmonary infection. Clin Infect Dis 47 determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumonia a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 48 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 49 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 88 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinatKakeya H in pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinatKakeya H in pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully readed using a combinatKakeya H in pulmonary aspergillosi			Kosai K	弗—
other 62				hele I Al
chronic respiratory tract infection model. Int J Antimicrob AEfficacy of ME1036 against methicillin-resistant Staphylococcus alyanagihara 第二内部 gents 32 ureus and vancomycin-insensitive S. aureus in a model of hemat K ogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know fkohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumoni a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existeSawai T d and mimicked lung cancer. Intern Med 48 HAP study group multicenter survey on hospital-acquired pneumowatanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K nihibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H on of fluoroquinolone, crythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and Yanagihara azithromycin reduce methicillion-resistant Staphylococcus aureus ck agulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-clusterMotoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt ming curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermed				第二内科
Int J Antimicrob Alefficacy of ME1036 against methicillin-resistant Staphylococcus ale Vanagihara gents 32 ureus and vancomycin-insensitive S. aureus in a model of hematic ogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know fkohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumonia coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumo-Watanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mkakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary sapergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, clarithromycin and Yanagihara 第二内和 infection. J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and Yanagihara azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	ther 62			
gents 32		chronic respiratory tract infection model.		
ogenous pulmonary infection. Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know fkohno S or determination of poor prognosis and next countermeasures. Scand J Infect Dis Elevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumoni a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existeSawai T d and mimicked lung cancer. HAP study group multicenter survey on hospital-acquired pneumony watanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mkakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and yanagihara arithromycin reduce methicillion-resistant Staphylococcus aureus of Cogulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous murikihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	nt J Antimicrob A	Efficacy of ME1036 against methicillin-resistant Staphylococcus a	Yanagihara	第二内科
Clin Infect Dis 47 High mortality in invasive aspergillosis: what we need to know fKohno S or determination of poor prognosis and next countermeasures. Scand J Infect DisElevated levels of high mobility group box chromosomal protein-Kosai K (HMGB-1) in sera from patients with severe bacterial pneumonia a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumoWatanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H schemother 52 with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestar J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol InQuantitative detection of metallo-beta-lactamase of blaIMP-clusterMotoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K ne purine multiplex P CR assay.	ents 32	ureus and vancomycin-insensitive S. aureus in a model of hemat	K	
or determination of poor prognosis and next countermeasures. Scand J Infect DisElevated levels of high mobility group box chromosomal protein—40 a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existeSawai T d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumo Watanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K nihibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H del of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Chemother 52 with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat or azithromycin reduce methicillion-resistant Staphylococcus aureus coagulase in vitro and in vivo. Diagn Microbiol InQuantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima sproducing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R peronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.				
or determination of poor prognosis and next countermeasures. Scand J Infect DisElevated levels of high mobility group box chromosomal protein-Kosai K 1(HMGB-1) in sera from patients with severe bacterial pneumoni a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumo Watanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and other 61 azithromycin reduce methicillion-resistant Staphylococcus aureus coagulase in vitro and in vivo. Diagn Microbiol InQuantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima 第二内和 infect Dis 61 sproducing Pseudomonas aeruginosa by real-time PCR with meltM ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R peronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima (第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P	Clin Infect Dis 47	High mortality in invasive aspergillosis: what we need to know f	Kohno S	第二内科
I(HMGB-1) in sera from patients with severe bacterial pneumonial a coinfected with influenza virus.		or determination of poor prognosis and next countermeasures.		
A0	cand J Infect Dis	Elevated levels of high mobility group box chromosomal protein-	Kosai K	第二内科
a coinfected with influenza virus. Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T 第二内界 d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumo Watanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K ninhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestar of the fluoroquinolone, erythromycin, corticosteroid, and sivelestar of the fluoropycin reduce methicillion-resistant Staphylococcus aureus of a suppression of the sproducing Pseudomonas aeruginosa by real-time PCR with melt in gurve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K 第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	40	1(HMGB-1) in sera from patients with severe bacterial pneumoni		213—1 311
Intern Med 47 Mycobacterium intracellulare pulmonary infection which co-existe Sawai T d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumo mia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice through Kosai K 第二内和 inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine model of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat site of fluoroquinolone, erythromycin, corticosteroid, and sivelestat azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melting curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.				
d and mimicked lung cancer. Intern Med 47 HAP study group multicenter survey on hospital-acquired pneumo Matanabe A nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H odel of systemic cryptococcosis. Antimicrob Agents Chemother 52 Antimicrob Agents Chemother 52 Antimicrob Agents Chemother 52 Antimicrob Chemother 52 Intern Med 47 J Antimicrob Chemother Subinhibitory concentrations of telithromycin, corticosteroid, and sivelestat J Antimicrob Chemother Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillion-resistant Staphylococcus aureus ck agulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt Ming curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Chemother 52 Antimicrob Agents Chemother 53 Antimicrob Agents Chemother 54 Antimicrob Agents Chemother 55 Antimicrob Agents Chemother Chemo	ntern Med 47		Sawai T	笙 一内科
Intern Med 47			43	N2-1-14-1
nia and the clinical efficacy of first-line antibiotics in Japan. J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine m Kakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison Kakeya H with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestar 第二内和ion of fluoroquinolone, erythromycin, clarithromycin and Yanagihara azithromycin reduce methicillion-resistant Staphylococcus aureus c K oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和ion of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	ntern Med 47		Watanahe A	第一内科.
J Int Med Res 36 Gabexate mesilate suppresses influenza pneumonia in mice throug Kosai K h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine m Kakeya H odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillion-resistant Staphylococcus aureus of oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt ming curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopenumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K 第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	intern ivida 17		, atanaoc 11	37-1117
h inhibition of cytokines. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H	Int Med Res 36		Kosai K	笠一内彩
Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in a murine mKakeya H 的del of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillion-resistant Staphylococcus aureus of coagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt ming curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Chemother 52 Potency of SMP-601, a novel carbapenem, in hematogenous murikihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K 第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.	int inted ites 50		recour it	45-1111T
Chemother 52 odel of systemic cryptococcosis. Antimicrob Agents Efficacy of SPK-843, a novel polyene antifungal, in comparison with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillion-resistant Staphylococcus aureus coagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom vcin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.	ntimioroh Aganta		Vokova U	松一山
Antimicrob Agents Chemother 52 with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat azithromycin reduce methicillion-resistant Staphylococcus aureus c c oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Chemother 52 ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K 第二内和 purulent sputum samples by use of a novel real-time multiplex P CR assay.			Rakeya II	弗—四件
with amphotericin B, liposomal amphotericin B, and micafungin against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima sproducing Pseudomonas aeruginosa by real-time PCR with melt Ming curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Chemother 52 ne bronchopneumonia caused by methicillin-resistant and vancomycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima Karana purulent sputum samples by use of a novel real-time multiplex PCR assay.			Valsava II	かー・トン
against murine pulmonary aspergillosis. Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat in fluoroquinolone, erythromycin, corticosteroid, and sivelestat ion of fluoroquinolone, erythromycin, clarithromycin and Yanagihara azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt Ming curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima Kand simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.			какеуа п	弗— 内科
Intern Med 47 Severe legionnaires' disease successfully treated using a combinat Kakeya H ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat ion of fluoroquinolone, erythromycin, clarithromycin and Yanagihara 第二内和 azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima s-producing Pseudomonas aeruginosa by real-time PCR with melt ming curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Chemother 52 Potency of SMP-601, a novel carbapenem, in hematogenous murikihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.	nemother 32			
ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and other 61 azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima 第二内和 s-producing Pseudomonas aeruginosa by real-time PCR with melt ming curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Chemother 52 Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.				lete I col
J Antimicrob Chem Subinhibitory concentrations of telithromycin, clarithromycin and other 61 azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima 第二内和 s-producing Pseudomonas aeruginosa by real-time PCR with melt ing curve analysis for rapid diagnosis and treatment of nosocomial infection. Antimicrob Agents Chemother 52 Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.	ntern Med 47		875.	第二内科
other 61 azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol InQuantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima 第二内和 s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.		ion of fluoroquinolone, erythromycin, corticosteroid, and sivelestat		
other 61 azithromycin reduce methicillion-resistant Staphylococcus aureus ck oagulase in vitro and in vivo. Diagn Microbiol InQuantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima 第二内和 s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.		<u> </u>		
oagulase in vitro and in vivo. Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima 第二内和 s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.		Subinhibitory concentrations of telithromycin, clarithromycin and	Yanagihara	第二内科
Diagn Microbiol In Quantitative detection of metallo-beta-lactamase of blaIMP-cluster Motoshima 第二内和 s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.	ther 61		K	
fect Dis 61 s-producing Pseudomonas aeruginosa by real-time PCR with melt M ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.				
ing curve analysis for rapid diagnosis and treatment of nosocomi al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in purulent sputum samples by use of a novel real-time multiplex P CR assay.				第二内科
al infection. Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R Chemother 52 ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genesFukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	ect Dis 61	s-producing Pseudomonas aeruginosa by real-time PCR with melt	M	5000
Antimicrob Agents Potency of SMP-601, a novel carbapenem, in hematogenous muri Kihara R Chemother 52 ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genesFukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.		ing curve analysis for rapid diagnosis and treatment of nosocomi		
Chemother 52 ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.		al infection.		
Chemother 52 ne bronchopneumonia caused by methicillin-resistant and vancom ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K 第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	antimicrob Agents	Potency of SMP-601, a novel carbapenem, in hematogenous muri	Kihara R	第二内科
ycin-intermediate Staphylococcus aureus. J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K 第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	Chemother 52	ne bronchopneumonia caused by methicillin-resistant and vancom		714 - 1 4 1 1
J Clin Microbiol 4 Rapid identification of penicillin and macrolide resistance genes Fukushima K 第二内和 and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.				
and simultaneous quantification of Streptococcus pneumoniae in Y purulent sputum samples by use of a novel real-time multiplex P CR assay.	Clin Microbiol 4	Rapid identification of penicillin and macrolide resistance genes	Fukushima K	第一 内科
purulent sputum samples by use of a novel real-time multiplex P CR assay.		and simultaneous quantification of Strentococcus pneumoniae in	Y	NJ-T 171T
CR assay.				
}				D 18
	Diagn Microbial I-		Hirakata V	
fect Dis 61 protein measurements for estimation of severity in adults with c			illakata I	第二内科
	ECT DIS 01			
ommunity-acquired pneumonia.	Scholm I E M		Tooking M	## H-11
	UHUKU J EXD Med	Lung norosis to years after cessation of bleomycin therapy.	rasiiiro IVI	第二内科
216				

Intern Med 47	An autopsy case of Erysipelothrix rhusiopathiae endocarditis.	Yamamoto Y	第二内科
Part 1	The first nationwide surveillance of bacterial respiratory pathogen	Kohno S	第二内科
	s conducted by the Japanese Society of Chemotherapy.		
Respirology 13	Revision of the severity rating and classification of hospital-acquired pneumonia in the Japanese Respiratory Society guidelines.	Seki M	第二内科
Jpn J Infect Dis 6 1	A case of Legionella pneumophila pneumonia followed by invasive aspergillosis.	Saijo T	第二内科
Med Mycol 46	A case of pulmonary cryptococcosis followed by pleuritis in an apparently immunocompetent patient during fluconazole treatment.	Izumikawa K	第二内科
Jpn J Infect Dis 6 1	The roles of the quorum-sensing system in the release of extrace llular DNA, lipopolysaccharide, and membrane vesicles from Pse udomonas aeruginosa.		第二内科
Int Arch Allergy I mmunol 146	Cytokine production from peripheral blood mononuclear cells of mite-allergen-sensitized atopic adults stimulated with respiratory syncytial virus and mite allergen.		第二内科
Int Arch Allergy I	Effects of repeated respiratory syncytial virus infections on pulm onary dendritic cells in asthma model.	Hirose H	第二内科
Respiration 76	Observational study of the additional anti-inflammatory effects of leukotriene receptor antagonist on clinically stable asthma with inhaled corticosteroids and long acting β2-agonists.		第二内科
J Med Microbiol 5 7	A novel method for rapid detection of Streptococcus pneumoniae antigen in sputum and its application in adult respiratory tract infections.		第二内科
Biochem Biophys Res Commun 374	Plectasin has antibacterial activity and no affect on cell viability or IL-8 production.	Hara S	第二内科
Respir Med 102	High serum levels of thrombospondin-1 in patients with idiopathic interstitial pneumonia.	Ide M	第二内科
Jpn J Infect Dis 6	Single-cell observation of phagocytosis by human blood dendritic cells.	Ishimoto H	第二内科
Intern Med 47	Mycobacterium avium pleuritis in a non-immunocompromised pat ient.	Kakugawa T	第二内科
Intern Med 47	Rapidly progressive interstitial pneumonia associated with clinicall y amyopathic dermatomyositis successfully treated with polymyxin B-immobilized fiber column hemoperfusion.		第二内科
Life Sci 82	Pirfenidone inhibits the expression of HSP47 in TGF-beta1-stimul ated human lung fibroblasts.	Nakayama S	第二内科
Clin Immunol 126	Haplotypes of PADI4 susceptible to rheumatoid arthritis are also associated with ulcerative colitis in the Japanese population.	Chen CC	第二内科
Dig Dis Sci 53	Simvastatin attenuates trinitrobenzene sulfonic acid-induced colitis, but not oxazalone-induced colitis.	Ikeda M	第二内科
Gastroenterology 13 5	Clinical Challenges and Images in GI: image 3. Colonic involve ment in Kimura disease.	Isomoto H	第二内科
Endoscopy 40 (2)	An admixture type of hyperplastic polyp at the esophagogastric junction.	Hayashi T	第二内科
Hepatogastroentero ogy 55	Interleukin 8 and 1beta and RANTES levels in esophageal muco sa predict recurrence of endoscopy-negative gastroesophageal reflux disease.		第二内科
Hepatogastroenterology 55	Clinical implications of antimitochondrial antibodies in type 1 au toimmune hepatitis: a longitudinal study.	Mishima S	第二内科
Endoscopy 40	Magnified endoscopic findings of gastric low-grade mucosa-associ ated lymphoid tissue lymphoma.	Isomoto H	第二内科
Gastroenterology 13	Malignant atrophic papulosis (Degos' disease) with systemic mani festations.	Yamaguchi N	第二内科
	An integrase of endogenous retrovirus is involved in maternal mitochondrial DNA inheritance of the mouse.	Hayasida K	第二内科
Digestion 78	A case of Cronkhite-Canada syndrome: remission after treatment with anti-Helicobacter pylori regimen.	Okamoto K	第二内科
Chemotherapy 54	Gefitinib increases serum concentrations of oral irinotecan and S N-38 without increasing the biliary concentration of SN-38 in rat		第二内科