

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|-----------------------|---|-------------|-------|
| Intern Med | Nephrotic syndrome due to primary systemic AL amyloidosis, successfully treated with VAD (vincristine, doxorubicin and dexamethasone) alone. | Matsuda M | 内科(3) |
| Amyloid | AL amyloidosis manifesting as systemic lymphadenopathy. | Matsuda M | 内科(3) |
| Amyloid | AH amyloidosis associated with an immunoglobulin heavy chain variable region(VH1) fragment: A case report. | Miyazaki D | 内科(3) |
| Psychiat Clin Neuros | Size Variance of Motor evoked potential at initiation of voluntary contraction in palsy of conversion disorder. | Morita H | 内科(3) |
| J Clin Neurosci. | Follow-up of three patients with a large in-frame deletion of exons 45-55 in the Duchenne muscular dystrophy (DMD) gene. | Nakamura A | 内科(3) |
| J Neurol | Ten-year follow-up of peripheral nerve function in patients with familial amyloid polyneuropathy after liver transplantation. | Shimajima Y | 内科(3) |
| Intern Med | Therapeutic outcome of cyclic VAD(vincristine, doxorubicin and dexamethasone) therapy in primary systemic AL amyloidosis patients. | Tazawa K | 内科(3) |
| Muscle Nerve | Amyloidogenic transthyretin Val30Met homozygote showing unusually early-onset familial amyloid polyneuropathy. | Tojo K | 内科(3) |
| Liver Transpl | Marked regression of abdominal fat amyloid in patients with familial amyloid polyneuropathy during long-term follow-up after liver transplantation. | Tsuchiya A | 内科(3) |
| J Clin Gastroenterol. | Primary liver carcinoma exhibiting dual hepatocellular-biliary epithelial differentiations associated with citrin deficiency: a case report. | Soeda J | 内科(3) |
| Intern Med | An unusual case of Klippel-Trénaunay-Weber syndrome presenting with portosystemic encephalopathy. | Yazaki M | 内科(3) |
| Intern Med | Systemic AL amyloidosis mimicking rheumatoid arthritis. | Katoh N | 内科(3) |
| J Peripher Nerv Syst | Non-senile wild-type transthyretin systemic amyloidosis presenting as bilateral carpal tunnel syndrome. | Kodaira M | 内科(3) |
| Amyloid | AL amyloidosis with spontaneous hepatic rupture: successful treatment by transcatheter hepatic artery embolization. | Naito K | 内科(3) |
| J Neurol Sci | Reversible extensive leukoencephalopathy in Sweet disease: A case report. | Fukushima K | 内科(3) |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|--------------------------|--|-----------------------|------------|
| Curr Pharm Des | Pathogenesis of and therapeutic strategies to ameliorate the transthyretin amyloidoses. | Sekijima Y | 内科(3) |
| Intern Med | An unusual case of Klippel-Trénaunay-Weber syndrome presenting with portosystemic encephalopathy. | Yazaki M | 内科(3) |
| Amyloid | Cerebral amyloid angiopathy-related hemorrhage in a middle-aged patient with Down's syndrome. | Naito K | 内科(3) |
| Neurosci Lett | Increased vulnerability to rotenone-induced neurotoxicity in ceruloplasmin-deficient mice. | Kaneko K | 内科(3) |
| Clin Exp Rheumatol | Analysis of peripheral blood lymphocytes using flow cytometry in polymyalgia rheumatica, RS3PE and early rheumatoid arthritis. | Shimajima Y | 内科(3) |
| Intern Med | Spinal Nerve Root Hypertrophy on MRI: Clinical Significance in the Diagnosis of Chronic Inflammatory Demyelinating Polyradiculoneuropathy. | Tazawa K | 内科(3) |
| Intern Med | Long-term follow-up of plasma cells in bone marrow and serum free light chains in primary systemic AL amyloidosis. | Yoshida T | 内科(3) |
| Peripheral Nerve 末梢神経 | Brachial plexopathy に対する免疫療法の治療効果に関する検討 | 内藤康介 | 内科(3) |
| 中部リウマチ | 生物学的製剤治療普及に向けての多施設共同成績調査-エタネルセプトの治療成績- | 高梨哲生 | 内科(3) |
| 中部リウマチ | 生物学的製剤治療普及に向けての多施設共同成績調査-インフリキシマブの治療成績- | 石井 亘 | 内科(3) |
| 中部リウマチ | RAによるAAアミロイドーシスにてエンブレル使用中にS状結腸の穿孔を認めた1例 | 岸田 大 | 内科(3) |
| Psychiatry Clin Neurosci | Establishing the cut-off point for the oppositional defiant behavior inventory. | Harada Y | 子どものこころ診療部 |
| Psychiatry Clin Neurosci | Prion disease causes less severe lesions in human hippocampus than other parts of brain. | Kaneko M, Sugiyama N, | 精神科 |
| Lipids | Molecular mechanism of age-specific hepatic lipid accumulation in PPAR α (+/-):LDLR(+/-) mice, an obese mouse model. | Sugiyama E | 精神科 |
| Psychiatry Clin Neurosci | Size variance of motor evoked potential at initiation of voluntary contraction in palsy of conversion disorder. | Amano N | 精神科 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|--|---|--------------|------|
| Psychogeriatrics | Changes in activities of daily living during treatment of late-life depression. | Saito H | 精神科 |
| Prim Care Companion J Clin Psychiatry | Prevention of deep vein thrombosis in a patient with delirium tremens. | Sasayama D | 精神科 |
| Psychogeriatrics | Contribution of perospirone and risperidone to reduce delirium in senile patients. | Ushijima M | 精神科 |
| J Clin Psychopharmacol | Five female cases of prolonged depression in chronic anorexia nervosa treated with selective estrogen receptor modulator raloxifene-augmented therapy. | Yokoyama S | 精神科 |
| Pediatric Transplantation | Low toxicity of a conditioning 8-Gy total body irradiation, fludarabine and cyclophosphamide as preparative regimen for allogeneic hematopoietic stem cell transplantation in pediatric | Yanagisawa R | 小児科 |
| Digestion | Propofol sedation for endoscopic procedures in patients 90 years of age and older. | Horiuchi A | 小児科 |
| ARTHRITIS & RHUMATISM | Anakinra Improves Sensory Deafness in a Japanese Patient With Muckle-Wells Syndrome, Possibly by Inhibiting the Cryopyrin Inflammasome. | Ymazaki T | 小児科 |
| British Journal of Haematology | Recent advances in the pathogenesis and management of juvenile myelomonocytic leukaemia. | Koike k | 小児科 |
| Oncogene | Stress via p53 pathway cause apoptosis by mitochondrial Noxa upregulation in doxorubicin-treated neuroblastoma cells. | Kurata K | 小児科 |
| Human Immunology | Interleukin-21 stimulates B-cell immunoglobulin E synthesis in human beings concomitantly with activation-induced cytidine deaminase expression and differentiation into plasma cells. | Kobayashi S | 小児科 |
| Neonatology | Non-Pathogenic Bacterial Flora May Inhibit Colonization By Methicillin-Resistant Staphylococcus aureus in Extremely Low Birth Weight Infants. | Shimizu A | 小児科 |
| American Journal of Medical Genetics Part A 146A | Bilateral Perisylvian Polymicrogyria, Periventricular Nodular Heterotopia, and Left Ventricular Noncompaction in a Girl With 10.5-11.1Mb Terminal Deletion of | Saito S | 小児科 |
| Pediatr Transplant | Urinary excretion of ganciclovir contributes to improvement of adenovirus-associated hemorrhagic cystitis after allogeneic bone marrow transplantation. | Nakazawa Y | 小児科 |
| J Med Genet | Neurodevelopmental abnormalities associated with severe congenital neutropenia due to the R86X mutation in the HAX1 gene. | Ishikawa N | 小児科 |
| Cellular Immunology | Distinct response in maintenance of human naïve and memory B cell via IL-21 receptor and TCL1/Akt pathways. | Nagumo H | 小児科 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|-------------------------------|---|-------------|------|
| Pediatr Res | Correlation of clinical features with the mutational status of GM-CSF signaling pathway-related genes in juvenile myelomonocytic leukemia. | Yoshida N | 小児科 |
| Internal Medicine | Long-term Follow-up of Plasma Cells in Bone Marrow and Serum Free Light Chains in Primary Systemic AL Amyloidosis. | Yoshida T | 小児科 |
| Haematologica | neurodegenerative central nervous system diseases as late sequelae of Langerhans cell histiocytosis. Report from the Japan LCH Study Group. | Imashuku S | 小児科 |
| J Physiol | Network hyperexcitability within the deep layers of the pilocarpine-treated rat entorhinal cortex. | Guzmán P | 小児科 |
| Pediatr Gastroenterol Nutr | Re: Frosbite of the esophageal ulcer or inlet patch? | Horiuchi A | 小児科 |
| Clin Gastroenterol Hepatology | Hepatic ultrasound appearance and colonoscopic finding of Schistosomiasis japonica. | Horiuchi A | 小児科 |
| Endoscopy | Prospective randomized trial comparing the direct method using a 24Fr bumper-button-type device with the pull method for percutaneous endoscopic gastrostomy. | Horiuchi A | 小児科 |
| Digestion | Safety and driving ability following low-dose propofol sedation. | Horiuchi A | 小児科 |
| Eur J Med Res | First case of bacteremia due to chromosome-encoded CfxA3- β -lactamase-producing <i>Capnocytophaga sputigena</i> in a pediatric patient with acute erythroblastic anemia. | Matsumoto T | 小児科 |
| 小児内科 | 特集 自己免疫疾患—病態と治療〈自己抗体検査〉抗核抗体 | 山崎崇志 | 小児科 |
| 臨床婦人科産科 | 新生児の蘇生と管理「分娩室での蘇生3」羊水混濁時の対応 | 赤澤陽平 | 小児科 |
| 小児科 | 家族性地中海熱の診断と治療—周辺疾患との関連— | 山崎崇志 | 小児科 |
| Helicobacter Research | 小児のHelicobacter pylori感染における話題. | 中山佳子 | 小児科 |
| Helicobacter Research | 小児におけるHelicobacter pylori感染の内視鏡像の特徴. | 中山佳子 | 小児科 |
| 小児科臨床 | 小児の過敏性腸症候群の対応. | 中山佳子 | 小児科 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|----------------------------|--|-------------|-------|
| 消化器科 | H. pylori除菌治療の小児への適応拡大. | 中山佳子 | 小児科 |
| 小児内科 | 分類不能型免疫不全症 | 山崎崇志 | 小児科 |
| 小児感染免疫 | 感染症の鑑別としての自己炎症疾患 | 上松一永 | 小児科 |
| Arch Dermatol. | Anatomic transitions and the histopathologic features of melanocytic nevi. | Saida T | 皮膚科 |
| Jap J ClinOncol | A Pilot Study of Human Interferon β Gene Therapy for Patients with Advanced Melanoma by in vivo Transduction Using Cationic Liposomes . | Matsumoto K | 皮膚科 |
| Arch Dermatol Res | Interferon β therapy for malignant melanoma: the dose is crucial for inhibition of proliferation and induction of apoptosis of melanoma cells . | Kubo H | 皮膚科 |
| Pigment Cell Melanoma Res | Downregulated melanogenic paracrine cytokine linkages in hypopigmented palmoplantar skin. | Hasegawa J | 皮膚科 |
| Int J Cancer | Pathological activation of KIT in acral and mucosal melanomas. | Ashida A | 皮膚科 |
| Cancer Res | NADPH oxidase (Nox) 4 contribute to transformation phenotype of melanoma cells by regulating G2-M cell cycle progression. | Yamaura M | 皮膚科 |
| Skin Cancer | 有棘細胞癌の診療ガイドライン | 宇原 久 | 皮膚科 |
| Jpn J Clin Oncol | Relationship between the response to treatment and the prognosis of patients with aggressive lymphomas treated with chemotherapy followed by involved-field radiotherapy: radiographic | Sasaki S | 放射線科 |
| Radiat Med | Lymphoscintigraphy using technetium-99m HSA-DTPA with SPECT/CT in chylothorax after childbirth. | Momose M | 放射線科 |
| Eur J Nucl Med Mol Imaging | Camurati-Engelmann disease on a 99m-Tc-HMDP bone scan. | Momose M | 放射線科 |
| Lab Invest. | Characterization of pancreatic ductal cells in human islet preparations. | Mita A. | 外科(1) |
| Transplant Proc. | Arterial reconstruction in a case of subintimal dissection of celiac arterial tributaries in living donor liver transplantation: a case report. | Ikegami T | 外科(1) |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|--------------------------------|---|-------------|-------|
| Int J Colorectal Dis. | Surgical treatment for anorectal malignant melanoma: report of five cases and review of 79 Japanese cases. | Ishizone S | 外科(1) |
| J Hepatobiliary Pancreat Surg. | Prognostic impact of anatomical resection on early and late intrahepatic recurrence in patients with hepatocellular carcinoma. | Kobayashi A | 外科(1) |
| Esophagus | Signet ring cell carcinoma of the esophagus treated by video-assisted surgery: report of a case. | Koide N | 外科(1) |
| Oncogene. | NADPH oxidase 1 plays a critical mediating role in oncogenic Ras-induced vascular endothelial growth factor expression. | Komatsu D | 外科(1) |
| Carcinogenesis. | one marrow-derived cells fuse with hepatic oval cells but are not involved in hepatic tumorigenesis in the choline-deficient ethionine-supplemented diet rat model. | Kubota K | 外科(1) |
| Transplant Proc. | Effect of human islet rescue gradient purification on islet yield and fractional Beta cell viability. | Mita A | 外科(1) |
| Transpl Int. | Nonsurgical policy for treatment of bilioenteric anastomotic stricture after living donor liver transplantation. | Mita A | 外科(1) |
| Transplantation. | Anti-proinflammatory effects of sirolimus on human islet preparations. | Mita A | 外科(1) |
| Hepatogastroenterology. | Identification of genes associated with multiple nodules in hepatocellular carcinoma using cDNA microarray: multicentric occurrence or intrahepatic metastasis? | Nakata T | 外科(1) |
| J Clin Gastroenterol. | Primary liver carcinoma exhibiting dual hepatocellular-biliary epithelial differentiations associated with citrin deficiency: a case report. | Soeda J | 外科(1) |
| Transplant Proc. | β -Cell specific cytoprotection by prolactin on human islets. | Mita A | 外科(1) |
| Transplantation. | Potential feasibility of early bone marrow cell injection into the spleen for creating functional hepatocytes. | Misawa R. | 外科(1) |
| Hepatol Res. | A case of well-differentiated cholangiolocellular carcinoma visualized with contrast-enhanced ultrasonography using Sonazoid. | Yokoyama T. | 外科(1) |
| J Hepatobiliary Pancreat Surg. | Clinical and pathological features of primary carcinoma of the cystic duct. | Nakata T | 外科(1) |
| 日本消化器外科学会雑誌 | アラジール症候群と診断され長期経過観察中の患者に発生した肝細胞癌の1例 | 増田雄一 | 外科(1) |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|-----------------------------|---|-----------|-------|
| Expert Opin Biol Ther. | Changes in angiogenesis-related factors in serum following autologous bone marrow cell implantation for severe limb ischemia. | Tachi Y | 外科(2) |
| J Natl Cancer Inst | CHD5, a Tumor Suppressor Gene Deleted From 1p36.31 in Neuroblastomas. | Fujita T | 外科(2) |
| Int J Oncol. | Identification of novel deletion polymorphisms in breast cancer. | Komatsu A | 外科(2) |
| ANZ J Surg. | Endoscopic-assisted skin-sparing mastectomy combined with sentinel node biopsy. | Ito K | 外科(2) |
| Gen Thorac Cardiovasc Surg. | Pulmonary torsion of the lingula following a segmentectomy of the left upper division. | Eguchi T | 外科(2) |
| 救急・集中治療 | 甲状腺疾患(クリーゼを含む) | 浜 善久 | 外科(2) |
| 救急・集中治療 | 胸・腹部大動脈解離(瘤)の非大血管手術 | 福井大祐 | 外科(2) |
| 日本臨床 | 組換えピフィズス菌製剤を用いた乳癌の腫瘍選択的治療 | 藤森 実 | 外科(2) |
| 冠疾患誌 | 超高齢者(80歳以上)に対する冠動脈外科治療戦略とその成績 | 天野 純 | 外科(2) |
| 肺癌 | 原発性肺癌切除例における他臓器重複癌の検討 | 近藤竜一 | 外科(2) |
| 日本臨床外科学会雑誌 | 肺腫瘍切除術後に発生した胸壁デスマイオイド腫瘍の1例 | 有村隆明 | 外科(2) |
| 日本臨床外科学会雑誌 | 上皮小体機能亢進症とMEN1型合併胸腺カルチノイドに対する同時手術の1例 | 加藤響子 | 外科(2) |
| 胸部外科 | 短期間に緊急手術を繰り返したMarfan症候群 | 天野 純 | 外科(2) |
| 日本臨床外科学会雑誌 | 乳癌にたいする蛍光・色素併用法によるセンチネルリンパ節生検の適応の検討 | 花村 徹 | 外科(2) |
| 別冊日本臨床 新領域別症候群シリーズ | 呼吸器症候群(第2版)Ⅲ-その他の呼吸器疾患を含めて- Ⅷ 腫瘍性疾患 B.間葉系(原発性)腫瘍 弾性線維腫・線維腫 | 吉田和夫 | 外科(2) |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|-------------------------|--|--------------------|-------|
| Spine | Assessment of cervical myelopathy using transcranial magnetic stimulation and prediction of prognosis after laminoplasty. | Takahashi Jun | 整形外科 |
| J Biomechanics | Analysis of the Gliding Pattern of the Canine Flexor Digitorum Profundus Tendon through the A2 Pulley. | Uchiyama Shigeharu | 整形外科 |
| J Orthop Sci | Cerebellar hemorrhage after spine surgery: case report and literature review. | Hashidate Hiroyuki | 整形外科 |
| J Hand Surg | Extensor Tendon Rupture Associated with Osteoarthritis of the Distal Radioulnar Joint. | Yamazaki Hiroshi | 整形外科 |
| Small | Carbon nanotubes with high bone-tissue compatibility and bone-formation acceleration effects. | Usui Yuki | 整形外科 |
| Curr Med Chem | Carbon nanotubes for biomaterials in contact with bone. | Saito Naoto | 整形外科 |
| Surgical Neurology | Surgery for thoracic myelopathy caused by ossification of the ligamentum flavum. | Hirabayashi Hiroki | 整形外科 |
| J Hand Surg | Median nerve and ulnar nerve palsy caused by calcium pyrophosphate dihydrate crystal deposition disease: case report. | Yamazaki Hiroshi | 整形外科 |
| J Hand Surg Eur | Extensor tendon rupture associated with osteoarthritis of the distal radioulnar joint. | Yamazaki Hiroshi | 整形外科 |
| J Hand Surg Eur | Results of tenolysis for flexor tendon adhesion after phalangeal fracture. | Yamazaki Hiroshi | 整形外科 |
| Hand Surg | Delayed rupture of flexor tendons caused by protrusion of a screw head of a volar plate for distal radius fracture: a case report. | Yamazaki Hiroshi | 整形外科 |
| Plast Reconstr Surg | Importance of early passive mobilization following double free gracilis muscle transfer. | Doi K | 整形外科 |
| Arch Orthop Trauma Surg | Dedifferentiated chondrosarcoma arising in a solitary osteochondroma with leiomyosarcomatous component: a case report. | Akahane Tsutomu | 整形外科 |
| Curr Med Chem | Carbon nanotubes for biomaterials in contact with bone. | Saito Naoto | 整形外科 |
| J Neurosurg | Staple electrodes: an innovative alternative for intraoperative electrophysiological monitoring. | Goto T | 脳神経外科 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|-----------------------------------|---|------------|-----------|
| Surg Neurol | Intraoperative angiography through the occipital artery and muscular branch of the vertebral artery: technical note. | Horiuchi T | 脳神経外科 |
| Neurosurg Rev | Emergency revascularization for acute main-trunk occlusion in the anterior circulation. | Sakai K | 脳神経外科 |
| Purinagic Signal (Suppl 1) | Role of adenosine A2a receptor in regulation of cerebral blood flow during induced dynamic hypotension. | Kusano Y | 脳神経外科 |
| Surg Neurol | Horizontal contralesional approach for the distal anterior cerebral artery aneurysm: Technical note. | Horiuchi T | 脳神経外科 |
| Int J Oral Maxillofacial Implants | Dental rehabilitation using an implant-carrying plate system in a severely resorbed edentulous maxilla. | Kurita H | 特殊歯科・口腔外科 |
| Journal of Postgraduate Medicine | Temporomandibular joint skeletal morphology in children and adults. | Kurita H | 特殊歯科・口腔外科 |
| Pathol Oncol Res | Intraoperative Tissue Staining of Invaded Oral Carcinoma. | Kurita H | 特殊歯科・口腔外科 |
| Oral Oncology | Accuracy of intraoperative tissue staining in delineating deep surgical margins in oral carcinoma surgery. | Kurita H | 特殊歯科・口腔外科 |
| 信州医誌 | 顎関節脱臼に関する臨床的検討 | 遠山周明 | 特殊歯科・口腔外科 |
| 信州医誌 | 口蓋床により嚥下機能が改善した口腔底癌の1例 | 遠山 牧 | 特殊歯科・口腔外科 |
| J Appl Physiol | Head-down tilt posture elicits transient lymphocyte mobilization from the iliac, but not mesenteric, lymph nodes of rats. | Suzuki S | 特殊歯科・口腔外科 |
| 有病者歯科医療 | 上顎癌の術後放射線治療中に生じた動脈血栓症の1例. | 長汐沙千穂 | 特殊歯科・口腔外科 |
| 日口外誌 | 顎放線菌症を併発した下顎切痕部の含菌性嚢胞の1例. | 飯島 響 | 特殊歯科・口腔外科 |
| Acta Otolaryngol | The responsible genes in Japanese deafness patients and clinical application using Invader assay. | Usami, S | 耳鼻咽喉科 |
| Neuroscience | The localization of proteins encoded by CRYM, KIAA1199, UBA52, COL9A3, and COL9A1, genes highly expressed in the cochlea. | Usami, S | 耳鼻咽喉科 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|--------------------|---|-------------|-------|
| Laryngoscope | Pre-Baha operation three dimensional computed tomography with markers for determining optimal implant site. | Takumi, Y | 耳鼻咽喉科 |
| Hum Mutat | Mutation profile of the CDH23 gene in 56 probands with Usher syndrome type I. | Oshima, A | 耳鼻咽喉科 |
| Neonatal care | 新生児聴覚スクリーニングで発見された児の治療フォローアップ | 宇佐美真一 | 耳鼻咽喉科 |
| Audiology Japan | 平成12.13年度登録の急性低音障害型感音難聴症例の平成19年時点での経過調査(厚生労働科学研究難治性疾患研究事業による急性高度難聴に関する調査研究) | 川島慶之 | 耳鼻咽喉科 |
| 耳鼻臨床 | 気管内挿管下にOK-432硬化療法を行った乳児嚢胞状リンパ管腫 | 茂木英明 | 耳鼻咽喉科 |
| 新薬と臨床 | 通年性アレルギー性鼻炎に対するエバスチンの有効性-日本アレルギー性鼻炎標準QOL調査票(JRQLQ)を用いた検討- | 塚田景大 | 耳鼻咽喉科 |
| 耳鼻咽喉科展望 | 側頭骨実習前の側頭骨シミュレーター「VOXEL-MAN TempoSurg」の有用性の検討 | 福岡久邦 | 耳鼻咽喉科 |
| 耳鼻咽喉科展望 | 耳鼻咽喉科領域におけるナビゲーション手術-その適応と基準づくりに向けて- | 工 穰 | 耳鼻咽喉科 |
| 耳鼻咽喉科・頭頸部外科 | 2.めまい・平衡障害を主訴とする疾患. 1) メニエール病 | 工 穰 | 耳鼻咽喉科 |
| 耳鼻咽喉科・頭頸部外科 | 3.小児難聴児への対応-難聴遺伝子診療外来、人工内耳センター、難聴児支援センターにおけるチーム医療- | 宇佐美真一 | 耳鼻咽喉科 |
| 耳鼻臨床 | 難聴の遺伝カウンセリング-先進医療としての「先天性難聴の遺伝子診断」をふまえて- | 宇佐美真一 | 耳鼻咽喉科 |
| Acta Otolaryngol | Endolymphatic hydrops and therapeutic effects are visualized in 'atypical' Meniere's disease. | Miyagawa, M | 耳鼻咽喉科 |
| Auris Nasus Larynx | Chondrosarcoma of the nasal septum: A case report. | Kainuma, K | 耳鼻咽喉科 |
| Equilibrium Res | 電子カルテ上でのめまい診療-眼振記録の管理を中心に- | 工 穰 | 耳鼻咽喉科 |

小計14

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|--|---|-------------|-------|
| MB ENTONI | 難聴とウイルス感染 | 宇佐美真一 | 耳鼻咽喉科 |
| 形成外科 | 【外科系医師のための『創傷外科』update】創傷外科各論 急性創傷 特殊な外傷 凍傷(解説/特集) | 藤田研也 | 形成外科 |
| 形成外科 | 【耳介変形の治療update】埋没耳形成術(解説/特集) | 杠俊介 | 形成外科 |
| 眼科プラクティス | 【外眼部手術と処置】眼瞼の手術と処置 眼瞼下垂・前頭筋吊り上げ術(解説/特集) | 松尾清 | 形成外科 |
| 形成外科 | 遊離広背筋弁採取部に生じたchronic expanding hematomaの1例 | 菅谷文彦, | 形成外科 |
| 形成外科 | 前胸部皮下腫瘍の様相を呈した肩鎖関節ガングリオンの1例 | 篠原洋 | 形成外科 |
| 形成外科 | 熱傷手術におけるtumescent techniqueの有用性 | 深澤大樹 | 形成外科 |
| J Plast Reconstr Aesthet Surg. | A transverse ligament located anterosuperiorly in the lower orbital fat space restricts lower eyelid retraction in the Mongoloid eye. | Matsuo K | 形成外科 |
| Scand J Plast Reconstr Surg Hand Surg. | Facial reanimation by transposition of the masseter muscle combined with tensor fascia lata, using the zygomatic arch as a pulley. | Shinohara H | 形成外科 |
| J Burn Care Res. | The practical procedure of tumescent technique in burn surgery for excision of burn eschar. | Fujita K | 形成外科 |
| Plast Reconstr Surg. | Asymmetrical bilateral cleft lip: complete or incomplete and contralateral lesser defect (minor-form, microform, or mini-microform). | Yuzuriha S | 形成外科 |
| Plast Reconstr Surg. | Minor-form, microform, and mini-microform cleft lip: anatomical features, operative techniques, and revisions. | Yuzuriha S | 形成外科 |
| J Plast Reconstr Aesthet Surg. | Reflexive contraction of the levator palpebrae superioris muscle to involuntarily sustain the effective eyelid retraction through the transverse trigeminal proprioceptive nerve on the proximal Mueller's muscle: verification with evoked electromyography. | Ban R | 形成外科 |
| J Plast Reconstr Aesthet Surg. | Refined distribution of myelinated trigeminal proprioceptive nerve fibres in Mueller's muscle as the mechanoreceptors to induce involuntary reflexive contraction of the levator and frontalis | Yuzuriha S | 形成外科 |
| J Plast Reconstr Aesthet Surg. | Frontalis suspension with fascia lata for severe congenital blepharoptosis using enhanced involuntary reflex contraction of the frontalis muscle. | Matsuo K | 形成外科 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|--------------------------------|--|-------------|------|
| J Plast Reconstr Aesthet Surg. | Dear Drs. Kakizaki, Malhotra and Selva. | Matsuo K | 形成外科 |
| Eur J Plast Surg | Limited distribution of gravitation abscess caused by infected preauricular sinus depends on anatomical structure. | R Ban | 形成外科 |
| J Plast Reconstr Aesthet Surg. | Extensor gliding tissue reconstruction with an adipofascial flap based on a dorsal branch of the digital artery. | Fujita K | 形成外科 |
| J Plast Reconstr Aesthet Surg. | Long-term results of nail fusion plasty of the duplicated thumb. | Mishima Y | 形成外科 |
| Basic Clin Pharmacol Toxicol. | Mechanisms of preventive effect of nicorandil on ischaemia-induced ventricular tachyarrhythmia in isolated arterially perfused canine left ventricular wedges. | Yano S | 形成外科 |
| 日本臨床 | NO吸入療法 | 岡元和文 | 救急科 |
| Bas Clin Pharmacol Toxicol | Mechanisms of Preventive Effect of Nicorandil on Ischemia-Induced Ventricular Tachyarrhythmia in Isolated Arterially Perfused Canine Left Ventricular Wedges. | Imamura H | 救急科 |
| ICUとCCU | 軟部組織の感染制御を主目的とした高気圧酸素療法の応用 | 堂籠 博 | 救急科 |
| Signa Vitae | Early morning upper airway discomfort and appearance on two X ray films. | Dohgomori H | 救急科 |
| Signa Vitae | Difficult airway management in the emergency room using an airway scope. | Dohgomori H | 救急科 |
| 脳卒中 | 救急初療室で急性期脳梗塞を合併する急性大動脈解離を鑑別する | 岩下具美 | 救急科 |
| Medical Postgraduates | Simultaneous occurrence of traumatic primary subependymal hemorrhage in a traumatic accident. | Iwashita T | 救急科 |
| 救急・集中治療 | 敗血症による急性肺傷害 (ALI) / 急性呼吸促迫症候群 (ARDS) | 菊池忠 | 救急科 |
| 救急・集中治療 | 脳卒中(脳梗塞、脳出血、くも膜下出血)の非頭部手術、合併疾患別にみる周術期管理. 研修医からの質問362 | 岩下具美 | 救急科 |
| 人工呼吸と疼痛管理 | 人工呼吸と疼痛管理 | 柴田 純平 | 救急科 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|-----------------------|--|-------------|--------|
| Scand J Gastroenterol | Quantitative analysis of the effect of Helicobacter pylori on the expressions of SOX2, CDX2, MUC2, MUC5AC, MUC6, TFF1, TFF2, and TFF3 mRNAs in human gastric carcinoma | Matsuda K | 臨床検査部 |
| Clin Chim Acta | Sialic acid moiety of apolipoprotein E3 at Thr(194) affects its interaction with beta-amyloid(1-42) peptides. | Sugano M | 臨床検査部 |
| J Clin Lab Anal | Liver function tests in patients with bacteremia. | Kanai S | 臨床検査部 |
| Pathol Int | Autoimmune pancreatitis-associated prostatitis: distinct clinicopathological entity. | Uehara T | 臨床検査部 |
| Eur J Med Res | First case of bacteremia due to chromosome-encoded CfxA3- β -lactamase-producing Capnocytophaga sputigena in a pediatric patient with acute erythroblastic leukemia. | Matsumoto T | 臨床検査部 |
| Clin Biochem | Specific, rapid, and sensitive enzymatic measurement of sphingomyelin, phosphatidylcholine and lysophosphatidylcholine in serum and lipid extracts. | Hidaka H | 臨床検査部 |
| Medical Technology | 新しい亜鉛測定法 | 菅野光俊 | 臨床検査部 |
| 検査と技術 | フィブリノゲン | 奥村伸生 | 臨床検査部 |
| 産婦人科の実際 | 感染対策チーム (ICT) とその役割 | 金井信一郎 | 臨床検査部 |
| 臨床病理 | ウェスタンブロット法によるDダイマー測定試薬の反応性の比較検討 | 若林早紀 | 臨床検査部 |
| 臨床免疫・アレルギー科 | Helicobacter pylori感染による胃病変形成とIL-18 | 山内一由 | 臨床検査部 |
| 臨床血液 | 骨髄移植後のキメリズム解析を不可能にした再発時付加染色体異常 | 樋口由美子 | 臨床検査部 |
| J Peripher Nerv Syst | Non-senile wild-type transthyretin systemic amyloidosis presenting as bilateral carpal tunnel syndrome. | Kodaira M | 遺伝子診療部 |
| Amyloid | Cerebral amyloid angiopathy-related hemorrhage in a middle-aged patient with Down's syndrome. | Naito K | 遺伝子診療部 |
| Curr Pharm Des | Pathogenesis of and therapeutic strategies to ameliorate the transthyretin amyloidoses. | Sekijima Y | 遺伝子診療部 |

小計15

| 雑誌名 | 題名 | 発表者氏名 | 所属部門 |
|------------------|--|---------|--------|
| Muscle Nerve | Amyloidogenic transthyretin Val30Met homozygote showing unusually early-onset familial amyloid polyneuropathy. | Tojo K | 遺伝子診療部 |
| Clin Dysmorphol | De-novo balanced translocation between 7q31 and 10p14 in a girl with central precocious puberty, moderate mental retardation, and severe speech impairment. | Kosho T | 遺伝子診療部 |
| Am J Med Genet A | Invited Comment: Care of children with trisomy 18 in Japan. | Kosho T | 遺伝子診療部 |
| Am J Med Genet A | Bilateral Perisylvian Polymicrogyria, Periventricular Nodular Heterotopia, and Left Ventricular Noncompaction in a girl with 10.5-11.1 Mb Terminal Deletion of 1p36. | Saito S | 遺伝子診療部 |
| 末梢神経 | 手根管症候群を呈した野生型トランスサイレチンアミロイドーシス4例の臨床像の検討 | 小平農 | 遺伝子診療部 |

小計5

計 274

(注) 1 当該医療機関に所属する医師等が、掲載に当たって内容審査を行っている雑誌に研究成果を原著論文として申請の前年度に発表したもののうち、高度の医療技術の開発および評価に資するものと判断される主なものを記入すること(当該医療機関に所属する医師等が主たる研究者であるものに限る)。

2 「発表者氏名」欄は、1つの論文発表について発表者が複数いる場合は、主たる発表者の氏名を記入するこ

(様式第 12)

診療並びに病院の管理及び運営に関する諸記録の管理方法

| | |
|---------|---|
| 管理責任者氏名 | 病院長 小池 健一 |
| 管理担当者氏名 | 副病院長 (事務担当) 佐伯 隆二 総務課長 寺坂 和記, 経営企画課長 久保田 達夫 医事課医長 古澤 正治 |

| | | 保管場所 | 分類方法 |
|--|--|------------|-------------------------------------|
| 診療に関する諸記録 病院日誌、各科診療日誌、処方せん、手術記録、看護記録、検査所見記録、エックス線写真、紹介状、退院した患者に係る入院期間中の診療経過の要約及び入院診療計画書 | | 総務課及び各診療科 | ・カルテ、エックス線写真、検査所見記録は、電子カルテにて保存している。 |
| 病院の管理及び運営に関する諸記録 | 従業者数を明らかにする帳簿 | 総務課 | |
| | 高度の医療の提供の実績 | 医事課 | |
| | 高度の医療技術の開発及び評価の実績 | 経営企画課 | |
| | 高度の医療の研修の実績 | 総務課 | |
| | 閲覧実績 | 総務課 | |
| | 紹介患者に対する医療提供の実績 | 医事課 | |
| | 入院患者数、外来患者及び調剤の数を明らかにする帳簿 | 医事課 薬剤部 | |
| 確規保則の第9条の2及び第1条の1各号に掲げる体制 | 専任の医療に係る安全管理を行う者の配置状況 | 総務課 | |
| | 専任の院内感染対策を行う者の配置状況 | 総務課 | |
| | 医療に係る安全管理を行う部門の設置状況 | 医事課 | |
| | 当該病院内に患者からの安全管理に係る相談に適切に応じる体制の確保状況 | 医事課 | |
| | 医療に係る安全管理のための指針の整備状況 | 医事課 | |
| | 医療に係る安全管理のための委員会の開催状況 | 医事課 | |
| | 医療に係る安全管理のための職員研修の実施状況 | 医事課 | |
| | 医療機関内における事故報告等の医療に係る安全の確保を目的とした改善のための方策の状況 | 医事課 | |

| | | 保管場所 | 分類方法 |
|------------------|---|---|-------|
| 病院の管理及び運営に関する諸記録 | 規則第1条の11各号に掲げる体制確保の状況 | 院内感染のための指針の策定状況 | 安全管理部 |
| | | 院内感染対策のための委員会の開催状況 | 安全管理部 |
| | | 従業者に対する院内感染対策のための研修の実施状況 | 安全管理部 |
| | | 感染症の発生状況の報告その他の院内感染対策の推進を目的とした改善のための方策の実施状況 | 安全管理部 |
| | | 医薬品の使用に係る安全な管理のための責任者の配置状況 | 安全管理部 |
| | | 従業者に対する医薬品の安全使用のための研修の実施状況 | 安全管理部 |
| | | 医薬品の安全使用のための業務に関する手順書の作成及び当該手順書に基づく業務の実施状況 | 安全管理部 |
| | | 医薬品の安全使用のために必要となる情報の収集その他の医薬品の安全使用を目的とした改善のための方策の実施状況 | 安全管理部 |
| | | 医療機器の安全使用のための責任者の配置状況 | 安全管理部 |
| | | 従業者に対する医療機器の安全使用のための研修の実施状況 | 安全管理部 |
| | | 医療機器の保守点検に関する計画の策定及び保守点検の実施状況 | 経営企画課 |
| | 医療機器の安全使用のために必要となる情報の収集その他の医療機器の安全使用を目的とした改善のための方策の実施状況 | 安全管理部 | |

(注) 「診療に関する諸記録」欄には、個々の記録について記入する必要はなく、全体としての管理方法の概略を記入すること。

(様式第 13)

病院の管理及び運営に関する諸記録の閲覧方法及び紹介患者に対する医療提供の実績

○病院の管理及び運営に関する諸記録の閲覧方法

| | |
|-------------|--|
| 閲覧責任者氏名 | 病院長 小池 健一 |
| 閲覧担当者氏名 | 副病院長 (事務担当) 佐迫 隆二 総務課長 寺坂 和記, 経営企画課長 久保田 達夫 医事課長 古澤 正治 |
| 閲覧の求めに応じる場所 | 総務課 |

○病院の管理及び運営に関する諸記録の閲覧の実績

| | | | | |
|-----------|--------|---|---|---|
| 前年度の総閲覧件数 | 延 | 0 | 件 | |
| 閲覧者別 | 医師 | 延 | 0 | 件 |
| | 歯科医師 | 延 | 0 | 件 |
| | 国 | 延 | 0 | 件 |
| | 地方公共団体 | 延 | 0 | 件 |

○紹介患者に対する医療提供の実績

| | | | |
|------|------------------------|------|----------------------|
| 紹介率 | 74.0% | 算定期間 | 平成20年4月1日～平成21年3月31日 |
| 算出根拠 | A: 紹介患者の数 | | 11,130人 |
| | B: 他の病院又は診療所に紹介した患者の数 | | 11,234人 |
| | C: 救急用自動車によって搬入された患者の数 | | 1,089人 |
| | D: 初診の患者の数 | | 20,444人 |

- (注) 1 「紹介率」欄は、A、B、Cの和をBとDの和で除した数に 100 を乗じて小数点以下第 1 位まで記入すること。
2 A、B、C、Dは、それぞれの延数を記入すること。

(様式第 13-2)

規則第 9 条の 2 3 及び第 1 条の 1 1 各号に掲げる体制の確保状況

| | |
|---|---------------|
| ① 専任の医療に係る安全管理を行う者の配置状況 | 有 (2 名) ・ 無 |
| ② 専任の院内感染対策を行う者の配置状況 | 有 (2 名) ・ 無 |
| ③ 医療に係る安全管理を行う部門の設置状況 | 有 ・ 無 |
| <ul style="list-style-type: none">・ 所属職員： 専任 (2) 名 兼任 (19) 名・ 活動の主な内容： インシデントレポートの分析・事実確認・医療事故等の判定 医療の安全管理のための職員研修に関すること 医療の安全管理を推進するための啓発活動 | |
| ④ 当該病院内に患者からの安全管理に係る相談に適切に応じる体制の確保状況 | 有 ・ 無 |
| ⑤ 医療に係る安全管理のための指針の整備状況 | 有 ・ 無 |
| <ul style="list-style-type: none">・ 指針の主な内容： 医療におけるリスクマネジメントの目的 組織としての医療事故防止への取り組み 医療事故防止のための教育システムの整備 医療事故の管理体制と報告 | |
| ⑥ 医療に係る安全管理のための委員会の開催状況 | 年 1 2 回 |
| <ul style="list-style-type: none">・ 活動の主な内容： 医療事故防止対策の推進 医療事故の原因究明及び再発防止策の検討 医療事故への対応の検討 医療事故防止のための教育及び研修 | |
| ⑦ 医療に係る安全管理のための職員研修の実施状況 | 年 2 4 回 |
| <ul style="list-style-type: none">・ 研修の主な内容： 新規採用者に対する基本的事項をテーマとする研修 医療器機 (輸液ポンプ、生体モニター等) の安全な取り扱い 模擬事例による検討会 部署医療安全管理者対象の医療事故発生時の対応ロールプレイ 体外式除細動器 (A E D) 取り扱い | |
| ⑧ 医療機関内における事故報告等の医療に係る安全の確保を目的とした改善のための方策の状況 | |
| <ul style="list-style-type: none">・ 医療機関内における事故報告等の整備 (有) 無)・ その他の改善のための方策の主な内容： 院内の関連会議での自院及び他病院の事例の紹介 (情報共有) による注意喚起 研修会とは別に各部署での解決課題に対する取り組みをまとめた収録集を作成、配布 講演会の実施 医療事故防止マニュアルの作成・見直し | |

院内感染対策のための体制の確保に係る措置

| | |
|---|-------|
| ① 院内感染対策のための指針の策定状況 | (有)・無 |
| <ul style="list-style-type: none"> ・ 指針の主な内容： <ul style="list-style-type: none"> 院内感染対策に関する基本的な考え方 感染制御室運営委員会の設置 感染対策に関する職員研修 院内感染発生時の対応 医療関連感染対策ガイドライン 患者等に対する当該指針の閲覧及び情報提供と説明に関する基本方針 | |
| ② 院内感染対策のための委員会の開催状況 | 年12回 |
| <ul style="list-style-type: none"> ・ 活動の主な内容： <ul style="list-style-type: none"> 院内感染に関するサーベイランス 院内感染に関する啓発及び職員研修の企画 院内感染防止のためのガイドライン・マニュアルの整備 感染症アウトブレイクが発生した場合の速やかな調査及び対策、職員への周知徹底 職員・患者等に対する感染対策に関する広報 その他感染に関する事項の検討、決定 | |
| ③ 従業者に対する院内感染対策のための研修の実施状況 | 年20回 |
| <ul style="list-style-type: none"> ・ 研修の主な内容： <ul style="list-style-type: none"> 院内感染対策の基本的考え方及び具体的対策について知識の向上と周知徹底を図る。 ○全職員、全職種を対象とした研修会 ○新採用職員（研修医、看護師、コメディカル）を対象とした研修会 ○リンクスタッフを対象とした研修会 ○病院委託業者を対象とする研修会 | |
| ④ 感染症の発生状況の報告その他の院内感染対策の推進を目的とした改善のための方策の状況 | |
| <ul style="list-style-type: none"> ・ 病院における発生状況の報告等の整備 (有)・無) ・ その他の改善のための方策の主な内容： <ul style="list-style-type: none"> 「医療関連感染対策ガイドライン」の改訂 感染対策チームによる院内ラウンドの実施、コンサルテーション 耐性菌、デバイス関連感染サーベイランスの実施、対象部署へのフィードバック 職員の血液・体液曝露サーベイランスの実施、情報提供 患者又は家族への感染に関わる情報を提供、共有し、理解を得た上で協力を求める。 | |

医薬品に係る安全管理のための体制の確保に係る措置

| | |
|---|-------|
| ① 医薬品の使用に係る安全な管理のための責任者の配置状況 | (有)・無 |
| ② 従業者に対する医薬品の安全使用のための研修の実施状況 | 年 4回 |
| <ul style="list-style-type: none"> ・ 研修の主な内容： 医薬品を安全に使用するための基本的な注意事項 疼痛コントロールに用いる薬剤の基本的な使い方 薬剤性アナフィラキシーショックの実態と対策 簡易懸濁法導入への取り組みと注意点 抗がん剤の安全な取扱い、調整方法 麻薬の安全かつ適正な管理方法 | |
| ③ 医薬品の安全使用のための業務に関する手順書の作成及び当該手順書に基づく業務の実施状況 | |
| <ul style="list-style-type: none"> ・ 手順書の作成 (有)・無) ・ 業務の主な内容： 医薬品の採用・購入手順に基づいた薬事委員会の開催および適正購入の実施 医薬品管理手順に基づいた医薬品の購入および麻薬、向精神薬、毒薬、劇薬、特定生物由来製 品等の適正管理の実施 患者に対する安全な医薬品供給のための調剤、交付、過誤防止、薬剤管理指導等の実施 医薬品情報の収集および提供の実施 等 | |
| ④ 医薬品の安全使用のために必要となる情報の収集その他の医薬品の安全使用を目的とした改善のための方策の実施状況 | |
| <ul style="list-style-type: none"> ・ 医薬品に係る情報の収集の整備 (有)・無) ・ その他の改善のための方策の主な内容： 医薬品安全管理に係る内容の見直しおよび医薬品安全管理のための業務手順書の順次改訂と 院内への周知徹底 医薬品の安全管理に係る必要研修内容の調査・検討と実施 医薬品の安全使用のための情報提供方法の工夫 (allメールによる全職員への配信、院内向け薬剤部ホームページへの掲示、各診療科・病棟 への書面による通知、添付文書内容はDICSより診療端末にて閲覧可能なシステムの構築) | |

医療機器に係る安全管理のための体制の確保に係る措置

| | |
|--|-------|
| ① 医療機器の安全使用のための責任者の配置状況 | (有) 無 |
| ② 従業者に対する医療機器の安全使用のための研修の実施状況 | 年20回 |
| <ul style="list-style-type: none"> ・ 研修の主な内容： <ul style="list-style-type: none"> 輸液ポンプ・シリンジポンプ技術研修 人工呼吸器の取り扱い 基本・中級編 新規機器の導入時の研修 その他特定機能病院に係る医療機器（人工心肺および補助装置、血液浄化装置、除細動器、閉鎖式保育器、放射線治療装置）の点検及び研修 | |
| ③ 医療機器の保守点検に関する計画の策定及び保守点検の実施状況 | |
| <ul style="list-style-type: none"> ・ 計画の策定 ((有)・無) ・ 保守点検の主な内容： <ul style="list-style-type: none"> 年1回を基本とした定期点検 消耗品交換・動作確認・漏電チェック等 | |
| ④ 医療機器の安全使用のために必要となる情報の収集その他の医療機器の安全使用を目的とした改善のための方策の実施状況 | |
| <ul style="list-style-type: none"> ・ 医療機器に係る情報の収集の整備 ((有)・無) ・ その他の改善のための方策の主な内容： <ul style="list-style-type: none"> HPへの掲載 部署リスクマネージャー会議での連絡 研修会でのアンケート結果による研修内容の見直し 納入業者へ納入医療機器の情報提供の依頼 医療機器安全管理情報フローチャートの整備 | |