

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Cell cycle (Georgetown, Tex.) 7 (21), p.3307–3313, Nov 2008	Fbxw7 in cell cycle exit and stem cell maintenance: Insight from gene-targeted mice.	Onoyama, I.	産科婦人科
Pathology international 58 (12), p.757–764, Dec 2008	Malignant transformation of mature cystic teratoma to squamous cell carcinoma involves altered expression of p53- and p16/Rb-dependent cell cycle regulator proteins.	Iwasa, A.	産科婦人科
Cynecologic oncology 113 (2), p.270–276, May 2009	Induction of senescence by progesterone receptor-B activation in response to cAMP in ovarian cancer cells.	Takahashi, A.	産科婦人科
International journal of cancer. Journal international du cancer 124 (6), p.1429–1439, Mar 2009	Synergistic anti-tumor effect of paclitaxel with CRM197, an inhibitor of HB-EGF, in ovarian cancer.	Yagi, H.	産科婦人科
The journal of obstetrics and gynaecology research 34 (5), p.914–918, Oct 2008	Interstitial pregnancy in a woman with congenital afibrinogenemia.	Matsushita, I.	産科婦人科
International journal of cancer 124 (11), p.2577–2588, Jun 2009	Homeobox gene HOPX is epigenetically silenced in human uterine endometrial cancer and suppresses estrogen-stimulated proliferation of cancer cells by inhibiting serum response factor.	Yamaguchi, S.	産科婦人科
The American journal of surgical pathology, 32 (8), p.1228–1238, Aug 2008	Endometrial stromal sarcomas and related high-grade sarcomas: immunohistochemical and molecular genetic study of 31 cases.	Kurihara, S.	産科婦人科
Scand J Rheumatol 37:445–9, 2008	High mobility group box 1 (HMGB1) and macrophage migration inhibitory factor (MIF) in Kawasaki disease.	Hoshina T, Kusuvara K, Saito M, Mizuno Y, Tanaka T, Hara T:	小児科
Pediatr Res. 63(2):182–5, 2008	Genetic analysis of MMP gene polymorphisms in patients with Kawasaki disease.	Ikeda K, Ihara K, Yamaguchi K, Muneuchi J, Ohno T, Mizuno Y, Hara T:	小児科
J Neurovirol 18:1–6, 2008	TLR3 is associated with genetic susceptibility to subacute sclerosing panencephalitis.	Ishizaki Y, Takemoto M, Kira R, Kusuvara K, Torisu H, Sakai Y, Sanefuji M, Yukaya N, Hara T:	小児科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Immunol Lett 116: 55-63, 2008	Expression of cytokine-associated genes in dendritic cells (DCs): Comparison between adult peripheral blood- and umbilical cord blood-derived DCs by cDNA microarray.	Koga Y, Matsuzaki A, Suminoe A, Hattori H, Hara T:	小児科
Eur J Pediatr 167:587-9, 2008	An echovirus type 18 outbreak in a neonatal intensive care unit.	Kusuhara K, Saito M, Sasaki Y, Hikino S, Taguchi T, Saita S, Hayashi J, Wakatsuki K, Hara T:	小児科
Exp Hematol 36:401-411, 2008	Insulin-like growth factor II: an autocrine growth factor modulating the apoptosis and maturation of erythroid progenitors in umbilical cord blood.	Nagatomo T, Muta K, Ohga S, Ochiai M, Ohshima K, Hara T:	小児科
J Pediatr 152:90-95, 2008	An effective scoring system of chest CT for assessing the clinical status of neonatal bronchopulmonary dysplasia.	Ochiai M, Hikino S, Yabuuchi H, Nakayama H, Sato K, Ohga S, Hara T:	小児科
J Perinat Med 36:341-347, 2008	Long-term outcome in small-for-gestational age infants: an importance of head circumference at one year of age in the psychomotor development.	Ochiai M, Nakayama H, Sato K, Iida K, Hikino S, Ohga S, Tsukimori K, Wake T, Masumoto K, Taguchi T, Hara T:	小児科
Pediatr Infect Dis J 27:1027-1030, 2008	Epstein-Barr virus load in cerebrospinal fluid of patients with chronic active Epstein-Barr virus infection.	Ohga S, Sanefuji M, Ishimura M, Nomura A, Torisu H, Kira R, Takada H,	小児科
Pediatrics. 121(4):e892-9, 2008	Pulmonary hypertension in patients with congenital porto-systemic venous shunt: a previously unrecognized association.	Ohno T, Muneuchi J, Ihara K, Yuge T, Kanaya Y, Yamaki S, Hara T:	小児科
J Pediatr 152:885-887, 2008	Lipopolysaccharide-induced monocytic cell death for the diagnosis of mild neonatal-onset multisystem inflammatory disease.	Takada H, Ishimura M, Inada H, Ohga S, Kusuhara K, Moroi Y, Furue M, Hara T:	小児科
Gastroenterology 134(1):131-144	Gamma-secretase inhibitors enhance taxane-induced mitotic arrest and apoptosis in colon cancer cells.	Akiyoshi T	第一外科
Surgery Today 38(11):1021-1028	Surgery versus radiochemotherapy for resectable locally invasive pancreatic cancer: final results of a randomized multi-institutional trial.	Doi R	第一外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Clinical Cancer Research 14(6):1859-1867	Radiation enhances adenoviral gene therapy in pancreatic cancer via activation of cytomegalovirus promoter and increased adenovirus uptake.	Egami T	第一外科
Oncol Rep 20(1):33-39	Laminin-5 (gamma2 chain) is a marker of invading cancer cells in human gallbladder carcinoma: special emphasis on extension of carcinoma in situ along Rokitansky-Aschoff sinuses.	Eguchi T	第一外科
Cancer Sci 99(11):2244-2251	Quantitative analysis of hTERT mRNA levels in cells microdissected from cytological specimens.	Fujita H	第一外科
Hepatogastroenterology 55(82-83):641-646	Impaired liver regeneration after synchronous liver and colon resection in rats.	Hachiya Y	第一外科
Surgery Today 38(3):214-221	Intraoperative parathyroid hormone levels measured by intact and whole parathyroid hormone assays in patients with Graves' disease	Kai M	第一外科
Anticancer Res 28(2A):731-740	Novel link between estrogen receptor alpha and hedgehog pathway in breast cancer.	Koga K	第一外科
Histopathology 52(5):569-577	Flat adenoma-carcinoma sequence with high-malignancy potential as demonstrated by CD10 and beta-catenin expression: a different pathway from the polypoid adenoma-carcinoma sequence	Koga Y	第一外科
Cancer Sci. 99(7):1377-1384	Gli1 contributes to the invasiveness of pancreatic cancer through matrix metalloproteinase-9 activation.	Nagai S	第一外科
Anticancer Research 28(4B):2205-2212	Down-regulation of deoxycytidine kinase enhances acquired resistance to gemcitabine in pancreatic cancer	Ohhashi S	第一外科
J Hepatobiliary Pancreat Surg 15(3):344-345	Live multi-station teleconferences at the First Biennial Congress of the Asian-Pacific Hepato-Pancreato-Biliary Association via academic broadband Internet.	Shimizu S	第一外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Tech Coloproctol 12(3):217-223	Comparison of accuracy of endoanal ultrasonography for preoperative assessment in patients with acute and chronic anal fistula.	Toyonaga T	第一外科
Anticancer Res 28(4C):2401-2108	Regulatory T-cells are possible effect prediction markers of immunotherapy for cancer patients	Wada J	第一外科
Biochem Biophys Res Commun 376(3):499-503	Stomach cancer-derived del223V-226L mutation of the STCH gene causes loss of sensitization to TRAIL-mediated apoptosis.	Yamagata N	第一外科
CESNET Conference 2008 113-121	DVTS Videoconferencing with Quatre-A Reasonable Tool for Medical Multipoint Applications-	Shimizu S	第一外科
Cancer Lett 263(1):145-156	Crosstalk of hedgehog and Wnt pathways in gastric cancer	Yanai K	第一外科
J Infect Chemother 14(6):399-403	Risk factors for central venous catheter-related bloodstream infection: a 1073-patient study	Yoshida J	第一外科
Mol Cancer 2008(7):93-102	LIM only 4 is overexpressed in late stage pancreas cancer	Yu J	第一外科
日本消化器外科学会雑誌 41(3):277-282	肛周部Paget病患者における肛門管重層扁平上皮部切除術後の直腸肛門機能の検討	石川 幹真	第一外科
Transplantation 87(3):445-450, February 15, 2009.	Donor risk in adult-to-adult living donor liver transplantation: impact of left lobe graft.	Taketomi A	第二外科
Journal of Surgical Oncology Volume 99, Issue 1, Date: 1 January 2009, Pages: 32-37	Characterization of hepatocellular carcinoma developed after achieving sustained virological response to interferon therapy for hepatitis C.	Sanefuji K	第二外科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Journal of Surgical Oncology Volume 98, Issue 5, Date: 1 October 2008, Pages: 377-383	Expression of mismatch repair proteins, hMLH1/hMSH2, in non-small cell lung cancer tissues and its clinical significance.	Kouso H	第二外科
Cancer 2008 Sep 1;113(5):1012-8	Never-smoking nonsmall cell lung cancer as a separate entity: clinicopathologic features and survival.	Yano T	第二外科
Surgery, 143 (4), p.499-508, Apr 2008	Advances in esophageal cancer surgery in Japan: an analysis of 1000 consecutive patients treated at a single institute.	Morita M	第二外科
臨床スポーツ医学 25(9):1043-1047, 2008	【高齢運動器障害者の運動機能 治療と予防・改善のための取り組み】フラによる身体機能とQOLの向上効果	高杉紳一郎, 岩本幸英	整形外科
整形外科と災害外科 57(3):392-396, 2008	骨盤創外固定器を用いて集中治療を遂行した重症頭部外傷・骨盤骨折の1例	竹内直英, 岩本幸英	整形外科
九州リウマチ 28(2):70-74, 2008	RAにおける手指・足趾関節破壊と生物学的製剤による抑制効果	中島康晴, 岩本幸英,	整形外科
Osteoporosis Japan 16(1):54-56, 2008	有限要素法を用いたin vivoでの脊椎強度評価 関節リウマチにおけるAlendronateの効果	馬渡太郎, 岩本幸英	整形外科
Arthritis Rheum 58(11):3340-3349, 2008	Vertebral strength changes in rheumatoid arthritis patients treated with alendronate, as assessed by finite element analysis of clinical computed tomography scans: a prospective randomized clinical trial.	Mawatari T, Iwamoto Y,	整形外科
J Orthop Sci 13(6):487-491, 2008	Two subtypes of radiographic osteoarthritis in the distal interphalangeal joint of the hand.	Miura H, Iwamoto Y	整形外科
J Rheumatol 35(12):2391-2394, 2008	Risk factors for developing osteonecrosis after prophylaxis in steroid-treated rabbits.	Motomura G, Iwamoto Y	整形外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Rheumatol 35(12):2395–2399, 2008	Dose effects of corticosteroids on the development of osteonecrosis in rabbits.	Motomura G, Iwamoto Y	整形外科
J Orthop Res 26(4):428–434, 2008	Dynamic activity dependence of in vivo normal knee kinematics.	Moro-oka TA, Iwamoto Y,	整形外科
Ann Rheum Dis 67(2):150–153, 2008	Histopathological prevalence of subchondral insufficiency fracture of the femoral head.	Yamamoto T, Iwamoto Y,	整形外科
Ann Rheum Dis 67(9):1299–1304, 2008	Th1 but not Th17 cells predominate in the joints of patients with rheumatoid arthritis.	Yamada H, Iwamoto Y,	整形外科
Immunopharmacol Immunotoxicol 30(1):79–90, 2008	Effects of tacrolimus (FK506) on the development of osteonecrosis in a rabbit model.	Miyanishi K, Iwamoto Y	整形外科
Oncol Rep, 19(2): 467–76, 2008	Prognostic implication of SYT–SSX fusion type in synovial sarcoma: A multi-institutional retrospective analysis in Japan.	Takenaka S, Iwamoto Y,	整形外科
J. Orthop. Res, 26(4):435–442, 2008	Kinematic analysis of kneeling in cruciate-retaining and posterior-stabilized total knee arthroplasties.	Hamai S, Iwamoto Y	整形外科
Clin Orthop Relat Res, 466(5):1054–1058, 2008	Pitavastatin may Reduce Risk of Steroid-induced Osteonecrosis in Rabbits: A Preliminary Histological Study.	Nishida K, Iwamoto Y.	整形外科
J Orthop Surg, 3:13, 2008	Long-term follow-up on the use of vascularized fibular graft for the treatment of congenital pseudarthrosis of the tibia.	Sakamoto A, Iwamoto Y	整形外科
Arthritis Rheum, 58(5):1366–1376, 2008	A novel tumor necrosis factor alpha-responsive CCAAT/enhancer binding protein site regulates expression of the cartilage-derived retinoic acid-sensitive protein gene in cartilage.	Imamura T, Iwamoto Y,	整形外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Arthritis Rheum, 58(3):778-89,2008	ADAM-12 (meltrin alpha) is involved in chondrocyte proliferation via cleavage of insulin-like growth factor binding protein 5 in osteoarthritic cartilage.	Okada A, Iwamoto Y,	整形外科
J. Arthroplasty, 23(5):736-743, 2008	Contact stress analysis of the conforming post-cam mechanism in posterior stabilized total knee arthroplasty	Akasaki Y, Iwamoto Y	整形外科
Cancer Sci, 99(4):726-32,2008	Different expression profiles of Y-box-binding protein-1 and multidrug resistance-associated proteins between alveolar and embryonal rhabdomyosarcoma.	Oda Y, Iwamoto Y,	整形外科
Histopathology. 52(7):856-64.2008	Comparative histopathological analysis between tenosynovitis and joint synovitis in rheumatoid arthritis.	Kaibara N, Iwamoto Y.	整形外科
Ann Rheum Dis 67(12):1783-1784, 2008	Rapid destruction of the hip joint in osteoarthritis.	Yamamoto T, Schneider R, Iwamoto Y, Bullough PG	整形外科
Anticancer Res, 28(3A):1585-1592, 2008	Suberoylanilide Hydroxamic acid(SAHA)induces apoptosis or autophagy-associated cell death in chondrosarcoma cell lines	Yamamoto S, Iwamoto Y	整形外科
J Bone Joint Surg Br, 90(8):1025-1031,2008	The evaluation of post-operative alignment in total knee replacement using a CT-based navigation system.	Mizu-Uchi H, Iwamoto Y.	整形外科
J Bone Joint Surg Br, 90(9):1180-5,2008	Evaluation of impingement of the anterior tibial post during gait in a posteriorly-stabilised total knee replacement.	Hamai S, Iwamoto Y.	整形外科
J Orthop Res, 26(12):1556-61, 2008	Three-dimensional knee joint kinematics during golf swing and stationary cycling after total knee arthroplasty	Hamai S, Iwamoto Y.	整形外科
J Orthop Sci, 13(4):304-12, 2008	Validation of radiographic response evaluation criteria of preoperative chemotherapy for bone and soft tissue sarcomas: Japanese Orthopaedic Association Committee on Musculoskeletal Tumors Cooperative Study.	Ueda T, Iwamoto Y,	整形外科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Orthop Sci, 13(6):543-9, 2008	Kinematic analysis of mobile-bearing total knee arthroplasty using a 6-DOF knee simulator	Hamai S, Iwamoto Y.	整形外科
Hum Pathol, 39(12):1802-8, 2008	Correlation between beta-catenin widespread nuclear expression and matrix metalloproteinase-7 overexpression in sporadic desmoid tumors.	Matono H, Iwamoto Y,	整形外科
J Pharmacol Sci 108(4):426-32, Review, 2008	Basic and translational research on proteinase-activated receptors: the role of thrombin receptor in cerebral vasospasm in subarachnoid hemorrhage.	甲斐 康稔	脳神経外科
Neuro Oncol 10(6):995-1003, 2008	Prevalence of copy-number neutral LOH in glioblastomas revealed by genomewide analysis of laser-microdissected tissues.	空閑 太亮	脳神経外科
Int J Cancer 15;123(4):787-92, 2008	Enhanced expression of NADPH oxidase Nox4 in human gliomas and its roles in cell proliferation and survival.	庄野 賢久	脳神経外科
Int J Cancer 122(8):1820-6, 2008	Narrowing of the regions of allelic losses of chromosome 1p36 in meningioma tissues by an improved SSCP analysis.	官 彦雷	脳神経外科
Journal of Artificial Organs 11(2):53-59, 2008年7月	Current status of the mechanical valve and bioprostheses in Japan	Tokunaga S, Tominaga R	心臓外科
Transplantation 86(4):601-610, 2008年8月	Comparison of human T cell repertoire generated in xenogeneic porcine and human thymus grafts	Shimizu I, et al	心臓外科
Annals of Thoracic and Cardiovascular Surgery 14(4):256-257, 2008年8月	Patent ductus arteriosus with hemiazygos communication to left superior vena cava	Tanoue Y, et al	心臓外科
Surgery Today 38(9):807-814, 2008年9月	Application of cyclophosphamide-induced tolerance in α 1,3-galactosyltransferase knockout mice presensitized with Gal α 1-3Gal β 4-GlcNAc antigens	Onzuka T, Shimizu I, et al	心臓外科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Journal of Artificial Organs 11(3):130-133, 2008年9月	Isolated pulmonary valve replacement: Analysis of 27 years of experience	Tokunaga S, et al	心臓外科
Circulation 118:S65-S70, 2008年9月	Local delivery of imatinib mesylate (ST1571)-incorporated nanoparticle ex vivo suppresses vein graft neointima formation	Kimura S, et al	心臓外科
Operative Techniques in Thoracic and Cardiovascular Surgery 13(4) : 232-243, 2008年, winter	Aortic arch replacement procedure—Extended aortic arch replacement through the L-incision approach	Tominaga R	心臓外科
Transplantation 86(9): 1301-1310, 2008年11月	Role of the cytokine profiles produced by iNKT cells in the initial phase of cyclophosphamide-induced tolerance	Onzuka T, et al	心臓外科
Asian Cardiovascular & Thoracic Annals 16:e58-e59, 2008年12月	Graft replacement for massive mobile embolic source in brachiocephalic artery	Oishi Y, et al	心臓外科
The Journal of Thoracic and Cardiovascular Surgery 136(6):1586-1592, 2008年12月	A Rho-kinase inhibitor improves cardiac function after 24-hour heart preservation	Kobayashi M, et al	心臓外科
人工臓器 37(3):130-138、2008年12月	人工弁	徳永滋彦、富永隆治	心臓外科
Heart and Vessels 24(1):41-45, 2009年1月	Ventricular energetics in aortic root replacement for annuloaortic ectasia with aortic regurgitation	Tanoue Y, et al	心臓外科
日本心臓血管外科学会雑誌 38(2):91-95、2009年3月	冠動脈スパズムを含む周術期難治性心筋虚血に対する塩酸ファスジルの有用性	前田武俊、他	心臓外科
Surg Today 38:379-389,2008	Current progress in neonatal surgery	Taguchi T	小児外科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J pediatr Gastroenterol Nutr 46:602—606,2008	Chronological change in intramural components in severe proximally dilated jejunal atresia : an immunohistochemical study.	Masumoto K, Akiyoshi J, Nagata K, Taguchi S, Tajiri T, Taguchi T	小児外科
Pediatr Int 50:459—463,2008	Risk of respiratory syncytial virus in survivors with severe congenital diaphragmatic hernia.	Masumoto K, Nagata K, Uesugi T, Taguchi T, et al.	小児外科
e-SPEN, the European e-Journal of clinical Nutrition and Metabolism 3:e217—e219,2008	Cow's milk allergy in extremely short bowel syndrome : Report of two infants.	Masumoto K, Esumi G, Teshiba R, Nagata K, Hayashida M, Nakatsuji T, et al.	小児外科
Pediatr Surg Int 24:1123—1126, 2008	Transumbilical approach for neonatal surgical diseases : woundless operation.	Tajiri T, Ieiri S, Kinoshita Y, Masumoto K, et al.	小児外科
J Pediatr Hematol Oncol 30:447—450,2008	Diagnostic value of lectin reactive alpha-fetoprotein for neoinfantile hepatic tumors and malignant germ cell tumors : preliminary study.	Kinoshita Y, Tajiri T, Souzaki R, Tatsuta K, Higashi M, Takahashi Y, Taguchi T	小児外科
J Cancer Res Clin Oncol 134:1097—1103, 2008	Alterations of RB1 gene in embryonal and alveolar rhabdomyosarcoma: special reference to utility of pRB immunoreactivity in differential diagnosis of rhabdomyosarcoma subtype.	Kohashi K, Oda Y, Yamamoto H, Tamiya S, et al.	小児外科
Am J Surg Pathol 32:1168—1174, 2008	SMARCB1/INI1 protein expression in round cell soft tissue sarcomas associated with chromosomal translocations involving EWS: a special reference to SMARCB1/INI1 negative variant extraskeletal myxoid chondrosarcoma.	Kohashi K, Oda Y, Yamamoto H, Tamiya S, et al.	小児外科
Pediatr Surg Int 24:1095—1100, 2008	Clinical implications of a slight increase in the gene dosage of MYCN in neuroblastoma determined using quantitative PCR.	Souzaki R, Tajiri T, Higashi M, Kinoshita Y, et al.	小児外科
J Pediatr Surg 43:2226—2230, 2008	Total colonic aganglionosis with or without small bowel involvement : a 30-year retrospective nationwide survey in Japan	Ieiri S, Saito S, Nakatsuji T, Akiyoshi J, Taguchi T	小児外科
International journal of dermatology, 47 (6), p.562—566, Jun 2008	Concordant over-expression of transcription factor Sp1 and vascular endothelial growth factor in extramammary Paget's disease.	Chen SY, 古江増隆	皮膚科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
The British journal of dermatology, 158 (6), p.1389–1391, Jun 2008	Stromal CD10 expression is correlated with invasiveness and proliferation of extramammary Paget disease.	Xie LN、古江増隆	皮膚科
Eur J Dermatol	Association factors for atopic dermatitis in nursery school children in Ishigaki islands – Kyushu University Ishigaki Atopic Dermatitis Study (KIDS).	吹譯 紀子	皮膚科
The Journal of dermatology, 35 (7), p.426–432, Jul 2008	Dermatological legal claims in Japan.	小河 祥子	皮膚科
Evid Based Complement Alternat Med (2008)	Efficacy and Safety of a Traditional Herbal Medicine, Hochu-ekki-to in the Long-term Management of Kikyo (Delicate Constitution) Patients with Atopic Dermatitis: A 6-month, Multicenter, Double-blind, Randomized, Placebo-controlled Study.	小林 裕美	皮膚科
Dermatologic surgery 34 (7), p.891–899, Jul 2008	Excellent clinical results with a new preparation for chemical peeling in acne: 30% salicylic acid in polyethylene glycol vehicle.	大日 輝記	皮膚科
Journal of dermatological science, 51 (3), p.210–215, Sep 2008	Overexpression of phosphorylated-ATF2 and STAT3 in cutaneous squamous cell carcinoma, Bowen's disease and basal cell carcinoma.	Chen SY、竹内聰	皮膚科
Cancer Res 68 (1): 98–105, 2008	Twist promotes tumor cell growth through YB-1 expression.	Shiota M, Izumi H, Onitsuka T, et al.	泌尿器科
J Urol 179 (2): 485–490, 2008	Prevention of recurrence with epirubicin and lactobacillus casei after transurethral resection of bladder cancer.	Naito S, Koga H, Yamaguchi A, et al.	泌尿器科
Naunyn Schmiedebergs Arch Pharmacol 376 (5): 309–319, 2008	Comparative studies of ZD0947, a novel ATP-sensitive K ⁺ channel opener, on guinea pig detrusor and aortic smooth muscles.	Yunoki T, HL Zue, Iwasa K, et al.	泌尿器科
J Magn Reson Imaging 27 (1): 132–139, 2008	Usefulness of apparent diffusion coefficient map in diagnosing prostate carcinoma: correlation with stepwise histopathology.	Yoshimitsu K, Kiyoshima K, Irie H, et al.	泌尿器科