

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Neurourol Urodyn 27 (3): 222-225, 2008	Association among the symptoms, quality of life and urodynamic parameters in patients with improved lower urinary tract symptoms following a transurethral resection of the prostate.	Seki N, Yunoki T, Tomoda T, et al.	泌尿器科
Int J Urol 15 (4): 295-298, 2008	Laparoscopic adrenalectomy for malignant tumors.	Eto M, Hamaguchi M, Harano M, et al.	泌尿器科
Clin Cancer Res 14 (9):2833-2840, 2008	Posttransplant administration of cyclophosphamide and donor lymphocyte infusion induces potent antitumor immunity to solid tumor.	Eto M, Kamiryo Y, Takeuchi A, et al.	泌尿器科
Jpn J Clin Oncol 38 (5): 365-372, 2008	Docetaxel plus prednisolone for the treatment of metastatic hormone-refractory prostate cancer: a multicenter phase II trial in Japan.	Natio S, Tsukamoto T, Koga H, et al.	泌尿器科
J Antibiot 61 (4): 213-221, 2008	Genetic analysis of faropenem-resistant enterococcus faecalis in urinary isolates.	Hiraga N, Muratani T, Naito S, et al.	泌尿器科
Electrophoresis 29 (12): 2651-2659, 2008	Downregulation of two isoforms of ubiquitin carboxyl-terminal hydrolase isozyme L1 correlates with high metastatic potentials of human SN12C renal cell carcinoma cell clones.	Tanaka T, Kuramitsu Y, Fujimoto M, et al.	泌尿器科
Jpn J Clin Oncol 38 (4): 281-287, 2008	Survival of metastatic germ cell cancer patients assessed by international germ cell consensus classification in Japan.	Shintaku I, Satoh M, Okajima E, et al.	泌尿器科
Urology 72 (2): 354-358, 2008	Risk factors for ipsilateral adrenal involvement in renal cell carcinoma.	Ito K, Nakazawa H, Marumo K, et al.	泌尿器科
Cell Carcium 44 (2): 202-209, 2008	Oscillatory membrane currents paradoxically induced via NO-activated pathways in detrusor cells.	Kajioka S, Nakayama S, Seki N, et al.	泌尿器科
Int J Oncol 33 (1): 41-47, 2008	Inverse relationship between E-cadherin and p27Kip1 expression in renal cell carcinoma.	Migita T, Oda Y, Masuda K, et al.	泌尿器科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Int J Urol 15 (4): 319-321, 2008	Complication rates of ultrasound-guided prostate biopsy: a nation-wide survey in Japan.	Takehi Y, Naito S, the Japanese Urological Association:	泌尿器科
J Endourol 22 (8): 1731-1735, 2008	Evaluation of the learning curve for photoselective vaporization of the prostate over the course of 74 cases.	Seki N, Nomura H, Yamaguchi A, et al.	泌尿器科
J Pharmacol Exp Ther 327 (1): 114-123, 2008	Levcromakalim and MgGDP activate small conductance ATP-sensitive K ⁺ channels of K ⁺ channel pore 6.1/sulfonylurea receptor 2A in pig detrusor smooth muscle cells: uncoupling of cAMP signal pathways.	Kajioka S, Nakayama S, Asano H, et al.	泌尿器科
J Urol 180 (3): 904-910, 2008	Validation of partin tables and development of a preoperative nomogram for Japanese patients with clinically localized prostate cancer using 2005 International Society of Urological Pathology consensus on gleason grading: data from the Clinicopathological Research Group for Localized Prostate Cancer.	Naito S, Kuroiwa K, Kinukawa N, et al.	泌尿器科
J Cancer Res Clin Oncol 134 (12): 1385-1396, 2008	Evaluation of quality of life in patients with previously untreated advanced prostate cancer receiving maximum androgen blockade therapy or LHRHa monotherapy: a multicenter, randomized, double-blind, comparative study.	Arai Y, Akaza H, Deguchi T, et al.	泌尿器科
J Urol 180 (3): 1024-1029, 2008	Effects of photoselective vaporization of the prostate on urodynamics in patients with benign prostatic hyperplasia.	Seki N, Nomura H, Yamaguchi A, et al.	泌尿器科
Int J Urol 15 (7): 577-581, 2008	The efficacy of laparoscopic radical nephrectomy for renal cell cancer in the elderly: an oncological outcome analysis.	Harano M, Eto M, Yokomizo A, et al.	泌尿器科
Int J Urol 15 (8): 694-698, 2008	Dendritic cell therapy in combination with interferon- α for the treatment of metastatic renal cell carcinoma.	Tatsugami K, Eto M, Harano M, et al.	泌尿器科
Int J Urol 15 (9): 763-768, 2008	Japanese Urological Association guidelines on prostate-specific antigen-based screening for prostate cancer and the ongoing cluster cohort study in Japan.	Ito K, Takehi Y, Naito S, et al.	泌尿器科
Int J Probiotics and Prebiotics 3 (3): 163-164, 2008	Lactobacillus casei strain shirota and prevention of recurrence of bladder cancer.	Naito S:	泌尿器科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Cancer Sci 99 (19): 1950-1959, 2008	Ets regulates peroxiredoxin1 and 5 expressions through their interaction with the high-mobility group protein B1.	Shiota M, Izumi H, Miyamoto N, et al.	泌尿器科
Jpn J Endourol ESWL 21 (3): 405-409, 2008	Photoselective vaporization of the prostate: Comparison of the outcomes according to the prostate size in a series of 100 patients.	Seki N, Nomura H, Yamaguchi A, et al.	泌尿器科
Oncogene 27 (42): 5543-5553, 2008	Twist and p53 reciprocally regulate target genes via direct interaction.	Shiota M, Izumi H, Onitsuka T, et al.	泌尿器科
西日泌尿 70 (11): 587-591, 2008	小径腎癌に対する腎部分切除術の有用性・安全性の検討—根治的腎摘除術との比較—.	原野正彦、江藤正俊、濱口益光、立神勝則、上領頼之、内藤誠二:	泌尿器科
Prog Neuropsychopharmacol Biol Psychiatry, 32(1): 42-48, 2008	The effect of atypical antipsychotics, perospirone, ziprasidone and quetiapine on microglial activation induced by interferon-gamma.	Bian Q, Kato T, Monji A, Hashioka S, Mizoguchi Y, Horikawa H, Kanba S	精神科神経科
Brain Pathol, 18: 317-325, 2008	Clinicopathological Outline of Dementia with Lewy Bodies Applying the Revised Criteria: The Hisayama Study.	Fujimi K, Sasaki K, Noda K, Wakisaka Y, Tanizaki Y, Matsui Y, Sekita A, Iida M, Kiyohara Y, Kanba S, Iwaki T	精神科神経科
J Neurosci, 28: 4897-4903, 2008	Abnormal neural oscillatory activity to speech sounds in schizophrenia: a MEG study.	Hirano S, Hirano Y, Maekawa T, Obayashi C, Oribe N, Kuroki T, Kanba S, Onitsuka T	精神科神経科
Psychiatry Res, 163: 260-269, 2008	Auditory sensory gating to human voice: a preliminary MEG study.	Hirano Y, Onitsuka T, Kuroki T, Matsuki Y, Hirano S, Maekawa T, Kanba S	精神科神経科
Cell Death Differ, (Epub ahead of print), 2008	Galectin-1 promotes basal and kainate-induced proliferation of neural progenitors in the dentate gyrus of adult mouse hippocampus.	Kajitani K, Nomaru H, Ifuku M, Yutsudo N, Dan Y, Miura T, Tsuchimoto D, Sakumi K, Kadoya T, Horie H, Poirier F, Noda M, Nakabeppu Y	精神科神経科
J Neurochem, 106(2): 815-825, 2008	Inhibitory effects of aripiprazole on interferon- γ -induced microglial activation via intracellular Ca ²⁺ regulation in vitro.	Kato T, Mizoguchi Y, Monji A, Horikawa H, Suzuki SO, Seki Y, Iwaki T, Hashioka S, Kanba S	精神科神経科

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Crit Care Med, 36(1): 74-80, 2008	Incidence and prediction of psychiatric morbidity after a motor vehicle accident in Japan: The Tachikawa Cohort of Motor Vehicle Accident Study.	Matsuoka Y, Nishi D, Nakajima S, Kim Y, Homma M, Otomo Y	精神科神経科
Soc Psychiatry Psychiatr Epidemiol, Epub, 2008	The Tachikawa cohort of motor vehicle accident study investigating psychological distress: design, methods and cohort profiles.	Matsuoka Y, Nishi D, Nakajima S, Yonemoto N, Hashimoto K, Noguchi H, Homma M, Otomo Y, Kim Y	精神科神経科
Psychiatry Res, 163: 236-247, 2008	Functional MRI study of brain-activation alterations in patients with obsessive-compulsive disorder after symptom improvement.	Nabeyama M, Nakagawa A, Yoshiura T, Nakao T, Nakatani E, Togao O, Yoshizato C, Yoshioka K, Tomita M, Kanba S	精神科神経科
J Psychiatr Res, (Epub ahead of print), 2008	Working memory dysfunction in obsessive-compulsive disorder: a neuropsychological and functional MRI study.	Nakao T, Nakagawa A, Nakatani E, Nabeyama M, Sanematsu H, Yoshiura T, Togao O, Tomita M, Masuda Y, Yoshioka K, Kuroki T, Kanba S	精神科神経科
Depress Anxiety, (Epub ahead of print), 2008	Duration effect of obsessive-compulsive disorder on cognitive function: a functional MRI study.	Nakao T, Nakagawa A, Yoshiura T, Nakatani E, Nabeyama M, Sanematsu H, Togao O, Yoshioka K, Tomita M, Kuroki T, Kanba S	精神科神経科
Psychother Psychosom, 77: 393-394, 2008	Outcome of Additional Behaviour Therapy including Treatment Discontinuation for Fluvoxamine Non-Responders with Obsessive-Compulsive Disorder.	Nakatani E, Nakagawa A	精神科神経科
Compr Psychiat, 49(4): 393-398, 2008	Are patients after severe injury who drop out of a longitudinal study at high risk for mental disorder?	Nishi D, Matsuoka Y, Nakajima S, Noguchi H, Kim Y, Kanba S, Schnyder U	精神科神経科
Gen Hosp Psychiat, Epub, 2008	Reliability and validity of the Japanese version of the Peritraumatic Distress Inventory.	Nishi D, Matsuoka Y, Noguchi H, Sakuma K, Yonemoto N, Yanagita T, Homma M, Kanba S, Kim Y	精神科神経科
Br J Ophthalmol 92:1540-1544, 2008	VEGF expression by hyalocytes and its regulation by glucocorticoid.	Hata Y	眼科
Jpn J Ophthalmol 52:16-23, 2008	Antiangiogenic property of fasudil, a potent Rho-kinase inhibitor.	Hata Y	眼科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Clin Invest 118:2025-2038, 2008	HIV protease inhibitors provide neuroprotection through inhibition of mitochondrial apoptosis in mice.	Hisatomi T	眼科
J Gene Med 10(12):1273-1281, 2008	Synergistic neuroprotective effect via simian lentiviral vector-mediated simultaneous gene transfer of human pigment epithelium-derived factor and human fibroblast growth factor-2 in rodent models of retinitis pigmentosa.	Miyazaki M	眼科
Invest Ophthalmol Vis Sci 49:105-112, 2008	Protective role for CD1d-reactive invariant natural killer T cells in cauterization-induced corneal inflammation	Oshima Y	眼科
Br J Ophthalmol 92(7):1009, 2008	The internal limiting membrane peeling with brilliant blue G staining for retinal detachment due to macular hole in high myopia	Mochizuki Y	眼科
Diabetes 57:2784-2793, 2008	Potent Inhibition of Cicatricial Contraction in Proliferative Vitreoretinal Diseases by Statins	Hata Y	眼科
Journal of Magnetic Resonance Imaging. September 2008	Noninvasive estimation of hepatic steatosis using plain CT vs. chemical-shift MR imaging: significance for living donors.	Yoshimitsu K, et al.	放射線科
Journal of Vascular Interventional Radiology. August 2008	Percutaneous transfemoral hepatic arterial infusion catheter placement with the use of a downsized coaxial catheter system: technical feasibility study.	Tajima T, et al.	放射線科
American Journal of Roentgenology. January 2008	Radiologic detectability of minute portal venous invasion in hepatocellular carcinoma.	Nishie A, et al.	放射線科
American Journal of Neuroradiology. June 2008	Performance evaluation of radiologists with artificial neural network for differential diagnosis of intra-axial cerebral tumors on MR images.	Yamashita K, et al.	放射線科
American Journal of Roentgenology. August 2008	MRI of glossopharyngeal neuralgia caused by neurovascular compression.	Hiwatashi A, et al.	放射線科

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
American Journal of Roentgenology. November 2008	Usefulness of cone-beam CT before and after percutaneous vertebroplasty.	Hiwatashi A, et al.	放射線科
Radiology. December 2008	Parotid gland tumors: can addition of diffusion-weighted MR imaging to dynamic contrast-enhanced MR imaging improve diagnostic accuracy in characterization?	Yabuuchi H, et al.	放射線科
J Gastroenterol Hepatol	Association between the treatment length and cumulative dose of pegylated interferon alpha-2b plus ribavirin and their effectiveness as a combination treatment for Japanese chronic hepatitis C patients: A project of the Kyushu University Liver Disease Study Group.	Furusyo N	総合診療科
日本臨床微生物学 18, 177-183.(2008)	当院で検出された結核菌群52株の菌種同定に関する検討	諸熊由子, 内田勇二郎, 辛島貴人, 藤瀬雅子, 今村正一, 栢森裕三, 康東天.	検査部
心臓リハビリテーション (JJCR) 13, 131-134.(2008)	ペースメーカー設定と心臓リハビリテーション評価にCPXが極めて有用であった1例.	牛之濱さやか, 井手友美, 河野一郎, 日浅謙一, 前田トモ子, 堀田多恵子, 西坂麻里, 肥後大基, 高杉紳一郎, 砂川賢二, 康東天	検査部
日本検査血液学会 9, 178-186.(2008)会	九州地区における凝固検査の標準化の現状.	栢森裕三, 渡邊久美子, 栗原正子, 増本道子, 豊福美津子, 濱崎直孝, 康東天.	検査部
Ann Clin Biochem 45, 513-514.(2008)	Platelet contamination causes large variation as well as overestimation of mitochondrial DNA content of peripheral blood mononuclear cells.	Urata, M., Koga-Wada, Y., Kayamori, Y., Kang, D.	検査部
Acta Haematol 120, 31-35.(2008)	Thromboembolic Complications in Splenectomized Patients with Dominantly Inherited beta-Thalassemia.	Ohga, S., Ideguchi, H., Kato, J., Ishimura, M., Takada, H., Harada, N., Kawanaka, H., Hattori, Y., Kang, D., Hamasaki, N., Hara, T.	検査部
Eur J Pediatr.(2008)	Fulminant sepsis/meningitis due to Haemophilus influenzae in a protein C-deficient heterozygote treated with activated protein C therapy.	Ishimura, M., Saito, M., Ohga, S., Hoshina, T., Baba, H., Urata, M., Kira, R., Takada, H., Kusuhara, K., Kang, D., and Hara, T.	検査部
Thromb Res 123, 55-59.(2008)	Decreased maternal protein S activity is associated with fetal growth restriction.	Hojo, S., Tsukimori, K., Kinukawa, N., Hattori, S., Kang, D., Hamasaki, N., Wake, N.	検査部

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Neurosci 28, 8624-8634.(2008)	Reverse of age-dependent memory impairment and mitochondrial DNA damage in microglia by an overexpression of human mitochondrial transcription factor a in mice.	Hayashi, Y., Yoshida, M., Yamato, M., Ide, T., Wu, Z., Ochi-Shindou, M., Kanki, T., Kang, D., Sunagawa, K., Tsutsui, H., Nakanishi, H.	検査部
手術医学29(3):167-172, 2008	食道手術における手術室内漏洩麻酔ガス濃度の推移	引地和歌子 甲斐哲也	手術部
J Magn Reson Imaging. 2008 Apr;27(4):932-7.	Alteration of proton diffusivity associated with passive muscle extension and contraction.	Hatakenaka M, Matsuo Y, Setoguchi T, Yabuuchi H, Okafuji T, Kamitani T, Nishikawa K, Honda H	放射線部
Magn Reson Med Sci. 2008;7(1):23-9.	Apparent diffusion coefficients of breast tumors: clinical application.	Hatakenaka M, Soeda H, Yabuuchi H, Matsuo Y, Kamitani T, Oda Y, Tsuneyoshi M, Honda H.	放射線部
Magn Reson Med Sci. 2008;7(2):59-63.	Effect of passive muscle length change on apparent diffusion coefficient: detection with clinical MR imaging.	Hatakenaka M, Yabuuchi H, Matsuo Y, Okafuji T, Kamitani T, Setoguchi T, Nishikawa K, Honda H.	放射線部
Radiology. 2008 Dec;249(3):909-16.	Parotid gland tumors: can addition of diffusion-weighted MR imaging to dynamic contrast-enhanced MR imaging improve diagnostic accuracy in characterization?	Yabuuchi H, Matsuo Y, Kamitani T, Setoguchi T, Okafuji T, Soeda H, Sakai S, Hatakenaka M, Nakashima T, Oda Y, Honda H.	放射線部
Magn Reson Med Sci. 2008;7(4):195-204.	Circumscribed mass lesions on mammography: dynamic contrast-enhanced MR imaging to differentiate malignancy and benignancy.	Okafuji T, Yabuuchi H, Soeda H, Matsuo Y, Kamitani T, Sakai S, Hatakenaka M, Kuroki S, Tokunaga E, Yamamoto H, Honda H.	放射線部
Clin Imaging 2009;33(2):144-145	Preaortic interazygous vein; mimicker of other pathologies.	Nishie A, Barloon T, Schreiber A.	放射線部
Eur J Radiol 2009;70(3):517-524.	Radiological detectability of minute hepatic venous invasion in hepatocellular carcinoma.	Nishie A, Yoshimitsu K, Irie H, Tajima T, Hirakawa M, Ishigami K, Ushijima Y, Okamoto D, Nishihara Y, Taketomi A, Honda H.	放射線部
J Magn Reson Imaging 2009;30(1):112-120.	MR prediction of postnatal outcomes in left-sided congenital diaphragmatic hernia using right lung signal intensity: comparison with that using right lung volume.	Nishie A, Tajima T, Aseyama Y, Ishigami K, Hirakawa M, Akeyama T, Ushijima Y, Kakihara D, Okamoto D, Yoshiura T, Masumoto K, Taguchi T, Tsukimori K, Tokunaga S, Irie H, Yoshimitsu K, Honda H.	放射線部

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
J Gen Med 10(2): 165-176,2008	VEGF function for upregulation of endogenous PIGF expression during FGF-2-mediated therapeutic angiogenesis.	Yusuke Murakami	病理部
Arteriosclerosis 200(1): 51-57,2008	VEGF function for upregulation of endogenous PIGF expression during FGF-2-mediated therapeutic angiogenesis.	Fujii Takaaki	病理部
Into J Cancer 123:1623-1630,2008	CHFR expresstion is preferentially impaired in smoking-related squamous cell carcinoma of the lung, and the diminished expression significantly harms outcomes.	Masafumi Takeshita	病理部
Cardiovascular Res 79:14-23,2008	Early atherosclerosis in Rumans: role of diffuse intimal thickening and intracellular matrix proteoglycens	Yutaka Nakashima	病理部
American Journal Physiol Heart and Circulatory Physiology 294: H2758-H2791.2008	Statins restore ischemie limb blood flow in dialetic microangiopathy via eNOSINO upregulation but not via PDGF-BB expression.	Fujii Takaaki	病理部
American Journal of pathology 173(5): 1326-1338,2008	Inhibition of nuclear translocation of apoptosis-inducing factor is an essential mechanism of the neusoprotective activity of pigment apithelium-deriued factor in a rot model of retinal degeneration	Yusuke Murakami	病理部
Human Pathology 2008 Jun	Biliary neoplasia with extensive intraductal spread associated with liver cirrhosis:a hitherto unreported variant of biliary intraepithelial neoplasia	相島 慎一	病理部
American Journal Of Surgical Pathology 2008 Nov	Extracapsular Penetration is a New Prognostic Factor in Human Hepatocellular Carcinoma.	井口 友宏	病理部
Human Pathology 2008 Oct	CD10 Immunostaining distinguishes atypical polypoid adenomyofibroma (atypical polypoid adenomyoma) from endometrial carcinoma invading the myometrium.	大石 善丈	病理部
Cancer Science 2008 Apr	Different expression profiles of Y-box-binding protein-1 and multidrug resistance- associated proteins between alveolar and embryonal rhabdomyosarcoma.	小田 義直	病理部

(様式第11)

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
American Journal Of Surgical Pathology 2008 Aug	Endometrial stromal sarcomas and related high-grade sarcomas:Immunohistochemical and molecular genetic study of 31 cases	栗原 秀一	病理部
Human Pathology 2009 Mar	Infrequent SMARCB1/INI1 gene alteration in epithelioid sarcoma: a useful tool in distinguishing epithelioid sarcoma from malignant rhabdoid tumor	孝橋 賢一	病理部
Clinical Cancer Research 2008年5月	Posttransplant administration of cyclophosphamide and donor lymphocyte infusion induces potent antitumor immunity to solid tumor.	Eto M .	遺伝子・細胞療法部
Transplant Infectious Disease 2008年7月	Infectious complications in chronic graft-versus-host disease: a retrospective study of 145 recipients of allogeneic hematopoietic stem cell transplantation with reduced- and conventional-intensity conditioning regimens.	Yamasaki S	遺伝子・細胞療法部
International Journal of Hematology 2008年10月	Reduced-intensity unrelated donor Bone Marrow Transplant for hematologic malignancies .	Kim SW	遺伝子・細胞療法部
Cytotherapy 2008年	Preparation of functionally preserved CD4+ CD25high regulatory T cells from leukapheresis products from ulcerative colitis patients, which are applicable to regulatory T cell-transfer therapy.	Sumida Y .	遺伝子・細胞療法部
Eur Arch Otorhinolaryngol 2009年1月	The engraftment of transplanted bone marrow-derived cells into the inner ear.	Orita Y	遺伝子・細胞療法部
Cancer Science 2009年1月	Allogeneic cell therapy from immunized donors with tumor antigen peptide enhances the antitumor effect after cyclophosphamide-using non-myeloablative allogeneic hematopoietic cell transplantation transplantation.	Hamaguchi M	遺伝子・細胞療法部
Blood 2009年2月	Improved outcome of allogeneic bone marrow transplantation due to breast-feeding-induced tolerance to maternal antigens.	Aoyama K	遺伝子・細胞療法部
Blood 2009年2月	Plasmacytoid dendritic cells prime alloreactive T cells to mediate graft-versus-host disease as antigen-presenting cells.	Koyama M	遺伝子・細胞療法部

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
International Journal of Hematology 2009年3月	Oral valganciclovir as preemptive therapy is effective for cytomegalovirus infection in allogeneic hematopoietic stem cell transplantation.	Takenaka K	遺伝子・細胞療法部
The Journal of Immunology 2008年6月	Human flt3 is expressed at the hematopoietic stem cell and the granulocyte/macrophage progenitor stages to maintain cell survival.	Kikushige Y	遺伝子・細胞療法部
Diabetes Metabolism Research and Reviews 2008年10月10日	Bone marrow or foetal liver cells fail to induce islet regeneration in diabetic Akita mice.	Akashi T	遺伝子・細胞療法部
The Journal of Experimental Medicine 2009年1月	Identification of the human eosinophil lineage-committed progenitor: Revision of phenotypic definition of the human common myeloid progenitor.	Mori Y	遺伝子・細胞療法部
International Journal of Rehabilitation Research 31:321-326,2008.	Apathy and functional recovery following first-ever stroke.	Santa N, Sugimori H, Kusuda k, Yamashita Y, Ibayashi S, Iida M	救命救急センター
Inter Med 48: 213-217, 2009	Chest Pain without Significant Coronary Stenosis after Implantation of Sirolimus-Eluting Stents	Ken-ichi Hiasa, Masao Takemoto, Ryuichi Matsukawa, Tetsuya Matoba, Takeshi Kuga and Kenji Sunagawa	救命救急センター
Ann Neurol. 2008 Nov;64(5):547-54.	Takotsubo cardiomyopathy in acute ischemic stroke.	Yoshimura S, Toyoda K, Ohara T, Nagasawa H, Ohtani N, Kuwashiro T	救命救急センター
J Hypertens. 2008 Oct;26(10):2016-21.	The impact of hyperacute blood pressure lowering on the early clinical outcome following intracerebral hemorrhage.	Itabashi R, Toyoda K, Yasaka M, Kuwashiro T,	救命救急センター
Intern Med. 2009;48(1):77-80. Epub 2009 Jan 1.	Cardiac papillary fibroelastoma as a cause of embolic stroke: ultrasound and histopathological characteristics.	Kuwashiro T, Toyoda K, Otsubo R,	救命救急センター
Clin Exp Hypertens. 2008 Apr;30(3):267-76.	Effects of valsartan or amlodipine on endothelial function and oxidative stress after one year follow-up in patients with essential hypertension.	Hirooka Y, Kimura Y, Sagara Y, Ito K, Sunagawa K.	救命救急センター

高度の医療技術の開発及び評価の実績

2 論文発表等の実績

雑誌名	題名	発表者氏名	所属部門
Auton Neurosci.: Basic and Clinical 2008;142:77-81	Activation of Rho-kinase in the brainstem enhances sympathetic drive in mice with heart failure.	Ito K, Kimura Y, Hirooka Y, Sagara Y, Sunagawa K.	救命救急センター
Clin Exp Hypertens. 2009 May;31(3):281-6.	Role of inducible nitric oxide synthase in rostral ventrolateral medulla in blood pressure regulation in spontaneously hypertensive rats.	Kimura Y, Hirooka Y, Kishi T, Ito K, Sagara Y, Sunagawa K.	救命救急センター
American journal of hypertension, 21 (4), p.477-481, Apr 2008	Inhibition of nitric oxide synthetase at mid-gestation in rats is associated with increases in arterial pressure, serum tumor necrosis factor-alpha, and placental apoptosis.	Tsukimori, K.	総合周産期母子医療センター
Journal of Ultrasound in Medicine 27 (5), p.707-713, May 2008	The Lung-to-Thorax Transverse Area Ratio at Term and Near Term Correlates With Survival in Isolated Congenital Diaphragmatic Hernia.	Tsukimori, K.	総合周産期母子医療センター
American journal of hypertension 21 (5), p.587-591, May 2008	Neutrophil-derived Reactive Oxygen Species Can Modulate Neutrophil Adhesion to Endothelial Cells in Preeclampsia.	Tsukimori, K.	総合周産期母子医療センター
Environmental health perspectives 116 (5), p.626-630, May 2008	Long-term effects of polychlorinated biphenyls and dioxins on pregnancy outcomes in women affected by the yusho incident.	Tsukimori, K.	総合周産期母子医療センター
Ultrasound Obstet Gynecol	Prenatal diagnosis of congenital aneurysm of left ventricle and evaluating fetal cardiac contractility by fetal isovolumetric contraction time.	Fujita, Y.	総合周産期母子医療センター
Ultrasound Obstet Gynecol	Evaluation of fetal myocardial contractility in hydrops fetalis associated with bronchopulmonary sequestration.	Yumoto, Y.	総合周産期母子医療センター
Placenta	Gene Expression Profiles by Microarray Analysis during Matrigel-induced Tube Formation in a Human Extravillous Trophoblast Cell line: Comparison with Endothelial Cells.	Fukushima, K.	総合周産期母子医療センター
Persistent Organic Pollutants(POPS) Research in Asia	Dioxins and pregnancy outcomes in women affected by the yusho incident	Tsukimori, K.	総合周産期母子医療センター