

がん診療を標準化するための病理診断基準の確立に関する研究	長谷川 匡	病理診断学	1,000,000	補委	厚生労働省
高感度抗IAP抗体スクリーニングアレイの開発と癌診断への応用	渡邊 直樹	臨床検査医学	3,300,000	補委	独立行政法人 日本学術振興会
咀嚼が脳梗塞後遺障害のリハビリテーションに果たす役割	田中 真樹	臨床検査医学	150,000	補委	北海道医療大学
障害者における摂食・嚥下機能訓練とその評価に関する研究	田中 真樹	臨床検査医学	150,000	補委	北海道医療大学
救急医療体制の推進に関する研究	浅井 康文	救急集中治療医学	900,000	補委	厚生労働省
有機リン酸(農薬・神経剤)中毒に対する治療薬・予防薬の神経学的作用機序の解明	成松 英智	救急集中治療医学	700,000	補委	独立行政法人 日本学術振興会
半側空間無視に対するプリズム順応を用いた治療に関する検討	太田 久晶	リハビリテーション医学講座	800,000	補委	文部科学省

計 134件

2 論文発表等の実績

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
Pharmacogenomics 2008, 9: 1917-1928	DNA methylation and cancer pathways in gastrointestinal tumors.	鈴木 拓	第一内科
Anticancer Agents Med Chem 2008, 8:470-480	Novel molecular-targeted therapeutics for the treatment of cancer	安井 寛	第一内科
Br J Cancer 2008, 98:1147-1156	Frequent epigenetic inactivation of Wnt antagonist genes in breast cancer.	鈴木 拓	第一内科
J Rheumatol 2008, 35:365-367	Facial cutaneous and parotid gland involvement in Wegener's granulomatosis.	山本 元久	第一内科
Scand J Rheumatol 2008, 37:315-316	Gastric antral vascular ectasia (GAVE) associated with systemic sclerosis.	山本 元久	第一内科
J Gastroenterol 2008, 43:378-389	Frequent epigenetic inactivation of SFRP genes in hepatocellular carcinoma.	高木 秀安	第一内科
多発性骨髄腫の治療 医薬ジャーナル社. 2008, 143-155	3. 化学療法. みんなに役立つ多発性骨髄腫の基礎と臨床	石田 禎夫	第一内科
多発性骨髄腫診療ハンドブック 中外医学社. 2008, 23-24	新規治療薬の作用点	林 敏昭	第一内科
リウマチ科 2008, 39:229-239	高齢発症RAに対する対処法.	高橋 裕樹	第一内科
内科 2008, 101:688-693	抗リウマチ薬(DMARDs)の選び方と使い方	高橋 裕樹	第一内科
総合臨床 57巻増刊,1021-1022	【処方計画法】消化器疾患 消化管間質腫瘍(解説/特薬)	篠村 泰久	第一内科
G.I. Research 2008, 16:447-449	(医学用語解説)遺伝子不安定性	山本 博幸	第一内科
日本分子腫瘍マーカー 研究会誌 2008, 23:37-38	消化器癌におけるDKK遺伝子のエピジェネティックな不活化	鈴木 拓	第一内科
内科 2008, 102:135-140	目でみる症例 全身性エリテマトーデス(漿膜炎)	高橋 裕樹	第一内科
臨床免疫・アレルギー 科 2008, 50:123-12	IgG4-related plasmacytic disease/systemic IgG4-related plasmacytic syndrome (SIPS).	山本 元久	第一内科
Cancer Sci 2008, 99:1626-1632	Overexpression of cysteine proteinase inhibitor cystatin 6 promotes pancreatic cancer growth	細川 雅代	第一内科
日本消化器病学会誌 2008, 105:1648-1655	経回腸静脈静脈瘻閉塞術にて止血しえた肝管空腸吻合部静脈瘻出血の1例.	阿久津 典之	第一内科
Hypertens Res. 2008 Jul;31(7)	Incidence of hypertension in individuals with abdominal obesity in a rural Japanese population: the Tanno and Sobetsu study.	齊藤重幸	第二内科
Hypertens Res. 2008 Jul;31(7):	Differences in insulin action and secretion, plasma lipids and blood pressure levels between impaired fasting glucose and impaired glucose tolerance in	島本和明	第二内科
Clin Exp Pharmacol Physiol. 2008 Jul;35(7):	Limitation of infarct size by erythropoietin is associated with translocation of Akt to the mitochondria after reperfusion.	三浦哲嗣	第二内科
Circ J. 2008 Aug;72(8):	Relationship between coronary events and serum cholesterol during 10 years of low-dose simvastatin therapy: long-term efficacy and safety in Japanese	島本和明	第二内科
Circ Res. 2008 Aug 1;103(3):	Glycogen synthase kinase-3 inactivation is not required for ischemic preconditioning or postconditioning in the mouse.	三浦哲嗣	第二内科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
Cardiovasc Res. 2008 Oct 1;80(1):	Adenine nucleotide translocator, a mitochondrial carrier protein, and fate of cardiomyocytes after ischaemia/reperfusion.	丹野雅也	第二内科
Am J Physiol Heart Circ Physiol. 2008 Nov;295(5):	Ser9 phosphorylation of mitochondrial GSK-3beta is a primary mechanism of cardiomyocyte protection by erythropoietin against oxidant-induced apoptosis.	三浦哲嗣	第二内科
Basic Res Cardiol. 2008 Nov;103(6):	Limitation of myocardial infarct size in the clinical setting: current status and challenges in translating animal experiments into clinical therapy.	三浦哲嗣	第二内科
Am J Physiol Heart Circ Physiol. 2009 Feb;296(2)	Roles of Cx43-associated protein kinases in suppression of gap junction-mediated chemical coupling by ischemic preconditioning.	矢野俊之	第二内科
J Pharmacol Sci. 2009 Feb;109(2)	Drug development targeting the glycogen synthase kinase-3beta (GSK-3beta)-mediated signal transduction pathway: role of GSK-3beta in	三浦哲嗣	第二内科
Echocardiography. 2009 Mar;26(3):	Quantitative assessment of left ventricular and left atrial functions by strain rate imaging in diabetic patients with and without hypertension	島本和明	第二内科
Endoscopy 2008 Sep;40 Suppl 2	Successful treatment for gastro-intestinal bleeding of Osler-Weber-Rendu disease by argon plasma coagulation using double-balloon enteroscopy.	佐藤康史	第4内科
Hepatology 2008 Sep;48(3)	Treatment of hepatocellular carcinoma by AdAFPep/rep, AdAFPep/p53, and 5-fluorouracil in mice.	佐川保	第4内科
Int J Hematol 2008 Jul;88(1)	A safety, pharmacokinetic and pharmacodynamic investigation of deferasirox (Exjade, ICL670) in patients with transfusion-dependent anemias and iron-overload: a	加藤淳二	第4内科
Int J Hematol 2008 Jul;88(1)	Body iron metabolism and pathophysiology of iron overload.	加藤淳二	第4内科
J Gastroenterol Hepatol 2008 Mar;23 Suppl 1	Dysregulation of systemic iron metabolism in alcoholic liver diseases.	加藤淳二	第4内科
Int J Hematol 2008 Jul;88(1)	Japanese epidemiological survey with consensus statement on Japanese guidelines for treatment of iron overload in bone marrow failure syndromes.	新津洋司郎	第4内科
J Immunol 2008 Jul 1;181(1)	Apoptosis supercedes necrosis in mitochondrial DNA-depleted Jurkat cells by cleavage of receptor-interacting protein and inhibition of lysosomal cathepsin.	佐藤 勉	第4内科
Exp Hematol 2008 Sep;36(9)	Interaction with human stromal cells enhances CXCR4 expression and engraftment of cord blood Lin(-)CD34(-) cells.	小船雅義	第4内科
Intern Med 2008;47(11)	Successful treatment of autoimmune pancreatitis complicated with autoimmune thrombocytopenia and interstitial pneumonia by prednisolone.	村瀬和幸	第4内科
Intern Med 2008;47(8)	Successful treatment of chronic myeloproliferative disease-unclassifiable (CMPD-U) with no chromosomal abnormalities by imatinib mesylate.	井山 諭	第4内科
Nat Biotechnol 2008 Apr;26(4)	Resolution of liver cirrhosis using vitamin A-coupled liposomes to deliver siRNA against a collagen-specific chaperone.	佐藤康史	第4内科
Jpn J Clin Oncol 2008 Apr;38(4)	A Phase I trial of arterial infusion chemotherapy with gemcitabine and 5-fluorouracil for unresectable advanced pancreatic cancer after vascular supply	宮西浩嗣	第4内科
Int J Hematol 2008 May;87(4)	Ex vivo large-scale generation of human red blood cells from cord blood CD34+ cells by co-culturing with macrophages.	藤見章仁	第4内科
Hepatol Res 2008 May;38(5)	Case report of a focal nodular hyperplasia-like nodule present in cirrhotic liver.	高橋 祥	第4内科
Clin Cancer Res 2008 Jan 1;14(1)	Aberrant crypt foci as precursors of the dysplasia-carcinoma sequence in patients with ulcerative colitis.	荃津武大	第4内科
Leukemia 2008 Feb;22(2)	Combination therapy of an anticancer drug with the FNIII14 peptide of fibronectin effectively overcomes cell adhesion-mediated drug resistance of acute	松永卓也	第4内科
Stem Cells 2008 Feb;26(2)	Adenoviral vector-mediated transfer of the Indian hedgehog gene modulates lymphomyelopoiesis in vivo.	佐藤康史	第4内科
Neurosci Res 2008 62(4)	Synergistic effect of galantamine on nicotine-induced neuroprotection in hemiparkinsonian rat model	Yanagida T, Takeuchi H, Kitamura Y et al	神経内科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
J Neurosci Res 2009 87(2)	Nicotinic receptor stimulation protects nigral dopaminergic neurons in rotenone-induced Parkinson's disease models	Takeuchi H, Yanagida T, Inden M et al	神経内科
J Neurol Sci 2009 276(1-2)	Age at onset influences on wide-ranged clinical features of sporadic amyotrophic lateral sclerosis	Atsuta N, Watanabe H, Ito M et al	神経内科
J Neurochem 2009 108(2)	N-cadherin-based adhesion enhances Abeta release and decreases Abeta42/40 ratio	Uemura K, Lill CM, Banks M et al	神経内科
Eur J Neurol 2009 16(2)	Diagnostic accuracy of cardiac metaiodobenzylguanidine scintigraphy in Parkinson disease	Sawada H, Oeda T, Yamamoto K et al	神経内科
Biol Pharm Bull 2009 32(3)	Nicotinic receptor-mediated neuroprotection in neurodegenerative disease models	Shimohama S	神経内科
Am J pathol 2009 175(1)	Involvement of WAVE accumulation in Abeta/APP pathology-dependent tangle modification in Alzheimer's disease	Takata K, Kitamura Y, Nakata Y et al	神経内科
Liver Int 2009;29(7):979-87.	Impaired liver regeneration with humoral and genetic disturbances in urinary trypsin inhibitor-deficient mice.	Nobuoka T	第一外科
Hepatogastroenterology. 2008;55(88):2188-	Rapid recovery of postoperative liver function after major hepatectomy using saline-linked electric cautery.	Mizuguchi T	第一外科
Int J Oncol. 2009 Feb;34:361-70.	Predicting response to docetaxel neoadjuvant chemotherapy for advanced breast cancers through genome-wide gene expression profiling.	Hirata K	第一外科
Histochem Cell Biol. 2009;131(3):411-24.	Knockdown of tight junction protein claudin-2 prevents bile canalicular formation in WIF-B9 cells.	Hirata K	第一外科
Surg Today. 2008;38(11):1021-8.	Surgery versus radiochemotherapy for resectable locally invasive pancreatic cancer: final results of a randomized multi-institutional trial.	Hirata K	第一外科
J Gastrointest Surg. 2009;13:325-33.	Prognostic impact of surgical complications and preoperative serum hepatocyte growth factor in hepatocellular carcinoma patients after initial	Mizuguchi T	第一外科
Breast Cancer. 2009;16:49-57.	The treatment outcome of patients undergoing breast-conserving therapy: the clinical role of postoperative radiotherapy.	Hirata K	第一外科
Jpn J Antibiot. 2008;61(3):122-71.	Bacteria isolated from surgical infections and its susceptibilities to antimicrobial agents—special references to bacteria isolated between April 2006 and	Hirata K	第一外科
J Hepatobiliary Pancreat Surg. 2008;15:403-9.	Efficient transformation of small hepatocytes into insulin-expressing cells by forced expression of Pdx1.	Mizuguchi T	第一外科
Gan To Kagaku Ryoho 2008 Jul;35:1239-42.	A case of advanced pancreatic cancer successfully treated by combined chemotherapy of S-1 and gemcitabine	Hirata K	第一外科
Surg Today 2008;38:623-32	Efficacy of a continuous venous infusion of fluorouracil and daily divided dose cisplatin as adjuvant therapy in resectable colorectal cancer: a prospective randomized	Hirata K	第一外科
Surg Today 2008;38:463-8.	Living donor liver transplantation in a patient with giant hepatic hemangioma complicated by Kasabach-Merritt syndrome: report of a case.	Meguro M	第一外科
J Hepatobiliary Pancreat Surg 2008;15:310-7	In vitro transformation of adult rat hepatic progenitor cells into pancreatic endocrine hormone-producing cells.	Mizuguchi T	第一外科
J Transl Med 2008 May 10;6:24.	Clinical and immunological evaluation of anti-apoptosis protein, survivin-derived peptide vaccine in phase I clinical study for patients with advanced or recurrent	Hirata K	第一外科
J Gastrointest Surg 2008;12:1185-92.	Prospective nonrandomized comparison between pylorus-preserving and subtotal stomach-preserving pancreaticoduodenectomy from the perspectives of DGE	Kimura Y	第一外科
J Cell Biochem. 2008;104(1):68-81.	Functional expression of organic anion transporters in hepatic organoids reconstructed by rat small hepatocytes.	Hirata K	第一外科
北海道外科雑誌 2008;53(1):8-19	カレントトピックス 診療ガイドラインをどう活用するか—医学・医療におけるガイドラインの活用法と今日の当該領域の国策—	平田 公一	第一外科
Surgery Frontier 2008; 15(3):229-230	特集どこまで切除するか—量・悪性境界型腫瘍性病変—特集によせて「臨床の現場からみた癌化の基礎研究と細胞診、組織診への期待」	平田 公一	第一外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
臨床消化器内科 2008;23(10):1395-	特集 膵炎診療をめぐる最近の動向—ガイドライン、 診断基準を含めて「急性膵炎診療ガイドライン」改 訂第2版—改訂の要点とその解説・問題点	平田 公一	第一外科
Biotherapy 2008;22(5):271-285	総説 免疫細胞療法の現状、問題点と展望	平田 公一	第一外科
腫瘍内科 2008;2(5):380-386	日本癌治療学会とがん診療ガイドライン	平田 公一	第一外科
日本腹部救急医学会 雑誌 2009;29(1):11-20	日本腹部救急医学会の役割と展望—腹部救急疾 患診療ガイドライン普及への貢献と臨床データベ ースの構築を中心に—	平田 公一	第一外科
Digestive Surgery 2008;9(1):5	脂肪肝は広範囲肝切除後の合併症の危険因子:症 例対照研究	平田 公一	第一外科
消化器外科 Nursin g 2009;春季増刊:103-	【イラストでカンタン理解!消化器外科疾患30の病態生理 とケア】 腸 虚血性腸疾患	古畑 智久	第一外科
北海道外科雑誌 2008;53(1):20-24	診療ガイドラインをどう活用するか 大腸癌治療ガイド ラインの活用の現状	古畑 智久	第一外科
日本膵・胆管合流異 常研究会プロシー 2008;31:17-18	膵・胆管合流異常症根治術後6年で発生した残膵・ 胆管IPMNの一例	木村 康利	第一外科
日本腹部救急医学会 雑誌 2008;28(4):557-560	【改定された「急性膵炎の診療ガイドライン」】 診断 基準のコンセプト	木村 康利	第一外科
北海道外科 2008;53:25-31	診療ガイドラインをどう活用するか 乳癌—外科療 法を中心に—	大村 東生	第一外科
北海道新聞 生活面 2008;13:00	WithYou北海道「乳がんケア 本音で討論」	大村 東生	第一外科
Biotherapy 2009;23:128-135	乳癌におけるバイオマーカー	鈴木やすよ	第一外科
外科治療 2009;99(3):259-	創傷処置の基本と実際	亀嶋 秀和	第一外科
外科治療 2008;99:259-265	創傷処置の基本と実際	亀嶋 秀和	第一外科
消化器外科 2008;31(5):744-75	噴門側胃切除・空腸嚢間置術	信岡 隆幸	第一外科
消化器外科 2008;31:1123-31	膵頭部浸潤性膵肝癌に対する外科治療	永山 稔	第一外科
侵襲をめぐるQ&A 2008;15:463-66	Q39 外科的ストレスにおける一酸化窒素(NO)の 役割について教えてください	永山 稔	第一外科
tumor res 2008;43:31-37	Short- and midterm outcomes of laparoscopy assisted colectomy for colon and rectosigmoid cancer	T. Nishidate	第一外科
外科 2008;70(8):836-842	再発大腸癌の診断・治療—最近の進歩 局所再発 癌の診断	西館 敏彦	第一外科
J Gastrointest Surg 2008;21(7):1185-92	Prospective nonrandomized comparison between pylorus- preserving and subtotal stomach-preserving pancreaticoduodenectomy from the perspectives of DGE occurrence and postoperative digestive functions.	秋月 恵美	第一外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
胆膵の生理機能 2008;24:19-23	術後膵・消化管ホルモン動態からみたSSPPD・ PPPD症例の検討	秋月 恵美	第一外科
消化器癌の外科治療 2008:156-159	4.膵癌や胆道癌による黄疸と減黄	山口 洋志	第一外科
腎と透析 2008;65:355-359	血液浄化療法2009. 血液浄化療法の臨床. 急性血 液浄化療法の適応. 重症急性膵炎.	巽 博臣	第一外科
ICUとCCU 2008;32:176-178	肺酸素化能が改善するPMX-DHPの至適施行時間 と適応症例は?	巽 博臣	第一外科
人工呼吸 2008;25:181	人工呼吸管理中のMODS症例に対する栄養管理戦 略~血糖値管理と腸管機能の維持の重視~	巽 博臣	第一外科
International Journal of Clinical Oncology 2008;in press	Clinical compliance to oral uracil/tegafur (UFT) plus leucovorin (LV) regimen as adjuvant chemotherapy in Japanese colorectal cancer	目黒 誠	第一外科
消化器外科学レ ビュー2009 2009:236-242	外科侵襲とサイトカイン	目黒 誠	第一外科
消化器外科 2008;31(9):1431-	外科侵襲が免疫機構に与える影響 中枢神経・内 分泌経路の役割を中心に	目黒 誠	第一外科
消化器外科 2008;31(10):1577-	侵襲後の免疫系変化 Th1/Th2バランスから cytokine modulationへ	目黒 誠	第一外科
消化器外科 2008;31(11):1693-	侵襲後の反応における遺伝子多型の関わり	目黒 誠	第一外科
消化器外科 2009;32(1):115-123	外科侵襲における免疫栄養の役割	目黒 誠	第一外科
消化器外科 2009;32(2)245-254	侵襲後の病態と血液浄化療法の役割 SIRS・ CARS・MARSからSLIRS・LISISへ	目黒 誠	第一外科
J Thorac Cardiovasc Surg 2008Nov;136(5):1357 -63, 1363.e1-2. Epub 2008 Sep 24	Is lung cancer resection indicated in patients with idiopathic pulmonary fibrosis?	Watanabe A, Higami T, Ohori S, Koyanagi T, Nakashima S, Mawatari T	第二外科
Eur J Cardiothorac Surg 2009 Jan;35(1):177. Epub 2008 Nov 7. No abstract available.	Perforation of the duodenum by a vascular prosthesis following hybrid repair of a thoracoabdominal aortic aneurysm.	Ito T, Kurimoto Y, Kawaharada N, Higami T	第二外科
Surg Today 2008;38(10):926-30. Epub 2008 Sep 27	An experimental evaluation of the lactate concentration following mesenteric ischemia.	Kurimoto Y, Kawaharada N, Ito T, Morikawa M, Higami T, Asai Y	第二外科
Eur J Cardiothorac Surg 2008 May;33(5):812- 8. Epub 2008 Mar 14	Is video-assisted thoracoscopic surgery a feasible approach for clinical N0 and postoperatively pathological N2 non-small cell lung cancer?	Watanabe A, Mishina T, Ohori S, Koyanagi T, Nakashima S, Mawatari T, Kurimoto Y, Higami T	第二外科
Circ J 2008 Mar;72(3):449- 53	Management of left subclavian artery in endovascular stent-grafting for distal aortic arch disease	Kurimoto Y, Ito T, Harada R, Hase M, Kuwaki K, Kawaharada N, Morishita K, Higami T,	第二外科
Ann Thorac Surg 2008 Feb;85(2):513-9	Does intensive management of cerebral hemodynamics and atheromatous aorta reduce stroke after coronary artery surgery	Nakamura M, Okamoto F, Nakanishi K, Maruyama R, Yamada A, Ushikoshi S, Terasaka S, Kuroda S, Sakai K,	第二外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
CIRCULATION Up-to-Date(1881-3585) 3巻3号 2008.09	【大動脈ステントグラフトにおける治療最前線】 外傷性大動脈損傷に対するステントグラフト内挿術(解説/特集)	栗本義彦(札幌医科大学 救急・集中治療医学講座), 浅井康文, 樋上	第二外科
日本心臓血管外科学会雑誌(0285-1474) 37巻6号 2008.11	開窓術を併用した解離性大動脈瘤人工血管置換末梢側吻合部の瘤拡大に対しステントグラフト治療が奏功した1例(原著論文/症例報告/抄録あり)	伊藤寿朗(札幌医科大学 第二外科), 栗本義彦, 川原田修義, 中島智博, 田淵正樹, 上原麻由子, 柳清洋祐, 山内昭彦, 馬場俊雄, 樋上哲哉	第二外科
日本血管外科学会雑誌(0918-6778) 17巻4号 2008.06	胸腹部大動脈ホモグラフト置換部破裂に対しステントグラフト内挿術にて救命した1例(原著論文/症例報告/抄録あり)	伊藤寿朗(札幌医科大学 第二外科), 川原田修義, 原田亮, 黒田陽介, 栗本義彦, 樋上哲哉	第二外科
日本老年医学会雑誌(0300-9173) 45巻3号 2008.05	高齢者と心臓外科(解説)	樋上哲哉	第二外科
日本血管外科学会雑誌(0918-6778) 17巻3号 2008.04	5. Stanford B型大動脈解離に合併した両側下肢虚血と腎機能障害に対して緊急ステントグラフト内挿術を施行した1例(原著論文/症例報告/抄録あり)	前田俊之(札幌医科大学 第二外科), 栗本義彦, 大澤久慶, 川原田修義, 森下清文, 樋上哲哉	第二外科
脈管学 2008;48(3):283-92	救命救急センターにおける胸部大動脈ステントグラフトの役割	栗本義彦, 浅井康文, 長谷守, 奈良理, 森和久, 山直也, 伊藤寿朗, 馬場俊雄, 川原田修義, 樋上哲哉	第二外科
北海道整災外 49:31-34, 2008	北海道のスポーツ医学ー現状と課題ー スピードスケートにおけるスポーツ障害	渡邊耕太	整形外科
北海道整災外 50:13-19, 2008	骨肉腫におけるTRAILによるアポトーシス誘導能調節分子の同定	武田真太郎	整形外科
北海道整災外 50:81-84, 2008	手根管症候群を呈した結核性屈筋腱鞘滑膜炎の1例	瀧村浩介	整形外科
北海道整災外 50:85-87, 2008	指節骨に発生した骨サルコイドーシスの1例	宮川 健	整形外科
北海道整災外 50:97-100, 2008	骨脆弱性骨折における2次性骨折発症予防のための薬物使用状況について	畠山尚子	整形外科
整・災外 51:80-81, 2008	手関節周辺部における橈骨神経知覚枝損傷の手術治療. 神経縫合・剥離術・神経腫切除術	青木光広	整形外科
整・災外 51:365-368, 2008	Link MPシステムを用いた人工股関節再置換術の2例	江森誠人	整形外科
整・災外 51:483-486, 2008	腰部脊柱管狭窄症に対する内視鏡下腰椎後方除圧術後に生じた椎間関節嚢腫の1例	河村秀仁	整形外科
整・災外 51:1257-1262, 2008	婦人科疾患に伴う腰・下肢痛	吉本三徳	整形外科
整・災外 51:1529-1535, 2008	肘関節鏡に必要な橈骨・正中神経の機能解剖:ポータル操作による神経損傷を回避するために	青木光広	整形外科
整・災外 51:1617-1620, 2008	ポリオによる大腿骨低形成を伴った大腿骨転子部骨折の1例	江森誠人	整形外科
肩関節 32:619-622, 2008	腱板滑液包側不全断裂と腱板完全断裂に対する鏡視下修復術の比較検討	堀籠圭子	整形外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
日本手の外科学会 24:709-711, 2008	手根管開放術前後における知覚評価 -Neurometerを用いた電流知覚閾値による検討-第2報-	大木 豪介	整形外科
日本手の外科学会 24:980-983, 2008	拡散強調MRIを用いた手根管症候群における画像診断 の試み	堀 清成	整形外科
日本手の外科学会 24:1077-81, 2008	尺骨短縮術の治療成績	織田 崇	整形外科
関節鏡 33:211-216, 2008	肩甲上神経麻痺を呈した棘下切痕部ガングリオンの鏡視 所見	廣瀬 聡明	整形外科
日本人工関節学会誌 38:100-101, 2008	円筒型ステムと四角型ステムの大腿骨骨質の変化	名越 智	整形外科
日本人工関節学会誌 38:446-447, 2008	人工股関節置換術後のステム周辺骨折の治療経験	中山 央	整形外科
日本人工関節学会誌 38:450-451, 2008	高位脱臼性股関節症における臼蓋形態の検討	館田 健児	整形外科
日本膝関節学会誌 32:318-322, 2008	健常者に生じた大腿四頭筋腱断裂の3例	佐藤 貴博	整形外科
Osteoporosis Japan 16:640-643, 2008	Hip Structure Analysisを用いた骨粗鬆症の治療評価	高田 潤一	整形外科
Hip Joint 34:154-157, 2008	大腿骨頭壊死症に対する大腿骨頭後方回転骨切り術の 臨床成績	佐々木 幹人	整形外科
整形外科 59:351-355, 2008	骨形成不全に対するビスホスホネート治療の10年間のま とめ	宮川 健	整形外科
整形外科 59:571-576, 2008	腰部脊柱管狭窄症に対する内視鏡下片側侵入両側除圧 術における侵入側椎間関節切除量の検討	吉本 三徳	整形外科
臨整外 43:451-456, 2008	手・肘関節鏡手術の現況と展望 上腕骨外側上顆炎に対 する鏡視下手術	辻 英樹	整形外科
臨整外 43:1131-1135, 2008	腰部脊柱管狭窄症手術後の遺残性下肢症状に対するリ マプロストアルファデクスの臨床効果	吉本 三徳	整形外科
日本脊椎脊髄病学会誌 19:759-763, 2008	腰部脊柱管狭窄症に対する内視鏡下および顕微鏡下除 圧術の成績-3術式の比較検討-	吉本 三徳	整形外科
日本人工関節学会誌 38:450-51, 2008	高位脱臼性股関節症における臼蓋形態の検討	館田 健児	整形外科
J Bone Joint Surg 90-B:140-144, 2008	Diagnosis of peri-prosthetic infection at the hip using triple-phase bone scintigraphy	Nagoya S	整形外科
Spine 33:2483-2488, 2008	Gene expression profile of dorsal root ganglion in a lumbar radiculopathy model	Takeuchi T	整形外科
J Orthop Res 26:271-278, 2008	Clonal T-cell response against autologous pleomorphic malignant fibrous histiocytoma antigen presented by retrieved HLA-A*0206	Kimura S	整形外科
J Bone Miner Metab 26:107-9, 2008	A significant improvement in lower limb pain after treatment with alendronate in two cases of Camurati-Engelmann disease	Iba K	整形外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
J Hand Surg [Am] 33:398-401, 2008	Sea urchin spine arthritis of the hand	Wada T	整形外科
Am J Sports Med 36:348-352, 2008	Three-dimensional analysis of ankle instability after tibiofibular syndesmosis injuries: a biomechanical experimental study	Teramoto A	整形外科
J Shoulder Elbow Surg 17:585-688, 2008	The relationship between the pressure adjacent to the ulnar nerve and the disease causing cubital tunnel syndrome	Iba K	整形外科
J Orthop Sci 13:324-327, 2008	Primary Total Hip Arthroplasty with Asian-Type AML Total Hip Prosthesis: Follow-Up for More Than 10 Years	Kaya M	整形外科
J Orthop Sci 13:379-382, 2008	Periosteal chondrosarcoma with microscopic cortical invasion	Matsumura T	整形外科
J Orthop Sci 13:383-386, 2008	Morphological changes of the dorsal root ganglion in a patient with herpes zoster seen by magnetic resonance imaging	Yoshimoto M	整形外科
J Orthop Sci 13:438-41, 2008	Changes in urinary NTX levels in patients with primary osteoporosis undergoing long-term bisphosphonate treatment	Iba K	整形外科
Clin Biomech 23:619-622, 2008	Temporary tendon strengthening by preconditioning	Teramoto A	整形外科
Cancer Sci 99: 368-375, 2008	Prognostic impact and immunogenicity of a novel osteosarcoma antigen, papillomavirus binding factor, in patients with osteosarcoma	Tsukahara T	整形外科
Curr Immunol Rev 4:235-241, 2008	Antigenic peptide vaccination: Provoking immune response and clinical benefit for cancer	Tsukahara T	整形外科
Cell Tissue Res 334:243-54, 2008	IGF-I regulates tight-junction protein claudin-1 during differentiation of osteoblast-like MC3T3-E1 cells via a MAP-kinase pathway	Hatakeyama N	整形外科
J Gene Med 10:597-609, 2008	Selective gene transfer into neurons via Na,K-ATPase beta1. Targeting gene transfer with monoclonal antibody and adenovirus vector	Ishii K	整形外科
Mol Biol cell 19:1912-21, 2008	Tight Junction Proteins Claudin-2 and -12 Are Critical for Vitamin D-dependent Ca ²⁺ Absorption between Enterocytes	Fujita H	整形外科
Orthopedics 396:396, 2008	Cup-neck impingement due to implant malposition as a possible mechanism for metallosis in metal-on-metal total hip arthroplasty	Onda K	整形外科
Plastic and reconstructive surgery 121:354-5, 2008	Vascularized metatarsophalangeal joint transfer for giant cell tumor of the proximal phalanx of the hand	Kanaya K	整形外科
Skeletal Radiol 37:1085-1090, 2008	MRI and Histological Evaluation of the Infiltrative Growth Pattern of Myxofibrosarcoma	Kaya M	整形外科
Neurosurg Rev 2008 Aug;31	(Comments)Aneurysm clipping after endovascular treatment with coils: a report of 13 cases.	Houkin K	脳神経外科
Neurosurg Rev 2008 Sep;31	(Comments)Hypoglossal artery:a review of normal and pathological features.	Houkin K	脳神経外科
Neurosurgery 2008 Sep;63	Radiological findings and clinical course of conus lipoma: implications for surgical treatment.	Koyanagi I	脳神経外科
J Neurol Neurosurg Psychiatry 2008 Oct;79	Interstitial spinal cord oedema in syringomyelia associated with Chiari type I malformation.	Akiyama Y	脳神経外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
分子脳血管病 2008 Apr;7	脳血行再建術の進歩	飯星智史	脳神経外科
分子脳血管病 2008 Apr;7	脳梗塞に対する骨髄幹細胞療法	宝金清博	脳神経外科
脳卒中の外科 2008 Apr;36	高齢者頸動脈狭窄症に対する頸動脈ステント留置術	野中 雅	脳神経外科
臨床のあゆみ 2008 Jun;76	患者自身の骨髄幹細胞移植による脳梗塞治療、国内初の臨床試験を実施して、大きな成果	宝金清博	脳神経外科
Clinical Rehabilitation 2008 Jul;17	再生医療—脳卒中—	本望 修	脳神経外科
脳外誌 2008 Jul;17	骨髄幹細胞を用いた脳梗塞の治療	本望 修	脳神経外科
脳外誌 2008 Aug;17	頭蓋血行再建のすべて	宝金清博	脳神経外科
神経治療学 2008 Sep;25	脳梗塞急性期の治療(4)再生医療(骨髄移植を中心に)	本望 修	脳神経外科
Blood 2008;111	CCL8 is a potential molecular candidate for the diagnosis of graft-versus-host disease.	Hori T, et al	小児科
J Med Virol 2008;80	Quantification of BK polyoma viruria in Japanese children and adults with hemorrhagic cystitis complicating stem cell transplantation.	Tanaka K, et al	小児科
Microbiol Immunol 2008;52:00	Diversity of staphylocoagulase and identification of novel variants of staphylocoagulase gene in Staphylococcus aureus.	Kinoshita M, et al	小児科
Pediatr Int 2008;50:00	Increased serum high-sensitivity C-reactive protein is related to hypoxia and brain natriuretic peptide in congenital heart disease.	Tomita H, et al	小児科
Int Immunol 2008;20:00	Soluble G protein of respiratory syncytial virus inhibit Toll-like receptor 3/4-mediated IFN-beta induction.	Shingai M, et al	小児科
J Dermatol Nov; 35(11): 729-31,	Postmenopausal frontal fibrosing alopecia in a Japanese woman with Sjögren's syndrome	Sato M, Saga K, Takahashi H	皮膚科
J Invest Dermatol Mar 19, 2009. [Epub ahead of print]	N-Propionyl-Cysteaminylphenol-Magnetite Conjugate(NPrCAP/M) Is a Nanoparticle for the Targeted Growth Suppression of Melanoma Cells	Sato M, Yamashita T, Ohkura M, Osai Y, Sato A, Takada T, Matsusaka H, Ono I, Tamura Y, Sato N, Sasaki Y, Ito A, Honda H, Wakamatsu K, Ito S,	皮膚科
皮膚科の臨床 50: 787-790, 2008	16年後に生じた乳癌の Delayed Cutaneous Matastasis の1例	菅 裕司, 西坂尚大, 菊地梨沙, 米田明弘, 松坂英信, 小野一郎, 山下利春, 神保孝一, 細川蒼至雄	皮膚科
皮膚科の臨床 51: 97-100, 2009	急速な経過をとった Primary Cutaneous Anaplastic Large Cell Lymphoma の1例	菅 裕司, 西坂尚大, 佐藤誠弘, 柳澤健二, 廣崎邦紀, 嵯峨賢次, 神保孝一	皮膚科
皮膚科の臨床 51:193-195, 2009	頸部軟骨母斑の1例	高田知明, 佐藤牧人, 酒本亜紀子, 神谷崇文, 山田康博, 陣野原有利恵, 小野一郎, 山下利春, 神保孝一	皮膚科
皮膚科の臨床 50:1174-1175, 2008	皮角様外観を呈した悪性黒色腫の1例	高田知明, 佐藤牧人, 酒本亜紀子, 川上聡経, 遠藤元宏, 富永晃広, 小野一郎, 山下利春, 稲尾雅代, 山田和宏, 神保孝一	皮膚科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
皮膚科の臨床 50: 1759-1761, 2008	疼痛を伴った肺癌皮膚転移の一例	加藤潤史, 高塚紀子	皮膚科
皮膚科の臨床 50: 1587-1590, 2008	伊達赤十字病院における疥癬78例の統計的検討	廣崎邦紀	皮膚科
皮膚科の臨床 50: 1025-1027, 2008	ヒト乳頭腫ウイルス16型が検出された上唇 Bowen 病の1例	菊地梨沙, 黄倉真恵, 山下利春, 神保孝一	皮膚科
皮膚科の臨床 50: 1109-1112, 2008	ウェスタンブロット法により診断されたライム病の1例	菊地梨沙, 山下利春, 橋本喜夫, 伊東拓也	皮膚科
皮膚科の臨床 50: 1185-1188, 2008	重粒子線治療を行った脈絡膜悪性黒色腫の1例	國本梨沙, 平野桃子, 菅裕司, 西坂尚大, 森 暁, 米田明弘, 山下利春, 神保孝一, 大黒 浩, 辻比呂志, 溝田 淳, 佐藤明彦	皮膚科
J Invest Dermatol 2008	Macrophage inhibitory cytokine-1 (MIC-1): A new player in the melanoma development	Yamashita T et al	皮膚科
J Invest Dermatol 128: 143-150, 2008	Rab7 regulates maturation of melanosomal matrix protein gp100/Pmel17/Silv	Kawakami A et al	皮膚科
Wound Rep Regen. In press	De novo follicular regeneration of the skin by Wnt3 and BMP2 genes introduced to dermal fibroblast and FGF2 protein	Ono I, Akasaka Y, Kamiya T, Sato M, Yamashita T	皮膚科
PEPARS 2008; 21: 36-39	【特集・皮膚腫瘍】外来治療のコツ. 石灰化上皮腫	斎藤 有, 山内 誠, 四ッ柳高敏	形成外科
形成外科 2008; 51(5): 547-553	【連載】私の手術と合併症回避のコツ. 埋没耳に対する耳介形成術	四ッ柳高敏	形成外科
形成外科 2008; 51(7): 765-773	【特集】耳介変形の治療update. 小耳症に対する再形成術	四ッ柳高敏, 山内 誠, 池田佳奈枝, 新井孝志郎, 須田徹也	形成外科
形成外科 2008; 51増刊: s94-99	Ⅱ創傷外科各論 1.急性創傷. 5)特殊な外傷. b)化学損傷	江副京理, 四ッ柳高敏	形成外科
形成外科 2008;51:1117	精神外科医としての誇り	四ッ柳高敏	形成外科
家庭医学大事典 2008;51:1973-81	耳介の形態異常、鼻の形態異常	四ッ柳高敏	形成外科
形成外科 2008; 51(11): 1327-	手掌部の隆起性腫瘤として発生したcutaneous Rosai-Dorfman disease の一例	須田徹也, 今井章仁, 岩木宏之	形成外科
室蘭病医誌 2008; 33(1): 40-44	当科における顔面外傷症例の検討	中川嗣文, 石崎カ久	形成外科
臨小児医 2008; 56(5・6): 113-120	口唇裂・口蓋裂に対する札幌医科大学形成外科の治療方針	池田佳奈枝, 新井孝志郎, 山内誠, 四ッ柳高敏	形成外科
Burns 2009; 35(3): 383-389	Immunosuppressive effect on T cell activation by interleukin-16-and interleukin-10-cDNA-double-transfected human squamous cell line	Matsumoto Y, Fujita T, Hirai I, Sahara H, Torigoe T, Ezoe K, Saito T, Cruikshank W.W, Yotsuyanagi T, Sato N	形成外科
形成外科 2009; 52(1): 93-97	両側鼻唇溝皮弁を用いて口蓋裂術後の口蓋瘻孔を閉鎖した一例	山内 誠, 四ッ柳高敏, 江副京理, 斎藤 有, 池田佳奈枝, 中川嗣文	形成外科
形成外科 2009; 52(3): 319-324	先天性正中鼻瘻孔を伴った前頭・鼻異形成症候群の一例	三上 誠, 四ッ柳高敏, 榎熊有子, 斎藤真喜子, 渡辺庸介, 漆館聡志, 横井克憲	形成外科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
Indian J Urol 2008 Jan-Mar	Prognostic biomarkers of renal cell carcinoma: Recent advances	Kitamura H, Tsukamoto T	泌尿器科
Int J Urol 2008 Jan; 15 (1)	Alteration of glial cell line-derived neurotrophic factor family receptor alpha-2 mRNA expression and its co-expression with neuronal nitric oxide synthase in pelvic ganglia following unilateral cavernous nerve injury	Hisasue S, Kato R, et al	泌尿器科
Jpn J Clin Oncol 2008 38 (1)	Prognostic value of surgical margin status for biochemical recurrence following radical prostatectomy	Hashimoto K, Masumori N, et al.	泌尿器科
Jpn J Clin Oncol 2008 38 (2)	Influence of body mass index and total testosterone level on biochemical recurrence following radical prostatectomy	Hisasue S, Yanase M, et al	泌尿器科
Urology 2008 August; 72 (2)	Acute normovolemic hemodilution for radical retropubic prostatectomy and radical cystectomy	Takayanagi A, Masumori N, et al.	泌尿器科
Int J Urol 2008 Nov 15 (11)	Clinical course linkage among different priapism subtypes: Dilemma in the management strategies	Hisasue S, Kobayashi K, et al.	泌尿器科
J Sex Med 2008 Sep; 5 (9)	Inhibition of seminal emission is the main cause of anejaculation induced by a new highly selective $\alpha 1a$ -blocker I normal volunteers	Kobayashi K, Masumori N, et al.	泌尿器科
Int J Imp Res 2008 Nov-Dec; 20 (6)	The aging males' symptoms scale for Japanese men: reliability and applicability of the Japanese version	Kobayashi K, Hashimoto K, et al.	泌尿器科
Clini Cancer Res 2008 Nov; 14 (21)	Identification of an immunogenic CTL epitope of HIFPH3 for immunotherapy of renal cell carcinoma	Sato E, Torigoe T, et al.	泌尿器科
J Infect Chemotherapy 2008 Dec; 14 (6)	Clinical efficacy of azithromycin for male nongonococcal urethritis	Takahashi S, Matsukawa M, et al	泌尿器科
J Infect Chemotherapy 2008 Dec; 14 (6)	Septic pulmonary embolism caused by <i>Candida albicans</i> after treatment for urinary multidrug-resistant <i>Pseudomonas aeruginosa</i>	Takahashi S, Uehara T, et al	泌尿器科
医学書院 2008	ワンサンアンギーナおよび血液疾患に伴うアンギーナ 今日の耳鼻咽喉科頭頸部外科治療指針 第3版	氷見徹夫	耳鼻咽喉科
朝倉書店 2008	耳の年齢 からだの年齢事典 鈴木隆雄, 衛藤隆 編	氷見徹夫	耳鼻咽喉科
医学書院 2008	咽喉頭異常感症 今日の治療指針2008	氷見徹夫	耳鼻咽喉科
保健同人社 2008	病気の知識、頭頸部のがん. 家庭の医学	新谷朋子	耳鼻咽喉科
保健同人社 2008	病気の知識、のどの病気. 家庭の医学	新谷朋子	耳鼻咽喉科
真興交易株式会社医学出版部 57-59, 2008	顔面神経麻痺. 痛み疾患の画像診断. 表圭一編著	小西正訓	耳鼻咽喉科
真興交易株式会社医学出版部 60-67, 2008	副鼻腔炎、副鼻腔嚢胞、副鼻腔腫瘍. 痛み疾患の画像診断. 表圭一編著	小西正訓	耳鼻咽喉科
Expert Opin Ther Targets 12(4): 415-423, 2008	Cysteinyl leukotriene receptor CysLT1 as a novel therapeutic target for allergic rhinitis	Shirasaki H	耳鼻咽喉科
Allergol Int 57(1):93-96, 2008	Detection of Specific IgE Antibodies in Sera of Japanese Birch-Allergic Patients Using Recombinant Allergens Bet v 1, Bet v 2 and Bet v 4	Shirasaki H, Yamamoto T, Koyanagi Y, Watanabe N, Himi T	耳鼻咽喉科

雑誌名 掲載発行年月日・号数	題名	発表者氏名	所属部門
Clin Exp Allergy Reviews 8: 50-52,2008	Role of cysteinyl leukotriene receptor antagonists in the management of allergic rhinitis	Shirasaki H, Himi T	耳鼻咽喉科
J Infect Chemother 14:223-227, 2008	Remarkably high prevalence of fts. gene mutations in Haemophilus influenzae isolates from the upper respiratory tract infections in children of the Sapporo	Harimaya A, Yokota S, Sato K, Himi T, Fujii N	耳鼻咽喉科
J Mol Histol 39(3):265-73, 200	Expression of tight junction proteins in epithelium including Ck20-positive M-like cells of human adenoids in vivo and in vitro	Takano K, Kojima T, Ogasawara N, Go M, Kikuchi S, Ninomiya T, Kurose M, Koizumi J, Kamekura R, Murata M, Naka S, Chiba H, Himi T	耳鼻咽喉科
Liver Int 28; 534-545, 2008	Transforming growth factor-beta induces epithelial to mesenchymal transition by down-regulation of claudin-1 and the fence function in adult rat hepatocytes.	Kojima T, Takano K, Yamamoto T, Murata M, Son S, Imamura M, Yamaguchi H, Osanai M, Chiba H, Himi T, Sawada N	耳鼻咽喉科
J Pathol Jan;214(1):75-84,2008	Tonsillar crypt epithelium of palmoplantar pustulosis secretes interleukin-6 to support B-cell development via p63/p73 transcription factors	Koshiba S, Iohimiya S, Nagashima T, Tonooka A, Kubo T, Kikuchi T, Himi T, Sato N	耳鼻咽喉科
Int J Pediatr Otorhinolaryngol Extra 3: 109-112, 2008	Lingual hamartoma in a newborn with chromosome 2q terminal deletion	Seki N, Shintani T, Tsubota H, Watanabe K, Ogasawara N, Ueda Y, Himi T	耳鼻咽喉科
Inflammation and Regeneration 28(3):160-5, 2008	Expression of thymic stromal lymphopoietin (TSLP) in allergic rhinitis: Induction of tight junction proteins in nasal epithelial cells and dendritic cells by epithelial-derived TSLP	Kamekura R, Kojima T, Koizumi J, Ogasawara N, Kurose M, Takano K, Go M, Himi T, Sawada N	耳鼻咽喉科
Prostaglandins Leukot Essent Fatty Acids 78 ; 305-309, 2008	Platelet-activating factor (PAF) increases NO production in human endothelial cells — real-time monitoring by DAR-4M AM	Kikuchi M, Shirasaki H, Himi T	耳鼻咽喉科
Mol Pharmacol 74(2):432-42, 2008	Protein kinase C enhances tight junction barrier function of human nasal epithelial cells in primary culture by transcriptional regulation	Koizumi J, Kojima T, Ogasawara N, Kamekura R, Kurose M, Go M, Harimaya A, Murata M, Osanai M, Chiba	耳鼻咽喉科
臨床免疫アレルギー科 2008; 50: 173-178	花粉症と食物抗原。特集: アレルゲンの交叉反応性	朝倉光司、白崎英明、山本哲夫	耳鼻咽喉科
第34回日耳鼻夏期講習 会テキスト 2008; 15-23	診断と治療、口腔アレルギー症候群	朝倉光司	耳鼻咽喉科
日本耳鼻咽喉科学会 会報 111:588-593, 2008	シラカバ花粉感作例における口腔アレルギー症候群を起す原因食物のクラスタリング	山本哲夫 朝倉光司 白崎英明 氷見徹夫	耳鼻咽喉科
診療と新薬 45:835-841 2008	通年性アレルギー性鼻炎患者における治療の実態調査	氷見徹夫, 大國毅, 正木智之, 長屋朋典	耳鼻咽喉科
耳鼻咽喉科免疫アレルギー 26:1-9 2008	IgG4関連疾患における頭頸部病変の位置づけ ミクリツ病、キョットナー腫瘍、Riedel甲状腺炎の復活	氷見徹夫, 亀倉隆大, 長島勉, 山本元久, 高橋裕樹	耳鼻咽喉科
アレルギーの臨床 28:355-360 2008	【耳鼻科咽喉科領域とアレルギー】口腔アレルギー症候群	氷見徹夫	耳鼻咽喉科
JOHNS 24: 427-430 2008	【手術・処置に役立つ臨床解剖】アデノイド切除術、口蓋扁桃摘出術のための臨床解剖	氷見徹夫	耳鼻咽喉科
耳鼻臨床 101:73-82 2008	ミクリツ病とキョットナー腫瘍(慢性硬化性唾液腺炎)の新しい疾患概念	氷見徹夫, 金泉悦子, 小笠原徳子, 山本元久, 高橋裕樹	耳鼻咽喉科
耳喉頭頸 80:33-39 2008	耳鼻咽喉科専門研修をはじめる医師へ 症例報告発表・論文執筆のコツ, 注意点】学会発表の方法・仕方	氷見徹夫	耳鼻咽喉科