

第2表 人口動態総覧（率）の年次推移（2-1）

年次 ¹⁾		出生率	死亡率	乳児死亡率	新生児死亡率	自然増減率	死産率 ²⁾	自然死産率 ²⁾	人工死産率 ²⁾
		(人口千対)	(人口千対)	(出生千対)	(出生千対)	(人口千対)	(出産千対)		
1899	明治 32年	32.0	21.5	153.8	77.9	10.5	89.1
1900	33	32.4	20.8	155.0	79.0	11.6	88.5
1901	34	33.9	20.9	149.9	77.1	13.0	93.8
1902	35	33.6	21.3	154.0	77.2	12.3	94.5
1903	36	32.7	20.4	152.4	75.8	12.3	93.6
1904	37	31.2	20.7	151.9	73.9	10.5	92.6
1905	38	31.2	21.6	151.7	71.2	9.6	89.1
1906	39	29.6	20.3	153.6	75.5	9.3	97.0
1907	40	34.0	21.4	151.3	73.5	12.6	89.6
1908	41	34.7	21.5	158.0	74.5	13.2	89.1
1909	42	34.9	22.5	167.3	76.5	12.4	87.1
1910	43	34.8	21.6	161.2	74.1	13.2	84.2
1911	44	35.1	20.9	158.4	72.8	14.1	81.6
1912	大正 元年	34.4	20.5	154.2	71.3	13.9	78.3
1913	2	34.3	20.0	152.1	70.7	14.2	77.6
1914	3	34.8	21.2	158.5	69.5	13.6	74.6
1915	4	34.1	20.7	160.4	69.7	13.4	72.8
1916	5	33.7	22.2	170.3	73.1	11.5	72.0
1917	6	33.5	22.2	173.2	77.1	11.3	71.9
1918	7	32.7	27.3	188.6	81.3	5.5	73.7
1919	8	32.3	23.3	170.5	72.6	9.0	69.5
1920	9	36.2	25.4	165.7	69.0	10.8	66.4
1921	10	35.1	22.7	168.3	68.5	12.4	65.0
1922	11	34.3	22.4	166.4	67.5	11.9	62.9
1923	12	35.2	22.9	163.4	66.3	12.2	61.5
1924	13	33.9	21.3	156.2	63.2	12.6	59.2
1925	14	34.9	20.3	142.4	58.1	14.7	56.3
1926	昭和 元年	34.6	19.1	137.5	56.9	15.5	55.7
1927	2	33.4	19.7	141.7	56.4	13.7	53.7
1928	3	34.1	19.8	137.6	54.2	14.4	53.3
1929	4	32.7	19.9	142.1	55.4	12.9	53.3
1930	5	32.4	18.2	124.1	49.9	14.2	53.4
1931	6	32.1	19.0	131.5	51.7	13.2	52.5
1932	7	32.9	17.7	117.5	47.9	15.2	51.9
1933	8	31.5	17.7	121.3	48.5	13.8	51.1
1934	9	29.9	18.1	124.8	50.6	11.8	52.4
1935	10	31.6	16.8	106.7	44.7	14.9	50.1
1936	11	30.0	17.5	116.7	48.1	12.4	50.2
1937	12	30.9	17.1	105.8	43.8	13.8	48.6
1938	13	27.2	17.7	114.4	46.2	9.4	49.1
1939	14	26.6	17.8	106.2	44.3	8.9	49.2
1940	15	29.4	16.5	90.0	38.7	12.9	46.0
1941	16	31.8	16.0	84.1	34.2	15.7	43.4
1942	17	30.9	16.1	85.5	34.1	14.7	41.0
1943	18	30.9	16.7	86.6	33.8	14.3	39.6
1947	22	34.3	14.6	76.7	31.4	19.7	44.2
1948	23	33.5	11.9	61.7	27.5	21.6	50.9	* 36.9	* 10.9
1949	24	33.0	11.6	62.5	26.9	21.4	66.7	* 39.1	* 25.9
1950	25	28.1	10.9	60.1	27.4	17.2	84.9	41.7	43.2
1951	26	25.3	9.9	57.5	27.5	15.4	92.2	43.0	49.3
1952	27	23.4	8.9	49.4	25.4	14.4	92.3	42.8	49.5
1953	28	21.5	8.9	48.9	25.5	12.6	93.8	43.5	50.2
1954	29	20.0	8.2	44.6	24.1	11.9	95.6	44.6	51.1
1955	30	19.4	7.8	39.8	22.3	11.6	95.8	44.5	51.3
1956	31	18.4	8.0	40.6	23.0	10.4	97.1	46.9	50.1
1957	32	17.2	8.3	40.0	21.6	8.9	101.2	49.9	51.3
1958	33	18.0	7.4	34.5	19.5	10.5	100.7	50.2	50.5
1959	34	17.5	7.4	33.7	18.6	10.1	100.6	51.3	49.3

注： *印は概数である。

1) 昭和19～21年は戦災による資料喪失等資料不備のため省略した。昭和22～47年は沖縄県を含まない数値である。

2) 死産率は死産数を出産数（死産数に出生数を加えたもの）で除している。

年次 ¹⁾		出生率	死亡率	乳児死亡率	新生児死亡率	自然増減率	死産率 ²⁾	自然死産率 ²⁾	人工死産率 ²⁾
		(人口千対)		(出生千対)		(人口千対)	(出産千対)		
1960	昭和 35年	17.2	7.6	30.7	17.0	9.6	100.4	52.3	48.1
1961	36	16.9	7.4	28.6	16.5	9.5	101.7	54.3	47.4
1962	37	17.0	7.5	26.4	15.3	9.5	98.8	54.2	44.6
1963	38	17.3	7.0	23.2	13.8	10.3	95.6	53.3	42.4
1964	39	17.7	6.9	20.4	12.4	10.7	89.2	51.7	37.5
1965	40	18.6	7.1	18.5	11.7	11.4	81.4	47.6	33.8
1966	41	13.7	6.8	19.3	12.0	7.0	98.2	55.2	43.1
1967	42	19.4	6.8	14.9	9.9	12.7	71.6	43.6	28.0
1968	43	18.6	6.8	15.3	9.8	11.8	71.1	43.4	27.7
1969	44	18.5	6.8	14.2	9.1	11.7	68.6	42.3	26.3
1970	45	18.8	6.9	13.1	8.7	11.8	65.3	40.6	24.7
1971	46	19.2	6.6	12.4	8.2	12.6	61.4	39.3	22.1
1972	47	19.3	6.5	11.7	7.8	12.8	57.8	37.8	20.1
1973	48	19.4	6.6	11.3	7.4	12.8	52.6	35.6	17.0
1974	49	18.6	6.5	10.8	7.1	12.1	51.3	34.9	16.4
1975	50	17.1	6.3	10.0	6.8	10.8	50.8	33.8	17.1
1976	51	16.3	6.3	9.3	6.4	10.0	52.7	33.1	19.6
1977	52	15.5	6.1	8.9	6.1	9.4	51.5	32.6	18.9
1978	53	14.9	6.1	8.4	5.6	8.8	48.7	31.1	17.6
1979	54	14.2	6.0	7.9	5.2	8.3	47.7	29.6	18.1
1980	55	13.6	6.2	7.5	4.9	7.3	46.8	28.8	18.0
1981	56	13.0	6.1	7.1	4.7	6.9	49.2	28.8	20.5
1982	57	12.8	6.0	6.6	4.2	6.8	49.0	27.7	21.3
1983	58	12.7	6.2	6.2	3.9	6.5	45.5	25.4	20.1
1984	59	12.5	6.2	6.0	3.7	6.3	46.3	24.3	22.0
1985	60	11.9	6.3	5.5	3.4	5.6	46.0	22.1	23.9
1986	61	11.4	6.2	5.2	3.1	5.2	45.3	21.4	23.9
1987	62	11.1	6.2	5.0	2.9	4.9	45.3	21.2	24.0
1988	63	10.8	6.5	4.8	2.7	4.3	43.4	19.5	23.9
1989	平成元年	10.2	6.4	4.6	2.6	3.7	42.4	18.9	23.5
1990	2	10.0	6.7	4.6	2.6	3.3	42.3	18.3	23.9
1991	3	9.9	6.7	4.4	2.4	3.2	39.7	17.5	22.1
1992	4	9.8	6.9	4.5	2.4	2.9	38.9	17.2	21.6
1993	5	9.6	7.1	4.3	2.3	2.5	36.6	16.4	20.2
1994	6	10.0	7.1	4.2	2.3	2.9	33.5	15.4	18.1
1995	7	9.6	7.4	4.3	2.2	2.1	32.1	14.9	17.2
1996	8	9.7	7.2	3.8	2.0	2.5	31.7	14.7	17.0
1997	9	9.5	7.3	3.7	1.9	2.2	32.1	14.2	17.9
1998	10	9.6	7.5	3.6	2.0	2.1	31.4	13.6	17.8
1999	11	9.4	7.8	3.4	1.8	1.6	31.6	13.7	17.9
2000	12	9.5	7.7	3.2	1.8	1.8	31.2	13.2	18.1
2001	13	9.3	7.7	3.1	1.6	1.6	31.0	13.0	18.0
2002	14	9.2	7.8	3.0	1.7	1.4	31.1	12.7	18.3
2003	15	8.9	8.0	3.0	1.7	0.9	30.5	12.6	17.8
2004	16	8.8	8.2	2.8	1.5	0.7	30.0	12.5	17.5
2005	17	8.4	8.6	2.8	1.4	△ 0.2	29.1	12.3	16.7
2006	18	8.7	8.6	2.6	1.3	0.1	27.5	11.9	15.6
2007	19	8.6	8.8	2.6	1.3	△ 0.1	26.2	11.7	14.5
2008	20	8.7	9.1	2.6	1.2	△ 0.4	25.2	11.3	13.9
2009	21	8.5	9.1	2.4	1.2	△ 0.6	24.6	11.1	13.5
2010	22	8.5	9.5	2.3	1.1	△ 1.0	24.2	11.2	13.0
2011	23	8.3	9.9	2.3	1.1	△ 1.6	23.9	11.1	12.8
2012	24	8.2	10.0	2.2	1.0	△ 1.7	23.4	10.8	12.6
2013	25	8.2	10.1	2.1	1.0	△ 1.9	22.9	10.4	12.5
2014	26	8.0	10.1	2.1	0.9	△ 2.1	22.9	10.6	12.3
2015	27	8.0	10.3	1.9	0.9	△ 2.3	22.0	10.6	11.4
2016	28	7.8	10.5	2.0	0.9	△ 2.6	21.0	10.1	10.9
2017	29	7.6	10.8	1.9	0.9	△ 3.2	21.1	10.1	11.0
2018	30	7.4	11.0	1.9	0.9	△ 3.6	20.9	9.9	11.0
2019	令和元年	7.0	11.2	1.9	0.9	△ 4.2	22.0	10.2	11.8
2020	2	6.8	11.1	1.8	0.8	△ 4.3	20.1	9.5	10.6
2021	3	6.6	11.7	1.7	0.8	△ 5.1	19.7	9.8	9.9
2022	* 4	6.3	12.9	1.8	0.8	△ 6.5	19.3	9.4	9.9

第2表 人口動態総覧（率）の年次推移（2-2）

年次 ¹⁾	周産期死亡率 ²⁾ (出産千対)	婚姻率 (人口千対)	離婚率 (人口千対)	合計特殊 出生率	年齢調整死亡率 ³⁾ (人口千対)		(参考) ⁴⁾ 周産期死亡率 (出生千対)	
					男	女		
1899	明治 32年	...	6.9	1.53	
1900	33	...	7.9	1.46	
1901	34	...	8.5	1.43	
1902	35	...	8.8	1.43	
1903	36	...	8.1	1.44	
1904	37	...	8.6	1.39	
1905	38	...	7.5	1.29	
1906	39	...	7.5	1.39	
1907	40	...	9.1	1.29	
1908	41	...	9.6	1.26	
1909	42	...	9.0	1.21	
1910	43	...	9.0	1.21	
1911	44	...	8.7	1.16	
1912	大正 元年	...	8.5	1.17	
1913	2	...	8.4	1.16	
1914	3	...	8.7	1.15	
1915	4	...	8.4	1.14	
1916	5	...	8.1	1.13	
1917	6	...	8.3	1.03	
1918	7	...	9.1	1.03	
1919	8	...	8.7	1.03	
1920	9	...	9.8	0.99	
1921	10	...	9.2	0.94	
1922	11	...	9.0	0.92	
1923	12	...	8.8	0.88	
1924	13	...	8.7	0.88	
1925	14	...	8.7	0.87	
1926	昭和 元年	...	8.3	0.83	
1927	2	...	7.9	0.82	
1928	3	...	8.0	0.78	
1929	4	...	7.8	0.81	
1930	5	...	7.9	0.80	
1931	6	...	7.6	0.77	
1932	7	...	7.8	0.77	
1933	8	...	7.2	0.73	
1934	9	...	7.5	0.71	
1935	10	...	8.0	0.70	
1936	11	...	7.8	0.66	
1937	12	...	9.5	0.66	
1938	13	...	7.6	0.63	
1939	14	...	7.8	0.64	
1940	15	...	9.3	0.68	
1941	16	...	11.0	0.69	
1942	17	...	9.4	0.64	
1943	18	...	10.2	0.68	
1947	22	...	12.0	1.02	4.54	
1948	23	...	11.9	0.99	4.40	
1949	24	...	10.3	1.01	4.32	
1950	25	...	8.6	1.01	3.65	42.2	32.8	46.6
1951	26	...	7.9	0.97	3.26	46.7
1952	27	...	7.9	0.92	2.98	45.6
1953	28	...	7.8	0.86	2.69	46.0
1954	29	...	7.9	0.87	2.48	45.1
1955	30	...	8.0	0.84	2.37	36.0	27.3	43.9
1956	31	...	7.9	0.80	2.22	45.5
1957	32	...	8.5	0.79	2.04	45.0
1958	33	...	9.0	0.80	2.11	43.9
1959	34	...	9.1	0.78	2.04	43.0

注：*印は概数である。

1) 昭和19～21年は戦災による資料喪失等資料不備のため省略した。昭和22～47年は沖縄県を含まない数値である。

2) 周産期死亡率は、妊娠満22週以後の死産数に早期新生児死亡数を加えたものを出産数(妊娠満22週以後の死産数に出生数を加えたもの)で除している。

年次 ¹⁾		周産期死亡率 ²⁾ (出産千対)	婚姻率 (人口千対)	離婚率	合計特殊 出生率	年齢調整死亡率 ³⁾ (人口千対)		(参考) ⁴⁾ 周産期死亡率 (出生千対)
						男	女	
1960	35	…	9.3	0.74	2.00	37.5	27.8	41.4
1961	36	…	9.4	0.74	1.96	…	…	40.9
1962	37	…	9.8	0.75	1.98	…	…	38.7
1963	38	…	9.7	0.73	2.00	…	…	36.2
1964	39	…	9.9	0.74	2.05	…	…	33.1
1965	40	…	9.7	0.79	2.14	35.5	26.0	30.1
1966	41	…	9.5	0.80	1.58	…	…	31.3
1967	42	…	9.6	0.84	2.23	…	…	26.3
1968	43	…	9.5	0.87	2.13	…	…	24.5
1969	44	…	9.6	0.89	2.13	…	…	23.0
1970	45	…	10.0	0.93	2.13	32.3	23.7	21.7
1971	46	…	10.5	0.99	2.16	…	…	20.4
1972	47	…	10.4	1.02	2.14	…	…	19.0
1973	48	…	9.9	1.04	2.14	…	…	18.0
1974	49	…	9.1	1.04	2.05	…	…	16.9
1975	50	…	8.5	1.07	1.91	28.4	20.6	16.0
1976	51	…	7.8	1.11	1.85	…	…	14.8
1977	52	…	7.2	1.14	1.80	…	…	14.1
1978	53	…	6.9	1.15	1.79	…	…	13.0
1979	54	21.6	6.8	1.17	1.77	…	…	12.5
1980	55	20.2	6.7	1.22	1.75	25.7	17.9	11.7
1981	56	19.5	6.6	1.32	1.74	…	…	10.8
1982	57	18.3	6.6	1.39	1.77	…	…	10.1
1983	58	16.9	6.4	1.51	1.80	…	…	9.3
1984	59	16.6	6.2	1.50	1.81	…	…	8.7
1985	60	15.4	6.1	1.39	1.76	22.7	15.0	8.0
1986	61	14.6	5.9	1.37	1.72	…	…	7.3
1987	62	13.7	5.7	1.30	1.69	…	…	6.9
1988	63	12.7	5.8	1.26	1.66	…	…	6.5
1989	平成元年	12.1	5.8	1.29	1.57	…	…	6.0
1990	2	11.1	5.9	1.28	1.54	21.3	13.4	5.7
1991	3	8.5	6.0	1.37	1.53	…	…	5.3
1992	4	8.1	6.1	1.45	1.50	…	…	5.2
1993	5	7.7	6.4	1.52	1.46	…	…	5.0
1994	6	7.5	6.3	1.57	1.50	…	…	5.0
1995	7	7.0	6.4	1.60	1.42	20.5	11.9	4.7
1996	8	6.7	6.4	1.66	1.43	…	…	4.4
1997	9	6.4	6.2	1.78	1.39	…	…	4.2
1998	10	6.2	6.3	1.94	1.38	…	…	4.1
1999	11	6.0	6.1	2.00	1.34	…	…	4.0
2000	12	5.8	6.4	2.10	1.36	17.6	9.8	3.8
2001	13	5.5	6.4	2.27	1.33	…	…	3.6
2002	14	5.5	6.0	2.30	1.32	…	…	3.7
2003	15	5.3	5.9	2.25	1.29	…	…	3.6
2004	16	5.0	5.7	2.15	1.29	…	…	3.3
2005	17	4.8	5.7	2.08	1.26	16.6	8.9	3.3
2006	18	4.7	5.8	2.04	1.32	15.9	8.6	3.1
2007	19	4.5	5.7	2.02	1.34	15.7	8.5	3.0
2008	20	4.3	5.8	1.99	1.37	15.7	8.5	2.9
2009	21	4.2	5.6	2.01	1.37	15.2	8.1	2.9
2010	22	4.2	5.5	1.99	1.39	15.6	8.3	2.9
2011	23	4.1	5.2	1.87	1.39	15.7	8.5	2.8
2012	24	4.0	5.3	1.87	1.41	15.3	8.3	2.7
2013	25	3.7	5.3	1.84	1.43	14.9	8.1	2.6
2014	26	3.7	5.1	1.77	1.42	14.5	7.9	2.5
2015	27	3.7	5.1	1.81	1.45	14.3	7.9	2.6
2016	28	3.6	5.0	1.73	1.44	14.1	7.7	2.4
2017	29	3.5	4.9	1.70	1.43	14.0	7.6	2.4
2018	30	3.3	4.7	1.68	1.42	13.8	7.6	2.2
2019	令和元年	3.4	4.8	1.69	1.36	13.5	7.5	2.3
2020	2	3.2	4.3	1.57	1.33	13.3	7.2	2.1
2021	3	3.4	4.1	1.50	1.30	13.6	7.4	2.2
2022	* 4	3.3	4.1	1.47	1.26	…	…	2.2

注：3) 年齢調整死亡率は、人口構成の異なる集団間での死亡率を比較するために、年齢階級別死亡率を一定の基準人口（平成27年モデル人口）にあてはめて算出した指標である。

4) (参考)の周産期死亡率は、妊娠満28週以後の死産数に早期新生児死亡数を加えたものを出生数で除している。