

第2表-2 人口動態総覧（率）の年次推移

年次 <sup>1)</sup>		出生率 (人口千対)	死亡率 (人口千対)	乳児 死亡率 (出生千対)	新生児 死亡率 (出生千対)	自然 増減率 (人口千対)	死産率 <sup>2)</sup> ( 出 産 千 対 )	自然 死産率	人工 死産率
1947	昭和22年	34.3	14.6	76.7	31.4	19.7	44.2	...	...
48	23	33.5	11.9	61.7	27.5	21.6	50.9	*36.9	*10.9
49	24	33.0	11.6	62.5	26.9	21.4	66.7	*39.1	*25.9
1950	25	28.1	10.9	60.1	27.4	17.2	84.9	41.7	43.2
51	26	25.3	9.9	57.5	27.5	15.4	92.2	43.0	49.3
52	27	23.4	8.9	49.4	25.4	14.4	92.3	42.8	49.5
53	28	21.5	8.9	48.9	25.5	12.6	93.8	43.5	50.2
54	29	20.0	8.2	44.6	24.1	11.9	95.6	44.6	51.1
55	30	19.4	7.8	39.8	22.3	11.6	95.8	44.5	51.3
56	31	18.4	8.0	40.6	23.0	10.4	97.1	46.9	50.1
57	32	17.2	8.3	40.0	21.6	8.9	101.2	49.9	51.3
58	33	18.0	7.4	34.5	19.5	10.5	100.7	50.2	50.5
59	34	17.5	7.4	33.7	18.6	10.1	100.6	51.3	49.3
1960	35	17.2	7.6	30.7	17.0	9.6	100.4	52.3	48.1
61	36	16.9	7.4	28.6	16.5	9.5	101.7	54.3	47.4
62	37	17.0	7.5	26.4	15.3	9.5	98.8	54.2	44.6
63	38	17.3	7.0	23.2	13.8	10.3	95.6	53.3	42.4
64	39	17.7	6.9	20.4	12.4	10.7	89.2	51.7	37.5
65	40	18.6	7.1	18.5	11.7	11.4	81.4	47.6	33.8
66	41	13.7	6.8	19.3	12.0	7.0	98.2	55.2	43.1
67	42	19.4	6.8	14.9	9.9	12.7	71.6	43.6	28.0
68	43	18.6	6.8	15.3	9.8	11.8	71.1	43.4	27.7
69	44	18.5	6.8	14.2	9.1	11.7	68.6	42.3	26.3
1970	45	18.8	6.9	13.1	8.7	11.8	65.3	40.6	24.7
71	46	19.2	6.6	12.4	8.2	12.6	61.4	39.3	22.1
72	47	19.3	6.5	11.7	7.8	12.8	57.8	37.8	20.1
73	48	19.4	6.6	11.3	7.4	12.8	52.6	35.6	17.0
74	49	18.6	6.5	10.8	7.1	12.1	51.3	34.9	16.4
75	50	17.1	6.3	10.0	6.8	10.8	50.8	33.8	17.1
76	51	16.3	6.3	9.3	6.4	10.0	52.7	33.1	19.6
77	52	15.5	6.1	8.9	6.1	9.4	51.5	32.6	18.9
78	53	14.9	6.1	8.4	5.6	8.8	48.7	31.1	17.6
79	54	14.2	6.0	7.9	5.2	8.3	47.7	29.6	18.1
1980	55	13.6	6.2	7.5	4.9	7.3	46.8	28.8	18.0
81	56	13.0	6.1	7.1	4.7	6.9	49.2	28.8	20.5
82	57	12.8	6.0	6.6	4.2	6.8	49.0	27.7	21.3
83	58	12.7	6.2	6.2	3.9	6.5	45.5	25.4	20.1
84	59	12.5	6.2	6.0	3.7	6.3	46.3	24.3	22.0
85	60	11.9	6.3	5.5	3.4	5.6	46.0	22.1	23.9
86	61	11.4	6.2	5.2	3.1	5.2	45.3	21.4	23.9
87	62	11.1	6.2	5.0	2.9	4.9	45.3	21.2	24.0
88	63	10.8	6.5	4.8	2.7	4.3	43.4	19.5	23.9
89	平成元年	10.2	6.4	4.6	2.6	3.7	42.4	18.9	23.5
1990	2	10.0	6.7	4.6	2.6	3.3	42.3	18.3	23.9
91	3	9.9	6.7	4.4	2.4	3.2	39.7	17.5	22.1
92	4	9.8	6.9	4.5	2.4	2.9	38.9	17.2	21.6
93	5	9.6	7.1	4.3	2.3	2.5	36.6	16.4	20.2
94	6	10.0	7.1	4.2	2.3	2.9	33.5	15.4	18.1
95	7	9.6	7.4	4.3	2.2	2.1	32.1	14.9	17.2
96	8	9.7	7.2	3.8	2.0	2.5	31.7	14.7	17.0
97	9	9.5	7.3	3.7	1.9	2.2	32.1	14.2	17.9
98	10	9.6	7.5	3.6	2.0	2.1	31.4	13.6	17.8
99	11	9.4	7.8	3.4	1.8	1.6	31.6	13.7	17.9
2000	12	9.5	7.7	3.2	1.8	1.8	31.2	13.2	18.1
01	13	9.3	7.7	3.1	1.6	1.6	31.0	13.0	18.0
02	14	9.2	7.8	3.0	1.7	1.4	31.1	12.7	18.3
03	15	8.9	8.0	3.0	1.7	0.9	30.5	12.6	17.8
04	16	8.8	8.2	2.8	1.5	0.7	30.0	12.5	17.5
05	17	8.4	8.6	2.8	1.4	△ 0.2	29.1	12.3	16.7
06	18	8.7	8.6	2.6	1.3	0.1	27.5	11.9	15.6
07	19	8.6	8.8	2.6	1.3	△ 0.1	26.2	11.7	14.5
08	20	8.7	9.1	2.6	1.2	△ 0.4	25.2	11.3	13.9
09	21	8.5	9.1	2.4	1.2	△ 0.6	24.6	11.1	13.5
2010	22	8.5	9.5	2.3	1.1	△ 1.0	24.2	11.2	13.0
11	23	8.3	9.9	2.3	1.1	△ 1.6	23.9	11.1	12.8
12	24	8.2	10.0	2.2	1.0	△ 1.7	23.4	10.8	12.6
13	25	8.2	10.1	2.1	1.0	△ 1.9	22.9	10.4	12.5
14	26	8.0	10.1	2.1	0.9	△ 2.1	22.9	10.6	12.3
15	27	8.0	10.3	1.9	0.9	△ 2.3	22.0	10.6	11.4
16	28	7.8	10.5	2.0	0.9	△ 2.6	21.0	10.1	10.9

注：1) 昭和47年以前は沖縄県を含まない。

2) 死産率は死産数を出産数（死産数に出生数を加えたもの）で除したものである。なお、\*印は概数による率である。

3) 周産期死亡率は周産期死亡数を出産数（妊娠満22週以後の死産数に出生数を加えたもの）で除したものである。

周産期死亡率 <sup>3)</sup> (出産千対)	婚姻率 (人口千対)	離婚率 (人口千対)	合計特殊出生率	年齢調整死亡率 (人口千対)		周産期死亡率 (妊娠満28週以後) <sup>4)</sup> (出生千対)	年次 <sup>1)</sup>	
				男	女			
...	12.0	1.02	4.54	23.6	18.3	...	昭和22年	1947
...	11.9	0.99	4.40	19.3	15.4	...	23	48
...	10.3	1.01	4.32	18.9	15.0	...	24	49
...	8.6	1.01	3.65	18.6	14.6	46.6	25	1950
...	7.9	0.97	3.26	16.9	13.4	46.7	26	51
...	7.9	0.92	2.98	15.7	12.4	45.6	27	52
...	7.8	0.86	2.69	16.4	12.6	46.0	28	53
...	7.9	0.87	2.48	15.2	11.3	45.1	29	54
...	8.0	0.84	2.37	14.8	11.0	43.9	30	55
...	7.9	0.80	2.22	15.6	11.5	45.5	31	56
...	8.5	0.79	2.04	16.3	11.8	45.0	32	57
...	9.0	0.80	2.11	14.4	10.4	43.9	33	58
...	9.1	0.78	2.04	14.4	10.2	43.0	34	59
...	9.3	0.74	2.00	14.8	10.4	41.4	35	1960
...	9.4	0.74	1.96	14.3	10.0	40.9	36	61
...	9.8	0.75	1.98	14.6	10.0	38.7	37	62
...	9.7	0.73	2.00	13.4	9.3	36.2	38	63
...	9.9	0.74	2.05	13.2	9.1	33.1	39	64
...	9.7	0.79	2.14	13.7	9.3	30.1	40	65
...	9.5	0.80	1.58	12.7	8.7	31.3	41	66
...	9.6	0.84	2.23	12.6	8.5	26.3	42	67
...	9.5	0.87	2.13	12.5	8.4	24.5	43	68
...	9.6	0.89	2.13	12.4	8.2	23.0	44	69
...	10.0	0.93	2.13	12.3	8.2	21.7	45	1970
...	10.5	0.99	2.16	11.5	7.6	20.4	46	71
...	10.4	1.02	2.14	11.2	7.4	19.0	47	72
...	9.9	1.04	2.14	11.2	7.4	18.0	48	73
...	9.1	1.04	2.05	10.9	7.2	16.9	49	74
...	8.5	1.07	1.91	10.4	6.9	16.0	50	75
...	7.8	1.11	1.85	10.1	6.6	14.8	51	76
...	7.2	1.14	1.80	9.6	6.2	14.1	52	77
...	6.9	1.15	1.79	9.4	6.0	13.0	53	78
21.6	6.8	1.17	1.77	9.0	5.7	12.5	54	79
20.2	6.7	1.22	1.75	9.2	5.8	11.7	55	1980
19.5	6.6	1.32	1.74	8.9	5.6	10.8	56	81
18.3	6.6	1.39	1.77	8.5	5.2	10.1	57	82
16.9	6.4	1.51	1.80	8.6	5.2	9.3	58	83
16.6	6.2	1.50	1.81	8.3	5.0	8.7	59	84
15.4	6.1	1.39	1.76	8.1	4.8	8.0	60	85
14.6	5.9	1.37	1.72	7.8	4.6	7.3	61	86
13.7	5.7	1.30	1.69	7.6	4.4	6.9	62	87
12.7	5.8	1.26	1.66	7.7	4.5	6.5	63	88
12.1	5.8	1.29	1.57	7.4	4.2	6.0	平成元年	89
11.1	5.9	1.28	1.54	7.5	4.2	5.7	2	1990
8.5	6.0	1.37	1.53	7.4	4.1	5.3	3	91
8.1	6.1	1.45	1.50	7.4	4.0	5.2	4	92
7.7	6.4	1.52	1.46	7.3	4.0	5.0	5	93
7.5	6.3	1.57	1.50	7.1	3.8	5.0	6	94
7.0	6.4	1.60	1.42	7.2	3.8	4.7	7	95
6.7	6.4	1.66	1.43	6.8	3.6	4.4	8	96
6.4	6.2	1.78	1.39	6.7	3.5	4.2	9	97
6.2	6.3	1.94	1.38	6.6	3.4	4.1	10	98
6.0	6.1	2.00	1.34	6.7	3.4	4.0	11	99
5.8	6.4	2.10	1.36	6.3	3.2	3.8	12	2000
5.5	6.4	2.27	1.33	6.2	3.1	3.6	13	01
5.5	6.0	2.30	1.32	6.0	3.0	3.7	14	02
5.3	5.9	2.25	1.29	6.0	3.0	3.6	15	03
5.0	5.7	2.15	1.29	5.9	3.0	3.3	16	04
4.8	5.7	2.08	1.26	5.9	3.0	3.3	17	05
4.7	5.8	2.04	1.32	5.7	2.9	3.1	18	06
4.5	5.7	2.02	1.34	5.6	2.8	3.0	19	07
4.3	5.8	1.99	1.37	5.6	2.8	2.9	20	08
4.2	5.6	2.01	1.37	5.4	2.7	2.9	21	09
4.2	5.5	1.99	1.39	5.4	2.7	2.9	22	2010
4.1	5.2	1.87	1.39	5.5	2.9	2.8	23	11
4.0	5.3	1.87	1.41	5.2	2.7	2.7	24	12
3.7	5.3	1.84	1.43	5.1	2.7	2.6	25	13
3.7	5.1	1.77	1.42	5.0	2.6	2.5	26	14
3.7	5.1	1.81	1.45	4.9	2.5	2.5	27	15
3.6	5.0	1.73	1.44	4.8	2.5	2.4	28	16

4) (参考)の周産期死亡率(妊娠満28週以後)は妊娠満28週以後の死産数に早期新生児死亡数を加えたものを出生数で除したものである。平成7年から、周産期死亡のうち死産については妊娠満28週以後から妊娠満22週以後に変更されたが、継続観察のため本数値を参考として掲載している。