



- damage from environmental tobacco smoke in young children. *Cancer Epidemiol Biomarkers Prev* 1999, 8(5):427-431.
- 22. Stepanov I, Hecht SS, Duca G, Mardari I. Uptake of the tobacco-specific lung carcinogen 4-(methylnitrosamino)-1-(3-pyridyl)-1-butanone by Moldovan children. *Cancer Epidemiol Biomarkers Prev* 2006, 15(1):7-11.
- 23. Bono R, Vincenti M, Schiliro T, Traversi D, Pignata C, Scursatone E et al. Cotinine and N-(2-hydroxyethyl) valine as markers of passive exposure to tobacco smoke in children. *J Expo Anal Environ Epidemiol* 2005, 15(1):66-73.
- Thaqi A, Franke K, Merkel G, Wichmann HE, Heinrich J. Biomarkers of exposure to passive smoking of school children: frequency and determinants. *Indoor Air* 2005, 15(5):302-310.
- Davis RM. Exposure to environmental tobacco smoke: identifying and protecting those at risk. *JAMA* 1998, 280(22):1947-1949.
- Ott WR. Mathematical models for predicting indoor air quality from smoking activity. *Environ Health Perspect* 1999, 107(Suppl 2):375-381.
- Samet JM, Bohanon HR, Jr., Coultas DB, Houston TP, Persily AK, Schoen LJ et al. ASHRAE position document on environmental tobacco smoke. Atlanta, GA: ASHRAE, 2005.
- Exposure to second-hand smoke among students aged 13-15 years worldwide, 2000-2007. MMWR Morb Mortal Wkly Rep 2007, 56(20):497-500.
- Puklova V, Grad J, Medina S, Pascua E. Exposure of child- ren to environmental tobacco smoke. *European Environment and Health Information System*. No. 3, 4, 2007.
- 30. Coghlin J, Hammond SK, Gann PH. Development of epidemiologic tools for measuring environmental tobacco smoke exposure. *Am J Epidemiol* 1989, 130(4):696-704.
- 31. Coghlin J, Gann PH, Hammond SK, Skipper PL, Taghizadeh K, Paul M et al. 4-Aminobiphenyl haemoglobin adducts in foetuses exposed to the tobacco smoke carcinogen in utero. *J Natl Cancer Inst* 1991, 83(4):274-280.
- 32. Rees VW, Connolly GN. Measuring air quality to protect children from second-hand smoke in cars. *Am J Prev Med* 2006, 31(5):363-368.

- 33. Ott W, Klepeis N, Switzer P. Air change rates of motor vehicles and in-vehicle pollutant concentrations from second-hand smoke. *Journal of Exposure Science and Environmental Epidemiology* 2007, 1-14.
- 34. US Environmental Protection Agency, Clean Air Scientific Advisory Committee. Review of the National Ambient Air Quality Standards for Particulate Matter: Policy Assessment of Scientific and Technical Information. OAQPS Staff paper. Research Triangle Park, NC: USEPA, 2005.
- 35. Edwards R, Wilson N, Pierse N. Highly hazardous air quality associated with smoking in cars: New Zealand pilot study. *N Z Med J* 2006, 119(1244):U2294.
- 36. Johnson JO. *Who's minding the kids? Childcare arrangements: Winter 2002.* Current Population Reports P70-01, 1-24. Washington, DC: US Department of Commerce, US Census Bureau, 2005.
- 37. US Department of Health and Human Services. *The health consequences of smoking chronic obstructive lung disease*. A report of the Surgeon General. Washington, DC: US Government Printing Office, 1984.
- 38. US Department of Health and Human Services. *The health consequences of involuntary smoking*: A report of the Surgeon General. DHHS Publication No. (CDC) 87-8398. Washington, DC: US Government Printing Office, 1986.
- 39. Svanes C, Omenaas E, Jarvis D, Chinn S, Gulsvik A, Burney P. Parental smoking in childhood and adult obstructive lung disease: results from the European Community Respiratory Health Survey. *Thorax* 2004, 59(4):295-302.
- 40. David GL, Koh WP, Lee HP, Yu MC, London SJ. Childhood exposure to environmental tobacco smoke and chronic respiratory symptoms in non-smoking adults: the Singapore Chinese Health Study. *Thorax* 2005, 60(12):1052-1058.
- 41. Larsson ML, Frisk M, Hallstrom J, Kiviloog J, Lundback B. Environmental tobacco smoke exposure during childhood is associated with increased prevalence of asthma in adults. *Chest* 2001, 120(3):711-717.
- 42. Skorge TD, Eagan TM, Eide GE, Gulsvik A, Bakke PS. The adult incidence of asthma and respiratory symptoms by passive smoking in uterus or in childhood. *Am J Respir Crit Care Med* 2005, 172(1):61-66.